Deloitte.

COURT FILE NUMBER Q.B.G. 40 of 2019

COURT OF QUEEN'S BENCH FOR SASKATCHEWAN

JUDICIAL CENTRE YORKTON

PLAINTIFF THE TORONTO-DOMINION BANK

DEFENDANTS EMW INDUSTRIAL LTD., EMW INDUSTRIAL INC., E&S

MORRISON FAMILY HOLDINGS LTD., EMW HOLDINGS LTD., PEPPER MAINTENANCE (CANADA) 2005 LTD., and EMW REAL

ESTATE CO. LTD.

DOCUMENT SUPPLEMENT TO THE FIRST REPORT OF THE COURT

APPOINTED RECEIVER OF EMW INDUSTRIAL LTD., EMW INDUSTRIAL INC., E&S MORRISON FAMILY HOLDINGS LTD., PEPPER MAINTENTANCE (CANADA) 2005 LTD., EMW HOLDINGS LTD., AND EMW REAL ESTATE CO. LTD.

PREPARED BY DELOITTE RESTRUCTURING INC.

DATED MAY 21, 2019

ADDRESS FOR SERVICE AND CONTACT INFORMATION OF PARTY FILING THIS DOCUMENT

Counsel

McDougall Gauley LLP 1500 – 1881 Scarth Street Regina, SK S4P 4K9

Attention: Michael W. Milani, Q.C.

Telephone/Facsimile: 306-565-5117/306-359-0785

File No.: 549268.6

Receiver

Deloitte Restructuring Inc. 700, 850 – 2nd Street SW Calgary, AB T2P 0R8

Attention: Robert J. Taylor

Telephone/Facsimile: 403-267-0501 / 403-718-3681

Email: bobtaylor@deloitte.ca

TABLE OF CONTENTS

INTRODUCTION	. 1
Purpose Terms of reference Currency	2
BACKGROUND	
INSPECTION OF THE ASSETS	. 3
PURCHASE AND SALE AGREEMENT	. 3
CONCLUSION AND RECOMMENDATION	4

APPENDICES

Appendix "A" – Saskatchewan Corporate Registry Profile Report: Credence Construction Ltd.

Appendix "B" – Purchase and Sale Agreement dated May 21, 2019

INTRODUCTION

- On April 11, 2019, (the "Date of Receivership") Deloitte Restructuring Inc. ("Deloitte") was appointed by Order of the Court of Queen's Bench for Saskatchewan in Bankruptcy and Insolvency (the "Receivership Order") as the receiver (the "Receiver"), without security, of all the personal property of EMW Industrial Ltd. ("EMW"), EMW Industrial Inc. ("EII"), E&S Morrison Family Holdings Ltd. ("E&S"), Pepper Maintenance Canada (2005) Inc. ("PMC"), EMW Holdings Ltd. ("Holdings"), and EMW Real Estate Co. Ltd. ("Real Estate Co.") (collectively the "Debtors" or the "Companies") acquired for, or used in relation to the business carried on by the Debtors, including all proceeds thereof (the "Property"), including, but not limited to, all goods, inventory, equipment, accounts receivable, and other intangibles, and all proceeds of any of the Property. A copy of the Receivership Order can be access on Deloitte's website at www.insolvencies.deloitte.ca.
- 2) The Receivership Order was granted as a result of an application by The Toronto-Dominion Bank ("**TD Bank**"), who holds registered security over all of the Companies' present and after-acquired personal property (the "**TD Bank Security**") and with consent of the Debtors.
- The Receiver's first report to the Court was dated May 17, 2019 (the "First Report"). The Receivership Order, together with related Court documents, the Notice to Creditors and the Receiver's First Report have been posted on the Receiver's website (the "Receiver's Website") at www.insolvencies.deloitte.ca/en-ca/EMW
- This report is being prepared as a supplement to the First Report (the "Supplement to the First Report"). The Supplement to the First Report is being filed by the Receiver in support of the Receiver's application to this Honourable Court on May 22, 2019 (the "May 22, 2019 Application"), seeking approval of the offer (the "Offer to Purchase") for 10 specific vehicles, equipment and its associated inventory (the "Assets") by three former EMW employees, namely, Francis Ostapovich, Jordan Bugg, and Trevor Mack (or their nominee) (collectively, the "Purchasers").
- 5) Unless otherwise provided, all other capitalized terms not defined herein are as defined in the First Report or in the Receivership Order.

Purpose

- 6) The purpose of this Supplement to the First Report is to outline for this Honourable Court the details of the Offer to Purchase received from the Purchasers and respectfully recommend that this Honourable Court:
 - a) Grant an order approving the sale of the Assets to the Purchasers and vesting such Assets to the Purchasers free and clear of any and all encumbrances; and
 - b) Provide such further and other relief that the Court considers just and warranted in the circumstances.

Terms of reference

7) In preparing this Supplement to the First Report, the Receiver has relied upon unaudited financial information prepared by the Debtors' management, the Debtors' books and records and discussions with its management. The Receiver has not audited, reviewed or otherwise attempted to verify the accuracy or completeness of the information in a manner that would wholly or partially comply with Generally Accepted Assurance Standards pursuant to the *Chartered Professional Accountants Canada Handbook* and, accordingly, the Receiver expresses no opinion or other form of assurance in respect of the information.

Currency

8) All dollar amounts in this Supplement to the First Report are in Canadian dollars, unless otherwise indicated.

BACKGROUND

- 9) As described in the First Report the Receiver determined that it was not feasible or economical to carry on the business of the Companies and it initiated a sale process whereby it solicited offers for the ongoing projects and associated accounts receivable.
- 10) Subsequent to the Receiver undertaking a sale of the ongoing projects and associated accounts receivable, on April 22, 2019, the Purchasers submitted a letter of intent to the Receiver offering to purchase 55 pieces of equipment and associated inventory. The Purchasers provided a \$73,368 deposit to the Receiver. On April 26, 2019, the Purchasers amended their Offer to Purchase for the Assets to 10 pieces of equipment and associated inventory for a purchase price of \$600,000, plus GST and PST (if applicable) (the "Purchase Price").
- 11) The Assets comprise ten serial numbered goods: four sea-can workshops, three (53-foot) van trailers, two work trailers, and one Dodge Ram truck. The Assets also include approximately 5,000 pieces of inventory and consumables (the "**Inventory and Consumables**") housed within the workshops and trailers. The Inventory and Consumables include, but are not limited to, items such as ladders, drill bits, and extension cords.
- 12) Approximately one-half of the Assets are situated in or around Saltcoats, Saskatchewan, three units are located at a job site in Elstow, Saskatchewan, one unit is at a job site in Rocanville, Saskatchewan, and one unit is at a job site in Magrath, Alberta.
- 13) The Assets located at the job sites have effectively been integrated into the customers' operations. The Receiver understands that the Assets were upgraded with aftermarket improvements owned by the respective customers.
- As a result of the sea-cans and work trailers at some of the job sites being integrated into the customers' operations, those Assets are critical to each project's ongoing operations. Demobilization and removal of the sea-cans and work trailers could cause significant business interruption for the customers and impair the Receiver's ability to collect on outstanding accounts receivable from these customers.
- 15) The Receiver has reviewed and assessed the costs associated with job site demobilization and transportation of the Assets to Saltcoats, Saskatchewan along with the impact such demobilization would have on the Companies' customers. It is the Receiver's view that

the time, costs and business interruption the demobilization would cause is cost prohibitive.

INSPECTION OF THE ASSETS

- Upon receipt of the Offer to Purchase, the Receiver and the Companies' former inventory manager inspected nine of the ten Assets located in Saltcoats, Elstow, and Rocanville, Saskatchewan. The inventory manager confirmed that the Inventory and Consumables housed within the Assets are generally consistent with the Companies' master inventory list.
- 17) The one unit located in Magrath, Alberta was not inspected by the Receiver nor the inventory manager due to the location, travel time, and cost constraints. The inventory manager advised the Receiver that the Magrath site was recently established in March 2019, and as a result of the set up being close to the Date of Receivership, he is of the view that the inventory housed in Magrath is generally consistent with the Companies' master inventory list.
- The Receiver engaged an industry respected independent auctioneer/liquidator, Century Services Inc. ("Century"), to attend at the Companies' office and Yard in Saltcoats to conduct an appraisal of the Companies' equipment, vehicles, and inventory. Additionally, the Receiver provided Century, for its review and assessment, a detailed listing of the Assets (including the master inventory list for the inventory housed in the sea-cans and work trailers). While Century has not yet finalized its appraisal, Century has advised the Receiver that, based on its physical inspection of the Property located in the office and Yard, the condition of that Property, and its review of the master inventory list, the Purchase Price offered for the Assets is fair and reasonable in the circumstances. Century further advised the Receiver that the sale of the Assets to the Purchasers would not, in any way, impair the auction value or marketability of the Companies' remaining assets.

PURCHASE AND SALE AGREEMENT

- 19) At the direction of the Purchasers, Cornerstone Credit Union submitted a letter of funding (the "**Funding Letter**") to the Receiver on May 6, 2019. The Funding Letter confirms that the Purchasers' proposed nominee, Credence Construction Ltd. ("**Credence**"), has obtained sufficient financing to close on the Offer to Purchase. A copy of a Saskatchewan Corporate Registry Profile Report for Credence is attached hereto as Appendix "**A**.'
- The Receiver and the Purchasers have agreed to a purchase and sale agreement (the "PSA") for the Assets dated May 21, 2019 subject to the Receiver obtaining Court approval of such sale. A copy of the PSA is attached hereto as Appendix "B".
- 21) The more salient terms of the PSA are as follows:
 - a) the Assets are being sold on an "as is, where is" basis without any representations as to the description, condition, suitability for purpose, size, quantity, or value of all or any portion of the Assets; and
 - b) the completion of the sale is conditional on:
 - (i) the Receiver being paid the balance of the Purchase price plus applicable taxes;

- (ii) there being no judicial restraining order in effect prohibiting the closing of the PSA; and
- (ii) the Court having approved the sale of the Assets to the Purchasers.

CONCLUSION AND RECOMMENDATION

- 22) The Receiver has reviewed the Offer to Purchase submitted by the Purchasers and consulted with Century and the inventory manager and is satisfied that the Offer to Purchase is commercially reasonable in the circumstances as:
 - a) Century's view is that the Offer to Purchase is fair and reasonable in the circumstances and will not impair the auction value of the remaining assets;
 - b) The Receiver will not incur costs which would be required to demobilize and transport the Assets to Saltcoats;
 - c) There will be no business interruption at certain of the Companies' customers sites that would likely result by demobilization of the Assets; and
 - d) TD Bank supports the sale of the Assets to the Purchasers.
- 23) Accordingly, the Receiver respectfully recommends that this Honourable Court grant the relief detailed in paragraph 6 of this Supplemental to the First Report.

All of which is respectfully submitted at Calgary, Alberta this 21st day of May 2019.

DELOITTE RESTRUCTURING INC.

Solely in its capacity as Court appointed Receiver of the Companies and not in its personal or corporate capacity

Robert J. Taylor, FCA, FCPA, CIRP, LIT, CFE

Senior Vice-President

Appendix "A"

Saskatchewan Corporate Registry



Profile Report

Entity Number: 102075933 Page 1 of 3

Entity Name: CREDENCE CONSTRUCTION LTD. Report Date: 21-May-2019

Entity Details

Entity Type Business Corporation

Entity Subtype Saskatchewan Corporation

Entity Status Active

Incorporation Date 12-Apr-2019
Annual Return Due Date 31-May-2020

Nature of Business All other specialty trade contractors

Registered Office/Mailing Address

Physical Address 1000-2002 VICTORIA AVE, REGINA, Saskatchewan, Canada, S4P 0R7

Attention To MATTHEW A. PARK

Mailing Address CREDENCE CONSTRUCTION LTD., PO BOX 1187, LUMSDEN, Saskatchewan, Canada, SOG

3C0

Attention To JORDAN BUGG

Directors/Officers

JORDON DEAN BUGG (Director)

Physical Address: 10 CRIMSON PLACE, Resident Canadian: Yes

LUMSDEN, Saskatchewan,

Canada, S0G 3C0

Mailing Address: PO BOX 1187, LUMSDEN,

Saskatchewan, Canada, S0G

3C0

Effective Date: 12-Apr-2019

JOSHUA LEIGH BUGG (Director)

Physical Address: 121 8TH AVE W, MELVILLE, Resident Canadian: Yes

Saskatchewan, Canada, S0A

2P0

Mailing Address: PO BOX 3353, MELVILLE,

Saskatchewan, Canada, SOA

2P0

Effective Date: 12-Apr-2019



Corporate Registry

Profile Report

Entity Number: 102075933 Page 2 of 3

Entity Name: CREDENCE CONSTRUCTION LTD. Report Date: 21-May-2019

FRANCIS DON OSTAPOVICH (Director)

Physical Address: 9 RIVERSIDE TERR, Resident Canadian: Yes

YORKTON, Saskatchewan,

Canada, S3N 0G2

Mailing Address: 9 RIVERSIDE TERR,

YORKTON, Saskatchewan,

Canada, S3N 0G2

Effective Date: 12-Apr-2019

TREVOR MACK (Director)

Physical Address: NE 33-25-02 W2M, R.M. OF Resident Canadian: Yes

WALLACE, Saskatchewan,

Canada

Mailing Address: PO BOX 1081, YORKTON,

Saskatchewan, Canada, S3N

2X3

Effective Date: 12-Apr-2019

Shareholders			
Shareholder Name	Mailing Address	Share Class	Shares Held
FRANCIS DON OSTAPOVICH	9 RIVERSIDE TERR, YORKTON, SASKATCHEWAN, CANADA, S3N 0G2	Α	10
JORDAN DEAN BUGG	PO BOX 1187, LUMSDEN, SASKATCHEWAN, CANADA, SOG 3C0	Α	10
JOSHUA LEIGH BUGG	PO BOX 3353, MELVILLE, SASKATCHEWAN, CANADA, SOA 2PO	Α	10
TREVOR MACK	PO BOX 1081, YOORKTON, SASKATCHEWAN, CANADA, S3N 2X3	А	10

Articles

Minimum Number of Directors: 1 Maximum Number of Directors: 8

Share Structure:

Class Name	Voting Rights	Authorized Number	Number Issued
A	Yes	Unlimited	40
В	Yes	Unlimited	
С	No	Unlimited	
D	No	Unlimited	
E PREFERRED	Yes	Unlimited	
F PREFERRED	Yes	Unlimited	

Saskatchewan Corporate Registry



Profile Report

Entity Number: 102075933 Page 3 of 3

Entity Name: CREDENCE CONSTRUCTION LTD. Report Date: 21-May-2019

G PREFERRED No Unlimited
H PREFERRED No Unlimited
I PREFERRED No Unlimited
J Yes Unlimited

Previous Entity Names

Туре	Name	Effective Until
Registered Name	102075933 SASKATCHEWAN LTD.	26-Apr-2019

Event History

Туре	Date
Business Corporation - Amend Articles with Name Change	26-Apr-2019
Notice of Shareholders	22-Apr-2019
Notice of Change of Directors/Officers	22-Apr-2019
Notice of Shareholders	12-Apr-2019
Business Corporation - Incorporation	12-Apr-2019

Appendix "B"

PURCHASE AND SALE AGREEMENT

THIS AGREEMENT is made as of the $\frac{\mathcal{O}}{L}$ day of May, 2019

BETWEEN:

DELOITTE RESTRUCTURING INC., in its capacity as Receiver of EMW Industrial Ltd., EMW Industrial Inc., E&S Morrison Family Holdings Ltd., Pepper Maintenance Canada (2005) Inc., EMW Holdings Ltd., and EMW Real Estate Co. Ltd. (the "**EMW Group**") and not in its personal or corporate capacity (hereinafter referred to as the "**Vendor**")

- and -

FRANCIS OSTAPOVICH, JORDAN BUGG, AND TREVOR MACK (OR NOMINEE) (hereinafter collectively referred to as the "Purchasers")

WHEREAS

- A. The Purchasers submitted an offer to purchase (the "Offer"), with a purchase price of \$600,000.00 plus GST and PST (if applicable) (the "Purchase Price") for the following assets of the EMW Group, which are described in detail in Appendix "A" and summarized below:
 - 2003 large work trailer, s/n 2T9FV223X3B004027, unit 112;
 - 2002 53' Great Dane van trailer, s/n 1GRAA06292BO91406, unit 135;
 - 2000 53' Dorsey van trailer, s/n 1DTV61530YA277192, unit 136;
 - 2012 Dodge Ram 4500, s/n 3C7WDLEL8CG219150, unit 325;
 - Uplifted sea can storage, s/n 994745, unit 439;
 - Mechanical sea can workshop, s/n DSCU2143158, unit 446;
 - Mechanical sea can workshop, s/n unavailable, unit 420;
 - 2000 53' reefer van, s/n 1PTO1ANH2Y8002721, unit 134;
 - Uplifted sea can storage, s/n 798864, unit 445;
 - 2007 large work trailer, s/n 2T9FV34277B004011, unit 120; and
 - Associated inventory.

(collectively, the "Purchased Assets").

- B. In accordance with the provisions of the Offer, the Vendor has agreed to sell, assign, transfer and convey to the Purchasers, and the Purchasers have agreed to accept and assume from the Vendor, all of the EMW Group's right, title, estate and interest in the Purchased Assets, all subject to the terms and conditions set forth in this Agreement.
- C. The parties hereto are entering into this Agreement in order to set forth the respective rights and obligations of each in regard to the sale of the Purchased Assets included in the Offer.

NOW THEREFORE, in consideration of the mutual covenants and agreements contained herein, and other good and valuable consideration, the parties agree as follows:

- 1. Effective upon the satisfaction of the conditions precedent in paragraph 6 hereof, as of the Closing Date (hereinafter defined), the Vendor hereby absolutely and irrevocably grants, bargains, sells, assigns, transfers, conveys and sets over free and clear of all charges, liens and encumbrances the Purchased Asset, together with all of the EMW Group's right, title, estate, interest, property, claim and demand in and to the Purchased Assets, to the Purchasers, its successors and assigns, and to have and to hold the Purchased Assets and all right, title, estate, interest, property, claim and demand unto and to the use of Purchaser, its successors and assigns, subject to paragraph 6 herein.
- 2. Payment in full of the Purchase Price will be paid in the following manner:
 - a) The sum of \$73,368.00 (herein called the "Deposit") was paid to the Vendor upon execution and delivery of the Offer. The Deposit shall apply toward the Purchase Price on the Closing Date.
 - b) The balance of the Purchase Price shall be paid accordingly to the Receiver on or before the Closing Date, by certified funds.
- 3. The closing of the purchase and sale transaction shall take place on a date (the "Closing Date") mutually agreeable between the Vendor and the Purchasers but in any event, no later than 5 business days after receipt of the Approval and Vesting Order (as defined below).
- 4. The Purchasers acknowledge that they have conducted their own investigation and due diligence on the Purchased Assets, and have inspected and satisfied themselves as to the condition of the Purchased Assets. The Vendor provides no representation or warranty as to the accuracy or completeness of the information provided to the Purchasers and shall have no liability for any representations expressed or implied or for any omissions or for any other written or oral communication transmitted to the Purchasers in the course of their evaluation of the Purchased Assets.
- 5. The Purchased Assets are being sold on an "as is, where is" basis without any representations, expressed or implied, as to the description, condition, suitability for purpose, size, quantity or value of all or any portion of the Purchased Assets.
- 6. The completion of the sale of the Purchased Assets is conditional upon the satisfaction of the following conditions precedent:
 - a) the Court of Queen's Bench for Saskatchewan pronouncing an order approving this Agreement and the transaction contemplated hereby and vesting in the Purchasers all the right, title and interest of the Vendor in the Purchased Asset free and clear of all liens, security interests and other encumbrances (the "Approval and Vesting Order");

b) the payment to the Vendor of the balance of the Purchase Price referred to in paragraph

2(b) hereof; and

c) there will not be any judicial restraining order or injunction, preliminary or otherwise, in

effect prohibiting the closing of the Transaction.

7. This Agreement shall be governed by and construed in accordance with the laws of the Province

of Saskatchewan and the federal laws of Canada applicable therein.

8. This Agreement shall be binding upon and enure to the benefit of the parties hereto and their

respective heirs, executors, administrators, successors and permitted assigns. The obligation

of the Purchasers under this Agreement shall be joint and several.

9. No waiver, modification or cancellation of any term or condition of this Agreement shall be

effective unless executed in writing. No waiver shall excuse the performance of any act other

than the act specifically referred to in such waiver. No assent to or waiver of any breach of any

one or more of the covenants contained in this Agreement, whether expressed or implied, shall

be deemed to be taken to be a waiver of any succeeding or other breach.

10. Time shall be of the essence in this Agreement.

11. This Agreement may be signed in counterparts and be delivered via facsimile or PDF format via

email and each such counterpart shall be deemed to be an original. Any counterpart delivered

via facsimile in PDF format via email shall be deemed to form part of the original document. Any

party that delivers this Agreement to the other parties via facsimile or in PDF format via email

shall within five (5) business days thereafter also deliver to the other party an original executed

copy of this Agreement.

IN WITNESS WHEREOF the parties have executed this Agreement effective as of the date first above

written.

DELOITTE RESTRUCTURING INC., in its

capacity as Receiver of the EMW Group

and not in its personal or corporate capacity

Bv.

Robert J. Taylor, Senior Vice President

By: Stanovich

ву: ____

Jordan Bugg

Trevor Mack

* Errors and omissions excepted

Unit 420:

Type: Sea Can Serial Number: N/A Inventory Listing:

Inventory Description	# of Units
Cloth,Emery,1" x 50 Yards,80 Grit	200
Cloth,Emery,1" x 50 Yards,120 Grit	150
Disc,Grinding,Metal,5" x 1/4" x 7/8", 24 Grit	188
Disc,Grinding,Pipe,Metal,7" x 1/8" x 7/8"	37
Disc,Grinding,Metal,7" x 1/4" x 7/8"	41
Disc,Grinding,Pipe,Metal,6" x 1/8" x 7/8"	12
Disc, Cutting, Concrete, 7"	1
Battery,AA	44
Battery,AAA	119
Extension Cord,110 V,10' (300V 3c 12AWG SJOOW Mininum)	10
Extension Cord,110 V,25' (300V 3c 12AWG SJOOW Mininum)	15
Extension Cord,110 V,50' (300V 3c 12AWG SJOOW Mininum)	9
Extension Cord,110 V,100' (300V 3c 12AWG SJOOW Mininum)	3
Extension Cord,220V,50' 30A Blade Conn (300V 3C 10AWG SJOW or SJOOW Minimum) (Heater Ext)	1
Extension Cord Conn (Female),2P3W,15A,125V,YELLOW,HBL5969VY	15
Extension Cord Conn (Male),2P3W,125V,15A,YELLOW,HBL5965VY	16
Interrupter,Ground Fault Circuit,Wall Plug in,GFCI(3 outlet)	13
Power Bar, Surge Protection, Plastic, 6 Outlet	2
Tape,Electrical,Black,3/4" x 66'	72
Light,Fixture,Magnetic,Water Sealed,100 W	3
Light Bulb,Halogen,500 W,2/pk,WSWTLB500	3
Light Bulb,Rough Service,100 W	16
Windshield Washer Fluid, All Weather, 4 Litre, Napa	3
Saw Horse Assembly, Shop Made	4
Broom,Magnetic,Wheeled	1
Broom,Push,18" Wide	1
Broom,Push,24" Wide	5
Dust Pan,Steel	1
Garbage Bag,100 / Box,35" x 50"	150
Garbage Can,Plastic,20 Gallon	1
Garbage Can,Tin,20 Gallon	4

Glass Cleaner,Aerosol Spray,CRC 539 g	2
Glass Cleaner,Liquid,Windex,765 ml	10
Shovel,Spade,Round Point,Various	2
Shovel,Square,Various	2
Wipes,1 Ply,280/Box,4.4"x8.4",Kimberley-Clark,Kimwipes EX-L	20
Wipes,Wypall,180/Box,Kimberly-Clark,White	17
Filter,Oil,Kohler V twin,Napa,1348	2
Filter, Air, Welder (Kohler Twin), Napa, 2297	2
All Thread,UNC,3/8",Gr. 2	3
Cable Tie,Nylon,Natural,7 1/2",Heavy Duty	100
Cable Tie,Nylon,Natural,13",Heavy Duty	168
Screw,Self Drilling,Hex Washer Head,#10,3/16" x 3/4"	200
DX Cartridge 6,0.27 Cal Shot,8/11 M Brown,Hilti #377204	52
Anchor,Drop In,Flush,5/8" Dia.	11
Anchor, Hilti, HAS-E, Rod, 3/4" x 10"	14
Brake Cleaner, Aerosol Spray, CRC, Brakleen, 539 g	18
Cutting Fluid,Bessey,Rapid Tap,455 ml	1
Cutting Fluid,State,Cut & Cool,3.78 L	4
Grease,All-Weather,Synthetic,Mobilith,SHC 100 ,354 g Tube	1
Grease,All-Weather,Esso,Epic EP 102, 400 g Tube	9
Lubricant,Anti-Seize,Loctite,Food Grade,Aerosol,8 oz	4
Oil,Quaker State,10W-30,946 ml	2
Oil,Air Tool,kleen-flo,500 ml	3
Penetrating Fluid,Aerosol,Fluid Film,333 g	2
Oil,Diesel Motor,Esso,XD3 15W-40,1 Litre	1
Oil,2 stroke,2 Cycle,1 L	1
Penetrating Fluid,Aerosol,WD-40,411g	18
Chain Hoist,Long Drop,Manual,1 Tonne	4
Chain Hoist, Short Drop, Manual, 1/2 Tonne	1
Chain Hoist,Short Drop,Manual,1 Tonne	4
Chain Hoist,Short Drop,Manual,2 Tonne	8
Puller,Lever,Chain,Come Along,3/4 Tonne	3
Puller,Lever,Chain,Come Along,1 1/2 Tonne	3
Puller,Lever,Chain,Come Along,3 Tonne	2
Puller, Cable, Super-Til Wire Rope, (Turfer), 5/8", w/o Cable	1
Rope,Lifting,50'	1
Safety Latch Kit,Chain Hoist,1 Tonne,Westward,Z740A1	2
Safety Latch Kit, Chain Hoist, 2 Tonne, Westward, Z740A2	6
Safety Latch Kit, Chain Hoist, 6 Tonne	3
Safety Latch Kit,Lever Puller,1 1/2 Tonne,Westward	6
Shackle,Anchor,Screw Pin,1/2" (2 Tonne),Crosby,G-209	7

Shackle, Anchor, Screw Pin, 5/8" (3 1/4 Tonne), Crosby, G-209	13
Shackle, Anchor, Screw Pin, 1 1/4" (12 Tonne), Crosby, G-209	15
Shackle, Anchor, Screw Pin, 1 1/2" (17 Tonne), Crosby, G-209	1
Sling,3 - Straight Eye and Eye,Nylon Double Ply,1" x 2'	3
Sling,3 - Straight Eye and Eye,Nylon Double Ply,1" x 4'	1
Sling,3 - Straight Eye and Eye,Nylon Double Ply,2" x 10'	1
Sling,3 - Straight Eye and Eye,Nylon Double Ply,2" x 12'	1
Sling,4 - Twisted Eye and Eye,Nylon Single Ply,2" x 8'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,1" x 6'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,1" x 8'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,1" x 10'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 4'	9
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 6'	9
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 8'	9
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 10'	16
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 12'	9
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16'	8
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 20'	11
Sling,Wire Rope,Permaloc,3/8" x 2'	9
Sling,Wire Rope,Permaloc,3/8" x 4'	13
Sling,Wire Rope,Permaloc,3/8" x 6'	6
Sling,Wire Rope,Permaloc,3/8" x 8'	6
Sling,Wire Rope,Permaloc,3/8" x 10'	2
Sling,Wire Rope,Permaloc,1/2" x 3'	12
Sling,Wire Rope,Permaloc,1/2" x 4'	9
Sling,Wire Rope,Permaloc,1/2" x 6'	8
Sling,Wire Rope,Permaloc,1/2" x 8'	11
Sling,Wire Rope,Permaloc,1/2" x 10'	3
Sling,Wire Rope,Permaloc,1/2" x 12'	3
Sling,Wire Rope,Permaloc,1/2" x 14'	1
Sling,Wire Rope,Permaloc,5/8" x 4'	3
Sling,Wire Rope,Permaloc,3/4" x 4'	1
Snatchblock,Hooked,Uses 1/2" Wire Rope,4 tonne	5
Trolley,Beam,5 Tonne	2
Safety Latch Kit, Chain Hoist, 3 Tonne, Westward,	15
Safety Latch Kit, Crosby S-4320, For 320N Hooks	7
Safety Latch/With Hook,3/4 T Come Along/Hoist	2
Wear Pad,Nylon Sling,6" x 12"	10
Chair,Office,w/Rollers	3
Clipboard,Wood	18
Clock,Quartz,Analog	3

Coffee Maker, Various	3
Cooler,Water,Stand Up	2
Desk,3 Drawer w/ 1 Cupboard,5' x 2' x 27 1/2"	2
File Cabinet, Vertical, Steel, 2 Drawer	6
Hole Punch, Heavy Duty, 3 Hole	3
Marker,Wet/Dry Erase	8
Microwave	3
Stapler,Office,Standard	5
Water Jug,Orange,5 Gallon,Rubbermaid	5
Cork Board,3' x 2'	2
Chair, Folding, Office	10
Label Maker,Portable	1
Binder,3 Ring,3",D-style,Black	45
Camera,Digital,Kodak,C180,10Mp	1
Printer,Laser,Brother,DCP-7020	1
Paint,Primer,FD Enamel,Rustoleum HP,Red Oxide,15 oz. Aerosol	3
Paint,FD Enamel,Rustoleum HP,Safety Yellow,15 oz. Aerosol	2
Paint Brush,Bristle,2"	30
Paint Brush,Bristle,3"	9
Paint Roller Frame,5 Wire Frame,4 1/2"	3
Paint Roller Frame,5 Wire Frame,9 1/2"	3
Paint Roller Sleeve, Multi-Use, 9 1/2"	3
Shim, Slotted Stainless Steel, B (3" x 3"),.001"	17
Shim, Slotted Stainless Steel, B (3" x 3"),.003"	3
Shim, Slotted Stainless Steel, B (3" x 3"),.004"	10
Shim, Slotted Stainless Steel, B (3" x 3"),.015"	18
Shim, Slotted Stainless Steel, B (3" x 3"),.020"	14
Shim, Slotted Stainless Steel, B (3" x 3"),.025"	12
Shim, Slotted Stainless Steel, B (3" x 3"), .050"	8
Shim, Slotted Stainless Steel, B (3" x 3"),.075"	19
Shim, Slotted Stainless Steel, B (3" x 3"), .100"	11
Shim, Slotted Stainless Steel, B (3" x 3"), .125"	13
Carabiner,Auto Locking,5/8"	6
Ear Muffs,Set Pelter,Deluxe Performance # 7	2
Emergency Vehicle Warning Kit, Triangle Flare, Grote, 71422	1
Face Shield Window, Clear, High Perf, Fibre Metal, 4178CLEAR	173
Face Shield Window,Dark Green,High Perf,Fibre Metal,4178DGR	146
First Aid Kit,Small,FAKSKT1BM	4
Lanyard,Self Retracting,Protecta,Rebel,6'	1
One Way Clip,Trailing Rope Grab,Auto Stop,5/8",Tractel	4

Respirator,Air Purifying,Facepiece,Advantage,200LS	3
Respirator,Micro Low Profile Cartidges,Advantage,P100	23
Tape,Caution,Yellow,DO NOT ENTER	5
Tape,Danger,Red,DO NOT ENTER	14
Lanyard,Self Retracting,Protecta,Rebel,20'	1
Lanyard,Self Retracting,REW-30 3M Safewaze,30'	2
Face Shield, Quick-lok, Crown Protector, Fibre-Metal, 7", F4500	22
Punch, Hole, Fire Extinguisher Inspection Tag, Heavy-Duty	3
Gloves,Gauntlet,Cowhide,Large	12
Tarp,Spill,Spillpal Flex	2
Hammer,Emergency	1
Flagging Tape Tag,Red	475
Flagging Tape Tag, Yellow	291
Respirator, Self-Rescuer, W65, 455299	7
Lanyard,For Hard Hat,Yellow	23
Gloves,Mechanics	81
Fire Extinguisher,Bracket	4
Vest, Life Preserver, Inflatable	2
Hinge Door,3 1/2" x 3 1/2",Pkg of 2	5
Air Compressor, Electric, Portable, 8 Gallon	1
Annular Cutter,5/8" x 1"	1
Annular Cutter,13/16" x 1"	23
Bar,Mechanic Pry,With Screwdriver Handle,10"	2
Bar,Mechanic Pry,With Screwdriver Handle,12"	2
Bar,Mechanic Pry,With Screwdriver Handle,16"	2
Bar,Mechanic Pry,With Screwdriver Handle,24"	2
Bar,Pry,12 3/8"	3
Bar,Pry,18"	2
Bar,Pry,24"	5
Bar,Pry,29"	3
Bar,Rolling Head Pry,12"	1
Bar,Rolling Head Pry,16"	1
Bar,Wonder Pry,13"	1
Bar,Wonder Pry,15"	1
Battery Charger, Cordless Tool, Dewalt, 20V	7
Battery Charger, Cordless Tool, Dewalt, 18V	6
Battery Charger, Cordless Tool, Hilti, 18V	2
Belt Tension Tester, Gates, Pencil Type, 30 lb., Gates, 7401007	1
Bevel,Sliding T,8" Long	3
Booster Cables, Vehicle Battery, 12',	1
Burr,Carbide,Pointed Cone - Type SM,1/4" x 1/2"	3

Caliper,Digital,0" - 8"	
Campor, Digital, C	1
Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000	2
Caulking Gun,Manual,300 mL	5
Chalk Line,100'	1
Chalk Line Refill, Assorted Colours, 8 oz Bottle	1
Chisel,Flat	3
Chisel,Rotary Hammer Drill,Flat - 3/4" x 10"	1
Chisel,Rotary Hammer Drill,Pointed,12" Long	1
Chisel Set,Cold,6-piece,7-piece	1
Clamp,Bar "Bessey",8",SD	3
Clamp,Bar "Bessey",12",SD	3
Clamp,Bar "Bessey",16",SD	1
Clamp,Bar "Bessey",18",HD	2
Clamp,Bar "Bessey",24",HD	1
Clamp,Beam,1 Tonne	1
Clamp,Beam,2 Tonne	9
Clamp,Beam,3 Tonne	6
Clamp,Beam,5 Tonne	1
C-Clamp,C,6"	3
Clamp,Plate,1 1/2 Tonne	1
Die,Round,UNC,1"	1
Drill,Corded,Pistol Grip,1/2" Chuck,Dewalt	2
Drill,Corded,Rotary Hammer,3/8" Chuck,Dewalt,D25650	1
Annular Cutter,9/16" x 1"	2
Annular Cutter,1-1/8" x 1"	1
Drill Bit,Hole Saw,Pilot,1/4"	4
Drill Bit,Regular,SST,1/16"	2
Drill Bit,Regular,SST,5/64"	3
Drill Bit,Regular,SST,3/32"	1
Drill Bit,Regular,SST,7/64"	2
Drill Bit,Regular,SST,9/64"	2
Drill Bit,Regular,SST,5/32"	1
Drill Bit,Regular,SST,11/64"	1
Drill Bit,Regular,SST,3/16"	2
Drill Bit,Regular,SST,13/64"	2
Drill Bit,Regular,SST,7/32"	1
Drill Bit,Regular,SST,15/64"	1
Drill Bit,Regular,SST,1/4"	3
Drill Bit,Regular,SST,17/64"	1
Drill Bit,Regular,SST,19/64"	1

Drill Dit Domillor CCT E/4CII	
Drill Bit,Regular,SST,5/16"	3
Drill Bit,Regular,SST,21/64"	2
Drill Bit,Regular,SST,11/32"	2
Drill Bit,Regular,SST,23/64"	2
Drill Bit,Regular,SST,3/8"	2
Drill Bit,Regular,SST,25/64"	2
Drill Bit,Regular,SST,13/32"	1
Drill Bit,Regular,SST,27/64"	3
Drill Bit,Regular,SST,7/16"	3
Drill Bit,Regular,SST,29/64"	1
Drill Bit,Regular,SST,15/32"	1
Drill Bit,Regular,SST,31/64"	1
Drill Bit,Regular,SST,9/16"	4
Drill Bit,Regular,SST,39/64"	1
Drill Bit,Regular,SST,5/8"	1
Drill Bit,Regular,SST,11/16"	1
Drill Bit,Regular,SST,3/4"	1
Drill Bit,Regular,SST,13/16"	4
Drill Bit,Regular,SST,7/8"	2
Drill Bit,Regular,SST,15/16"	2
Drill Bit,Regular,SST,1"	4
Drill Bit,Rotary Hammer,3/16" x 4" to 6" standard drill shank	1
Drill Bit,Rotary Hammer,SDS Plus,3/8" x 9" to 12" (2 and 4	1
cutter) Drill Bit,Rotary Hammer,SDS Plus,1/2" x 4" to 8" (2 and 4	1
cutter)	
Drill Bit,Rotary Hammer,SDS Plus,5/8" x 4" to 8" (2 and 4 cutter)	2
Drill Bit,Rotary Hammer,SDS Plus,5/8" x 9" to 12" (2 and 4 cutter)	3
Drill Bit,Rotary Hammer,SDS Plus,3/4" x 4" to 8" (2 and 4	2
cutter)	
Drill Bit,Rotary Hammer,SDS Plus,3/4" x 17" to 24" (2 and 4 cutter)	2
Drill Bit,Rotary Hammer,SDS Plus,7/8" x 13" to 16" (2 and 4	1
cutter)	•
Drill Bit,Rotary Hammer,SDS Max,1" x 17" to 24" (2 and 4	1
cutter) Bolt,Screw,Extractor Set,10Pc	1
Drill Press, Corded, JDP-22F	1
Fan,Electric,110 V	3
Feeler Gauge,Long Blade,25 Blade,0.0015 - 0.025"	1
Feeler Gauge,Standard Blade,25 Blade,0.0015 - 0.025"	1
File,Flat,Bastard,12"	3
File,Flat,Smooth	2

File,Round,Bastard,10" 2 File,Round,Smooth 1 Funnel,Multi-Purpose,Polyethylene,Small 1 Funnel,Multi-Purpose,Polyethylene,Medium 2 Grease Gun,Pistol Grip,Heavy Duty 1 Grinder,Angle,Corded,7",Dewalt 1 (Order in Special Circumstances only) 18 Grinder,Angle,Corded,7",Makita 5020 Y (Mosaic Spec) 3 Grinder,Die,Corded,Dewalt 3 Hammer,Chipping,Welding 15 Hammer,Framer,Claw 5 Hammer,Framer,Claw 5 Hammer,Mallet,Rubber 1 Hammer,Sledge,Long Handle (Various Styles) 11 Hammer,Sledge,Short Handle,3 lbs. 4 Hammer,Sledge,Short Handle 4 lbs. 2 Hammer,Sledge,Short Handle,5 lbs. 11 Hand Truck,(dolly)(wheeler)Heavy Duty 2 Heater,Space,110V 3 Heater,Space,220V 2 Hose,Multi-Purpose (Air),Double Braid,3/8" x 50' 1 Impact,Corded,1/2" Drive,Dewalt 2 Impact,Corded,1/2" Drive,Dewalt 3 Impact,Corded,3/4" Drive,Dewalt 18V<	File,Half Round,Bastard	3
Funnel,Multi-Purpose,Polyethylene,Small 1 Funnel,Multi-Purpose,Polyethylene,Medium 2 Grease Gun,Pistol Grip,Heavy Duty 1 Grinder,Angle,Corded,7",Dewalt 1 (Order in Special Circumstances only) 18 Grinder,Die,Corded,7",Makita 5020 Y (Mosaic Spec) 3 Grinder,Die,Corded,Dewalt 3 Hammer,Chipping,Welding 15 Hammer,Framer,Claw 5 Hammer,Paedblow,Short Handle 2 Hammer,Beldel,Rubber 1 Hammer,Sledge,Long Handle (Various Styles) 11 Hammer,Sledge,Short Handle,3 lbs. 4 Hammer,Sledge,Short Handle,5 lbs. 1 Hammer,Sledge,Short Handle,7 lbs. 1 Hammer,Sledge,Short Handle,7 lbs. 1 Hammer,Sledge,Short Handle,8 lbs. 2 Hammer,Sledge,Short Handle,8 lbs. 2 <t< td=""><td>File,Round,Bastard,10"</td><td>2</td></t<>	File,Round,Bastard,10"	2
Funnel, Multi-Purpose, Polyethylene, Medium 2 Grease Gun, Pistol Grip, Heavy Duty 1 Grinder, Angle, Corded, 7", Dewalt 1 (Order in Special Circumstances only) 18 Grinder, Die, Corded, 7", Makita 5020 Y (Mosaic Spec) 3 Grinder, Die, Corded, Dewalt 3 Hammer, Die, Corded, Dewalt 3 Hammer, Chipping, Welding 15 Hammer, Framer, Claw 5 Hammer, Deadblow, Short Handle 2 Hammer, Mallet, Rubber 1 Hammer, Sledge, Long Handle (Various Styles) 11 Hammer, Sledge, Short Handle, 3 lbs. 4 Hammer, Sledge, Short Handle, 5 lbs. 1 Hammer, Sledge, Short Handle, 5 lbs. 1 Hammer, Sledge, Short Handle, 5 lbs. 1 Hamer, Space, 220V 2 Heater, Space, 110V 3 Heater, Space, 220V 2 Hose, Multi-Purpose (Air), Double Braid, 3/8" x 50' 1 Impact, Corded, 3/4" Drive, Dewalt 2 Impact, Corded, 3/4" Drive, Dewalt 18V 1 Interrupter, Ground Fault Circuit, Portable, GFCI	File,Round,Smooth	1
Grease Gun,Pistol Grip,Heavy Duty 1 Grinder,Angle,Corded,7",Dewalt 1 (Order in Special Circumstances only) 18 Grinder,Angle,Corded,7",Makita 5020 Y (Mosaic Spec) 3 Grinder,Die,Corded,Dewalt 3 Hammer,Chipping,Welding 15 Hammer,Framer,Claw 5 Hammer,Deadblow,Short Handle 2 Hammer,Mallet,Rubber 1 Hammer,Sledge,Long Handle (Various Styles) 11 Hammer,Sledge,Short Handle,3 lbs. 4 Hammer,Sledge,Short Handle,5 lbs. 1 Hand Truck,(dolly)(wheeler)Heavy Duty 2 Heater,Space,110V 3 Heater,Space,220V 2 Hose,Multi-Purpose (Air),Double Braid,3/8" x 50' 1 Hose,Multi-Purpose (Air),Double Braid,1/2" x 50' 1 Impact,Corded,3/4" Drive,Dewalt 2 Impact,Corded,3/4" Drive,Dewalt 2 Impact,Corded,3/4" Drive,Dewalt 18V 3 Interrupter,Ground Fault Circuit,Portable,GFCI 1 Jack,Bottle,Regular Profile,2 Tonne 3 Jack,Bottle,Regular Profile,20 Tonne 2	Funnel,Multi-Purpose,Polyethylene,Small	1
Grinder, Angle, Corded, 7", Dewalt 1 (Order in Special Circumstances only) 18 Grinder, Angle, Corded, 7", Makita 5020 Y (Mosaic Spec) 3 Grinder, Die, Corded, Dewalt 3 Hammer, Chipping, Welding 15 Hammer, Chipping, Welding 5 Hammer, Deadblow, Short Handle 2 Hammer, Deadblow, Short Handle 2 Hammer, Sledge, Long Handle (Various Styles) 11 Hammer, Sledge, Short Handle, 3 lbs. 4 Hammer, Sledge, Short Handle, 5 lbs. 1 Hand Truck, (dolly) (wheeler) Heavy Duty 2 Heater, Space, 110V 3 Heater, Space, 220V 2 Hose, Multi-Purpose (Air), Double Braid, 3/8" x 50' 1 Hose, Multi-Purpose (Air), Double Braid, 1/2" x 50' 1 Impact, Corded, 1/2" Drive, Dewalt 2 Impact, Corded, 3/4" Drive, Dewalt 4 Impact, Corded, 3/4" Drive, Dewalt 18V 3 Interrupter, Ground Fault Circuit, Portable, GFCI 1 Jack, Bottle, Regular Profile, 2 Tonne 2 Jack, Bottle, Regular Profile, 2 Tonne 1 <	Funnel,Multi-Purpose,Polyethylene,Medium	2
(Order in Special Circumstances only) 18 Grinder, Angle, Corded, 7", Makita 5020 Y (Mosaic Spec) 3 Grinder, Die, Corded, Dewalt 3 Hammer, Chipping, Welding 15 Hammer, Chapting, Welding 5 Hammer, Pamer, Claw 5 Hammer, Deadblow, Short Handle 2 Hammer, Mallet, Rubber 1 Hammer, Sledge, Long Handle (Various Styles) 11 Hammer, Sledge, Short Handle, 3 lbs. 4 Hammer, Sledge, Short Handle, 5 lbs. 1 Hand Truck, (dolly) (wheeler) Heavy Duty 2 Heater, Space, 210V 3 Heater, Space, 220V 2 Hose, Multi-Purpose (Air), Double Braid, 3/8" x 50' 1 Hose, Multi-Purpose (Air), Double Braid, 1/2" x 50' 1 Impact, Corded, 1/2" Drive, Dewalt 2 Impact, Corded, 3/4" Drive, Dewalt 18V 3 Interrupter, Ground Fault Circuit, Portable, GFCI 1 Jack, Bottle, Regular Profile, 2 Tonne 2 Jack, Bottle, Regular Profile, 2 Tonne 2 Jack, Bottle, Regular Profile, 22 Tonne 1 Jerry Can, Fuel	Grease Gun,Pistol Grip,Heavy Duty	1
Grinder, Angle, Corded, 7", Makita 5020 Y (Mosaic Spec) Grinder, Die, Corded, Dewalt 3 Hammer, Chipping, Welding 15 Hammer, Framer, Claw 5 Hammer, Deadblow, Short Handle 2 Hammer, Sledge, Long Handle (Various Styles) 11 Hammer, Sledge, Short Handle, 3 lbs. 4 Hammer, Sledge, Short Handle, 4 lbs. 2 Hammer, Sledge, Short Handle, 5 lbs. 1 Hand Truck, (dolly) (wheeler) Heavy Duty 2 Heater, Space, 220V 2 Hose, Multi-Purpose (Air), Double Braid, 3/8" x 50' 1 Hose, Multi-Purpose (Air), Double Braid, 3/8" x 50' 1 Impact, Corded, 3/4" Drive, Dewalt 2 Impact, Corded, 3/4" Drive, Dewalt 2 Impact, Corded, 3/4" Drive, Dewalt 18V 3 Interrupter, Ground Fault Circuit, Portable, GFCI 1 Jack, Bottle, Regular Profile, 2 Tonne 2 Jack, Bottle, Regular Profile, 2 Tonne 2 Jack, Bottle, Regular Profile, 20 Tonne 2 Jack, Bottle, Regular Profile, 20 Tonne 2 Jack, Bottle, Regular Profile, 20 Tonne 3	Grinder, Angle, Corded, 7", Dewalt	1
Hammer, Chipping, Welding 15 Hammer, Framer, Claw 5 Hammer, Deadblow, Short Handle 2 Hammer, Mallet, Rubber 1 Hammer, Sledge, Long Handle (Various Styles) 11 Hammer, Sledge, Short Handle, 3 lbs. 4 Hammer, Sledge, Short Handle, 5 lbs. 1 Hand Truck, (dolly) (wheeler) Heavy Duty 2 Heater, Space, 210V 3 Heater, Space, 220V 2 Hose, Multi-Purpose (Air), Double Braid, 3/8" x 50' 1 Hose, Multi-Purpose (Air), Double Braid, 1/2" x 50' 1 Impact, Corded, 3/4" Drive, Dewalt 2 Impact, Corded, 3/4" Drive, Dewalt 4 Impact, Corded, 3/4" Drive, Dewalt 18V 3 Interrupter, Ground Fault Circuit, Portable, GFCI 1 Jack, Bottle, Regular Profile, 2 Tonne 3 Jack, Bottle, Regular Profile, 5 Tonne 2 Jack, Bottle, Regular Profile, 20 Tonne 1 Jerry Can, Fuel, 5 L 2 Jerry Can, Fuel, 5 L 2 Jerry Can, Fuel, 5 L 2 Jadder, Step, Fiberglass, Featherlite, 8' 2	Grinder, Angle, Corded, 7", Makita 5020 Y (Mosaic Spec)	18
Hammer,Framer,Claw 5 Hammer,Deadblow,Short Handle 2 Hammer,Mallet,Rubber 1 Hammer,Sledge,Long Handle (Various Styles) 11 Hammer,Sledge,Short Handle, 3 lbs. 4 Hammer,Sledge,Short Handle, 5 lbs. 1 Hand Truck,(dolly)(wheeler)Heavy Duty 2 Heater,Space,110V 3 Heater,Space,220V 2 Hose,Multi-Purpose (Air),Double Braid,3/8" x 50' 1 Hose,Multi-Purpose (Air),Double Braid,1/2" x 50' 1 Impact,Corded,1/2" Drive,Dewalt 2 Impact,Corded,3/4" Drive,Dewalt 2 Impact,Corded,3/4" Drive,Dewalt 18V 3 Interrupter,Ground Fault Circuit,Portable,GFCI 1 Jack,Bottle,Regular Profile,2 Tonne 3 Jack,Bottle,Regular Profile,6 Tonne 2 Jack,Bottle,Regular Profile,20 Tonne 1 Jerry Can,Fuel,5 L 2 Jerry Can,Fuel,5 L 2 Jerry Can,Fuel,5 L 2 Jadder,Step,Fiberglass,Featherlite,6' 2 Ladder,Step,Fiberglass,Featherlite,6' 2 Ladder,Step,Fi		
Hammer, Deadblow, Short Handle 2 Hammer, Mallet, Rubber 1 Hammer, Sledge, Long Handle (Various Styles) 11 Hammer, Sledge, Short Handle, 3 lbs. 4 Hammer, Sledge, Short Handle, 5 lbs. 1 Hand Truck, (dolly) (wheeler) Heavy Duty 2 Heater, Space, 110V 3 Heater, Space, 220V 2 Hose, Multi-Purpose (Air), Double Braid, 3/8" x 50' 1 Hose, Multi-Purpose (Air), Double Braid, 1/2" x 50' 1 Impact, Corded, 1/2" Drive, Dewalt 2 Impact, Corded, 3/4" Drive, Dewalt 4 Impact, Cordless, 1/2" Drive, Dewalt 18V 3 Interrupter, Ground Fault Circuit, Portable, GFCI 1 Jack, Bottle, Regular Profile, 2 Tonne 3 Jack, Begular Profile, 2 Tonne 2 Jack, Bottle, Regular Profile, 2 Tonne 1 Jerry Can, Fuel, 5 L 2 Jerry Can, Fuel, 5 L 2 Jerry Can, Fuel, 5 L 3 Ladder, Step, Fiberglass, Featherlite, 3' 2 Ladder, Step, Fiberglass, Featherlite, 6' 2 Ladder, Step, Fiberglass, Featherlite	,, ,	15
Hammer,Mallet,Rubber 1 Hammer,Sledge,Long Handle (Various Styles) 11 Hammer,Sledge,Short Handle,3 lbs. 4 Hammer,Sledge,Short Handle,5 lbs. 1 Hand Truck,(dolly)(wheeler)Heavy Duty 2 Heater,Space,110V 3 Heater,Space,220V 2 Hose,Multi-Purpose (Air),Double Braid,3/8" x 50' 1 Hose,Multi-Purpose (Air),Double Braid,1/2" x 50' 1 Impact,Corded,1/2" Drive,Dewalt 2 Impact,Corded,3/4" Drive,Dewalt 4 Impact,Cordless,1/2" Drive,Dewalt 18V 3 Interrupter,Ground Fault Circuit,Portable,GFCI 1 Jack,Bottle,Regular Profile,2 Tonne 3 Jack,Bottle,Regular Profile,6 Tonne 2 Jack,Bottle,Regular Profile,20 Tonne 2 Jack,Bottle,Regular Profile,22 1/2 Tonne 1 Jerry Can,Fuel,5 L 2 Jerry Can,Fuel,5 L 2 Jadder,Step,Fiberglass,Featherlite,3' 2 Ladder,Step,Fiberglass,Featherlite,6' 2 Ladder,Step,Fiberglass,Featherlite,8' 2 Ladder,Step,Fiberglass,Featherlite,10' 2 Level,Box Beam,Magnetic,48" Long <td< td=""><td></td><td></td></td<>		
Hammer, Sledge, Long Handle (Various Styles) Hammer, Sledge, Short Handle, 3 lbs. Hammer, Sledge, Short Handle 4 lbs. 1 Hammer, Sledge, Short Handle, 5 lbs. Hamd Truck, (dolly) (wheeler) Heavy Duty Peater, Space, 110V Heater, Space, 220V Hose, Multi-Purpose (Air), Double Braid, 3/8" x 50' Hose, Multi-Purpose (Air), Double Braid, 1/2" x 50' Impact, Corded, 1/2" Drive, Dewalt Impact, Corded, 3/4" Drive, Dewalt Impact, Cordless, 1/2" Drive, Dewalt Impact, Cordless, 1/2" Drive, Dewalt 18V Interrupter, Ground Fault Circuit, Portable, GFCI Jack, Bottle, Regular Profile, 2 Tonne Jack, Bottle, Regular Profile, 2 Tonne Jack, Bottle, Regular Profile, 20 Tonne Jack, Bottle, Regular Profile, 22 1/2 Tonne Jack, Bottle, Regular Profile, 22 1/2 Tonne Jack, Bottle, Regular Profile, 20 Tonne Jerry Can, Fuel, 5 L Jerry Can, Fuel, 5 L Jerry Can, Fuel, 5 L Jerry Can, Fiberglass, Featherlite, 6' Ladder, Step, Fiberglass, Featherlite, 8' Ladder, Step, Fiberglass, Featherlite, 8' Level, Box Beam, Magnetic, 48" Level, Box Beam, Magnetic, 48" Long	Hammer,Deadblow,Short Handle	2
Hammer, Sledge, Short Handle, 3 lbs. Hammer, Sledge, Short Handle 4 lbs. Hammer, Sledge, Short Handle, 5 lbs. Hand Truck, (dolly) (wheeler) Heavy Duty Peater, Space, 110V Heater, Space, 220V Hose, Multi-Purpose (Air), Double Braid, 3/8" x 50' Hose, Multi-Purpose (Air), Double Braid, 1/2" x 50' Impact, Corded, 1/2" Drive, Dewalt Impact, Corded, 3/4" Drive, Dewalt Impact, Cordless, 1/2" Drive, Dewalt Impact, Cordless, 1/2" Drive, Dewalt 18V Interrupter, Ground Fault Circuit, Portable, GFCl Jack, Bottle, Regular Profile, 2 Tonne Jack, Bottle, Regular Profile, 6 Tonne 2 Jack, Bottle, Regular Profile, 20 Tonne Jack, Bottle, Regular Profile, 22 1/2 Tonne Jerry Can, Fuel, 5 L Jerry Can, Fuel, 5 L Jerry Can, Fuel, 5 L Ladder, Extension, Featherlite, 20' Ladder, Step, Fiberglass, Featherlite, 8' Ladder, Step, Fiberglass, Featherlite, 8' Ladder, Step, Fiberglass, Featherlite, 8' Level, Box Beam, Magnetic, 48" Level, Box Beam, Magnetic, 48" Long	Hammer,Mallet,Rubber	1
Hammer, Sledge, Short Handle 4 lbs. Hammer, Sledge, Short Handle, 5 lbs. Hand Truck, (dolly) (wheeler) Heavy Duty Heater, Space, 110V Heater, Space, 220V Hose, Multi-Purpose (Air), Double Braid, 3/8" x 50' Hose, Multi-Purpose (Air), Double Braid, 1/2" x 50' Impact, Corded, 1/2" Drive, Dewalt Impact, Corded, 3/4" Drive, Dewalt Impact, Cordless, 1/2" Drive, Dewalt 18V 3 Interrupter, Ground Fault Circuit, Portable, GFCI Jack, Bottle, Regular Profile, 2 Tonne Jack, Bottle, Regular Profile, 2 Tonne Jack, Bottle, Regular Profile, 2 Tonne Jack, Bottle, Regular Profile, 20 Tonne Jack, Bottle, Regular Profile, 20 Tonne 1 Jerry Can, Fuel, 5 L Jerry Can, Fuel, 5 L Jerry Can, Fuel, 20 L Ladder, Step, Fiberglass, Featherlite, 3' Ladder, Step, Fiberglass, Featherlite, 6' Ladder, Step, Fiberglass, Featherlite, 8' Ladder, Step, Fiberglass, Featherlite, 8' Level, Box Beam, Magnetic, 48" Level, I-Beam, Non-Magnetic, 48" Long	Hammer,Sledge,Long Handle (Various Styles)	11
Hammer, Sledge, Short Handle, 5 lbs. Hand Truck, (dolly) (wheeler) Heavy Duty 2 Heater, Space, 110V 3 Heater, Space, 220V 2 Hose, Multi-Purpose (Air), Double Braid, 3/8" x 50' 1 Hose, Multi-Purpose (Air), Double Braid, 1/2" x 50' 1 Impact, Corded, 1/2" Drive, Dewalt Impact, Corded, 3/4" Drive, Dewalt Impact, Cordless, 1/2" Drive, Dewalt Impact, Cordless, 1/2" Drive, Dewalt 18V 3 Interrupter, Ground Fault Circuit, Portable, GFCI Jack, Bottle, Regular Profile, 2 Tonne 3 Jack, Bottle, Regular Profile, 5 Tonne 2 Jack, Bottle, Regular Profile, 20 Tonne 2 Jack, Bottle, Regular Profile, 20 Tonne 1 Jerry Can, Fuel, 5 L Jerry Can, Fuel, 5 L Jerry Can, Fuel, 20 L Ladder, Step, Fiberglass, Featherlite, 3' Ladder, Step, Fiberglass, Featherlite, 8' 2 Ladder, Step, Fiberglass, Featherlite, 8' 2 Ladder, Step, Fiberglass, Featherlite, 8' 2 Level, Box Beam, Magnetic, 48" Level, Beam, Non-Magnetic, 48" Long 2	Hammer,Sledge,Short Handle,3 lbs.	4
Hand Truck, (dolly) (wheeler) Heavy Duty Heater, Space, 110V Heater, Space, 220V Hose, Multi-Purpose (Air), Double Braid, 3/8" x 50' Hose, Multi-Purpose (Air), Double Braid, 1/2" x 50' Impact, Corded, 1/2" Drive, Dewalt Impact, Corded, 3/4" Drive, Dewalt Impact, Cordeds, 1/2" Drive, Dewalt 18V Interrupter, Ground Fault Circuit, Portable, GFCI Jack, Bottle, Regular Profile, 2 Tonne Jack, Bottle, Regular Profile, 6 Tonne 2 Jack, Bottle, Regular Profile, 20 Tonne Jack, Bottle, Regular Profile, 22 1/2 Tonne 1 Jerry Can, Fuel, 5 L Jerry Can, Fuel, 5 L Jerry Can, Fuel, 20 L Ladder, Step, Fiberglass, Featherlite, 3' Ladder, Step, Fiberglass, Featherlite, 6' Ladder, Step, Fiberglass, Featherlite, 8' Level, Box Beam, Magnetic, 48" Level, Box Beam, Magnetic, 48" Level, I-Beam, Non-Magnetic, 48" Long	Hammer,Sledge,Short Handle 4 lbs.	2
Heater,Space,110V Heater,Space,220V Hose,Multi-Purpose (Air),Double Braid,3/8" x 50' 1 Hose,Multi-Purpose (Air),Double Braid,1/2" x 50' Impact,Corded,1/2" Drive,Dewalt Impact,Corded,3/4" Drive,Dewalt Impact,Cordless,1/2" Drive,Dewalt 18V Interrupter,Ground Fault Circuit,Portable,GFCI Jack,Bottle,Regular Profile,2 Tonne Jack,Bottle,Regular Profile,6 Tonne 2 Jack,Bottle,Regular Profile,20 Tonne Jack,Bottle,Regular Profile,22 1/2 Tonne 1 Jerry Can,Fuel,5 L Jerry Can,Fuel,5 L Jerry Can,Fuel,20 L Ladder,Step,Fiberglass,Featherlite,3' Ladder,Step,Fiberglass,Featherlite,6' Ladder,Step,Fiberglass,Featherlite,8' Ladder,Step,Fiberglass,Featherlite,10' Level,Box Beam,Magnetic,48" Level,Box Beam,Magnetic,48" Level,I-Beam,Non-Magnetic,48" Long	Hammer,Sledge,Short Handle,5 lbs.	1
Heater,Space,220V Hose,Multi-Purpose (Air),Double Braid,3/8" x 50' 1 Hose,Multi-Purpose (Air),Double Braid,1/2" x 50' 1 Impact,Corded,1/2" Drive,Dewalt 2 Impact,Corded,3/4" Drive,Dewalt Impact,Cordless,1/2" Drive,Dewalt 18V Interrupter,Ground Fault Circuit,Portable,GFCI 1 Jack,Bottle,Regular Profile,2 Tonne 3 Jack,Bottle,Regular Profile,6 Tonne 2 Jack,Bottle,Regular Profile,20 Tonne 1 Jerry Can,Fuel,5 L 2 Jerry Can,Fuel,5 L 2 Jerry Can,Fuel,20 L 1 Ladder,Step,Fiberglass,Featherlite,3' 2 Ladder,Step,Fiberglass,Featherlite,6' 2 Ladder,Step,Fiberglass,Featherlite,8' 2 Ladder,Step,Fiberglass,Featherlite,8' 2 Level,Box Beam,Magnetic,48" 5 Level,Box Beam,Magnetic,48" Long 2	Hand Truck,(dolly)(wheeler)Heavy Duty	2
Hose,Multi-Purpose (Air),Double Braid,3/8" x 50' Hose,Multi-Purpose (Air),Double Braid,1/2" x 50' Impact,Corded,1/2" Drive,Dewalt Impact,Corded,3/4" Drive,Dewalt Impact,Cordless,1/2" Drive,Dewalt 18V Interrupter,Ground Fault Circuit,Portable,GFCI Jack,Bottle,Regular Profile,2 Tonne Jack,Bottle,Regular Profile,6 Tonne Jack,Bottle,Regular Profile,20 Tonne Jack,Bottle,Regular Profile,20 Tonne Jack,Bottle,Regular Profile,22 1/2 Tonne Jarry Can,Fuel,5 L Jerry Can,Fuel,5 L Jerry Can,Fuel,20 L Ladder,Step,Fiberglass,Featherlite,3' Ladder,Step,Fiberglass,Featherlite,6' Ladder,Step,Fiberglass,Featherlite,6' Ladder,Step,Fiberglass,Featherlite,8' Ladder,Step,Fiberglass,Featherlite,10' Level,Box Beam,Magnetic,48" Level,Box Beam,Magnetic,48" Level,I-Beam,Non-Magnetic,48" Long	Heater,Space,110V	3
Hose,Multi-Purpose (Air),Double Braid,1/2" x 50' Impact,Corded,1/2" Drive,Dewalt Impact,Corded,3/4" Drive,Dewalt Impact,Cordless,1/2" Drive,Dewalt 18V Interrupter,Ground Fault Circuit,Portable,GFCI Jack,Bottle,Regular Profile,2 Tonne Jack,Bottle,Regular Profile,6 Tonne Jack,Bottle,Regular Profile,20 Tonne Jack,Bottle,Regular Profile,22 1/2 Tonne Jarry Can,Fuel,5 L Jerry Can,Fuel,5 L Jadder,Extension,Featherlite,20' Ladder,Step,Fiberglass,Featherlite,3' Ladder,Step,Fiberglass,Featherlite,6' Ladder,Step,Fiberglass,Featherlite,8' Ladder,Step,Fiberglass,Featherlite,8' Level,Box Beam,Magnetic,48" Level,Box Beam,Magnetic,48" Level,I-Beam,Non-Magnetic,48" Long	Heater,Space,220V	2
Impact,Corded,1/2" Drive,Dewalt Impact,Corded,3/4" Drive,Dewalt Impact,Cordless,1/2" Drive,Dewalt 18V Impact,Cordless,1/2" Drive,Dewalt 18V Interrupter,Ground Fault Circuit,Portable,GFCI Jack,Bottle,Regular Profile,2 Tonne Jack,Bottle,Regular Profile,6 Tonne Jack,Bottle,Regular Profile,20 Tonne Jack,Bottle,Regular Profile,22 1/2 Tonne Jerry Can,Fuel,5 L Jerry Can,Fuel,5 L Jerry Can,Fuel,20 L Jadder,Extension,Featherlite,20' Ladder,Step,Fiberglass,Featherlite,3' Ladder,Step,Fiberglass,Featherlite,6' Ladder,Step,Fiberglass,Featherlite,8' Ladder,Step,Fiberglass,Featherlite,8' Level,Box Beam,Magnetic,48" Level,Box Beam,Magnetic,48" Level,I-Beam,Non-Magnetic,48" Long	Hose,Multi-Purpose (Air),Double Braid,3/8" x 50'	1
Impact,Corded,3/4" Drive,Dewalt Impact,Cordless,1/2" Drive,Dewalt 18V 3 Interrupter,Ground Fault Circuit,Portable,GFCI 1 Jack,Bottle,Regular Profile,2 Tonne 3 Jack,Bottle,Regular Profile,6 Tonne 2 Jack,Bottle,Regular Profile,20 Tonne 2 Jack,Bottle,Regular Profile,20 Tonne 1 Jerry Can,Fuel,5 L 2 Jerry Can,Fuel,20 L 3 Ladder,Extension,Featherlite,20' 3 Ladder,Step,Fiberglass,Featherlite,3' 2 Ladder,Step,Fiberglass,Featherlite,6' 2 Ladder,Step,Fiberglass,Featherlite,8' 2 Ladder,Step,Fiberglass,Featherlite,8' 2 Level,Box Beam,Magnetic,48" 5 Level,Box Beam,Magnetic,48" 5 Level,I-Beam,Non-Magnetic,48" Long	Hose,Multi-Purpose (Air),Double Braid,1/2" x 50'	1
Impact, Cordless, 1/2" Drive, Dewalt 18V Interrupter, Ground Fault Circuit, Portable, GFCI Jack, Bottle, Regular Profile, 2 Tonne Jack, Bottle, Regular Profile, 6 Tonne Jack, Bottle, Regular Profile, 20 Tonne Jack, Bottle, Regular Profile, 20 Tonne Jack, Bottle, Regular Profile, 22 1/2 Tonne Jarry Can, Fuel, 5 L Jerry Can, Fuel, 5 L Jerry Can, Fuel, 20 L Ladder, Extension, Featherlite, 20' Ladder, Step, Fiberglass, Featherlite, 3' Ladder, Step, Fiberglass, Featherlite, 6' Ladder, Step, Fiberglass, Featherlite, 8' Ladder, Step, Fiberglass, Featherlite, 10' Level, Box Beam, Magnetic, 48" Level, Box Beam, Magnetic, 48" Level, I-Beam, Non-Magnetic, 48" Long	Impact,Corded,1/2" Drive,Dewalt	2
Interrupter, Ground Fault Circuit, Portable, GFCI Jack, Bottle, Regular Profile, 2 Tonne Jack, Bottle, Regular Profile, 6 Tonne Jack, Bottle, Regular Profile, 20 Tonne Jack, Bottle, Regular Profile, 20 Tonne Jack, Bottle, Regular Profile, 22 1/2 Tonne Jarry Can, Fuel, 5 L Jerry Can, Fuel, 5 L Jerry Can, Fuel, 20 L Jadder, Extension, Featherlite, 20' Ladder, Step, Fiberglass, Featherlite, 3' Ladder, Step, Fiberglass, Featherlite, 6' Ladder, Step, Fiberglass, Featherlite, 8' Ladder, Step, Fiberglass, Featherlite, 10' Level, Box Beam, Magnetic, 48" Level, Box Beam, Magnetic, 24" Jack, Bottle, Regular Profile, 2 Tonne 2 Level, Box Beam, Magnetic, 48" Jack, Bottle, Regular Profile, 2 Tonne 2 Level, Box Beam, Magnetic, 48" Jack, Bottle, Regular Profile, 2 Tonne 2 Level, Box Beam, Magnetic, 48" Jack, Bottle, Regular Profile, 2 Tonne 2 Level, Box Beam, Magnetic, 48" Jack, Bottle, Regular Profile, 2 Tonne 2 Level, Box Beam, Magnetic, 48" Jack, Bottle, Regular Profile, 2 Tonne 2 Level, Box Beam, Magnetic, 48" Jack, Bottle, Regular Profile, 2 Tonne 2 Level, Box Beam, Non-Magnetic, 48" Jack, Bottle, Regular Profile, 2 Tonne 2 Level, Box Beam, Non-Magnetic, 48" Jack, Bottle, Regular Profile, 2 Tonne 2 Level, Box Beam, Non-Magnetic, 48" Long	Impact,Corded,3/4" Drive,Dewalt	4
Jack,Bottle,Regular Profile,2 Tonne Jack,Bottle,Regular Profile,6 Tonne Jack,Bottle,Regular Profile,20 Tonne Jack,Bottle,Regular Profile,22 1/2 Tonne Jerry Can,Fuel,5 L Jerry Can,Fuel,5 L Jerry Can,Fuel,20 L Ladder,Extension,Featherlite,20' Ladder,Step,Fiberglass,Featherlite,3' Ladder,Step,Fiberglass,Featherlite,6' Ladder,Step,Fiberglass,Featherlite,8' Ladder,Step,Fiberglass,Featherlite,10' Level,Box Beam,Magnetic,48" Level,Box Beam,Magnetic,48" Level,I-Beam,Non-Magnetic,48" Long	Impact,Cordless,1/2" Drive,Dewalt 18V	3
Jack,Bottle,Regular Profile,6 Tonne 2 Jack,Bottle,Regular Profile,20 Tonne 2 Jack,Bottle,Regular Profile,22 1/2 Tonne 1 Jerry Can,Fuel,5 L 2 Jerry Can,Fuel,20 L 3 Ladder,Extension,Featherlite,20' 3 Ladder,Step,Fiberglass,Featherlite,3' 2 Ladder,Step,Fiberglass,Featherlite,6' 2 Ladder,Step,Fiberglass,Featherlite,8' 2 Ladder,Step,Fiberglass,Featherlite,8' 2 Ladder,Step,Fiberglass,Featherlite,10' 2 Level,Box Beam,Magnetic,48" 5 Level,Box Beam,Magnetic,24" 3 Level,I-Beam,Non-Magnetic,48" Long 2	Interrupter,Ground Fault Circuit,Portable,GFCI	1
Jack,Bottle,Regular Profile,20 Tonne 2 Jack,Bottle,Regular Profile,22 1/2 Tonne 1 Jerry Can,Fuel,5 L 2 Jerry Can,Fuel,20 L 3 Ladder,Extension,Featherlite,20' 3 Ladder,Step,Fiberglass,Featherlite,3' 2 Ladder,Step,Fiberglass,Featherlite,6' 2 Ladder,Step,Fiberglass,Featherlite,8' 2 Ladder,Step,Fiberglass,Featherlite,8' 2 Ladder,Step,Fiberglass,Featherlite,10' 2 Level,Box Beam,Magnetic,48" 5 Level,Box Beam,Magnetic,24" 3 Level,I-Beam,Non-Magnetic,48" Long 2	Jack,Bottle,Regular Profile,2 Tonne	3
Jack,Bottle,Regular Profile,22 1/2 Tonne Jerry Can,Fuel,5 L Jerry Can,Fuel,20 L Ladder,Extension,Featherlite,20' Ladder,Step,Fiberglass,Featherlite,3' Ladder,Step,Fiberglass,Featherlite,6' Ladder,Step,Fiberglass,Featherlite,8' Ladder,Step,Fiberglass,Featherlite,8' Ladder,Step,Fiberglass,Featherlite,10' Level,Box Beam,Magnetic,48" Level,Box Beam,Magnetic,24" 3 Level,I-Beam,Non-Magnetic,48" Long	Jack,Bottle,Regular Profile,6 Tonne	2
Jerry Can,Fuel,5 L 2 Jerry Can,Fuel,20 L 3 Ladder,Extension,Featherlite,20' 3 Ladder,Step,Fiberglass,Featherlite,3' 2 Ladder,Step,Fiberglass,Featherlite,6' 2 Ladder,Step,Fiberglass,Featherlite,8' 2 Ladder,Step,Fiberglass,Featherlite,8' 2 Ladder,Step,Fiberglass,Featherlite,10' 2 Level,Box Beam,Magnetic,48" 5 Level,Box Beam,Magnetic,48" 3 Level,I-Beam,Non-Magnetic,48" Long 2	Jack,Bottle,Regular Profile,20 Tonne	2
Jerry Can,Fuel,20 L Ladder,Extension,Featherlite,20' Ladder,Step,Fiberglass,Featherlite,6' Ladder,Step,Fiberglass,Featherlite,6' Ladder,Step,Fiberglass,Featherlite,8' Ladder,Step,Fiberglass,Featherlite,8' Ladder,Step,Fiberglass,Featherlite,10' Level,Box Beam,Magnetic,48" Level,Box Beam,Magnetic,24" 3 Level,I-Beam,Non-Magnetic,48" Long	Jack,Bottle,Regular Profile,22 1/2 Tonne	1
Ladder,Extension,Featherlite,20'3Ladder,Step,Fiberglass,Featherlite,3'2Ladder,Step,Fiberglass,Featherlite,6'2Ladder,Step,Fiberglass,Featherlite,8'2Ladder,Step,Fiberglass,Featherlite,10'2Level,Box Beam,Magnetic,48"5Level,Box Beam,Magnetic,24"3Level,I-Beam,Non-Magnetic,48" Long2	Jerry Can,Fuel,5 L	2
Ladder,Step,Fiberglass,Featherlite,3' Ladder,Step,Fiberglass,Featherlite,6' Ladder,Step,Fiberglass,Featherlite,8' Ladder,Step,Fiberglass,Featherlite,10' Level,Box Beam,Magnetic,48" Level,Box Beam,Magnetic,24" 3 Level,I-Beam,Non-Magnetic,48" Long	Jerry Can,Fuel,20 L	3
Ladder,Step,Fiberglass,Featherlite,6' Ladder,Step,Fiberglass,Featherlite,8' Ladder,Step,Fiberglass,Featherlite,10' Level,Box Beam,Magnetic,48" Level,Box Beam,Magnetic,24" 3 Level,I-Beam,Non-Magnetic,48" Long	Ladder,Extension,Featherlite,20'	3
Ladder,Step,Fiberglass,Featherlite,8' Ladder,Step,Fiberglass,Featherlite,10' Level,Box Beam,Magnetic,48" 5 Level,Box Beam,Magnetic,24" 3 Level,I-Beam,Non-Magnetic,48" Long	Ladder,Step,Fiberglass,Featherlite,3'	2
Ladder,Step,Fiberglass,Featherlite,10' Level,Box Beam,Magnetic,48" 5 Level,Box Beam,Magnetic,24" 3 Level,I-Beam,Non-Magnetic,48" Long 2	Ladder,Step,Fiberglass,Featherlite,6'	2
Level,Box Beam,Magnetic,48" 5 Level,Box Beam,Magnetic,24" 3 Level,I-Beam,Non-Magnetic,48" Long 2	Ladder,Step,Fiberglass,Featherlite,8'	2
Level,Box Beam,Magnetic,24" 3 Level,I-Beam,Non-Magnetic,48" Long 2	Ladder,Step,Fiberglass,Featherlite,10'	2
Level,Box Beam,Magnetic,24" 3 Level,I-Beam,Non-Magnetic,48" Long 2		5
Level,I-Beam,Non-Magnetic,48" Long 2		3
	Level,I-Beam,Non-Magnetic,48" Long	2
		1

Level,Torpedo,Magnetic	5
Light,Flashlight,AA Battery	3
Light,Hard Hat,Pelican 2610 or 2690	8
Mechanic Wire,3.125 lb Roll,Rebar Wire, 16.5 GA, 105Metres	420
Micrometer Set,Outside,0" - 6"	1
Nut, Grinder, 5/8", Use W/Grinding/Cutting Disc&TOO-014715	35
Bit, Impact Driver, Nut SAE 5/16" (all lengths)	3
Bit, Impact Driver, Nut SAE 1/4" (all lengths)	3
Pliers, Diagonal (Side Cutter), 6" - Small	4
Pliers, Diagonal (Side Cutter), 7" - Medium	1
Pliers,Locking,C-Clamp,9" Long,Vise Grip	4
Pliers,Locking,C-Clamp with Swivel Pads,11",Vise Grip,11-SP	8
Pliers,Locking,Curved Jaw,8" Long,Vise Grip	9
Pliers,Mig	1
Pliers,Slip Joint	1
Pliers,Tongue & Groove	8
Plumb Bob,Brass,12 oz.	2
Port-A-Power,Kit,Autobody,10 Tonne	1
Powder Actuated Hilti Gun,DX460	1
Punch / Chisel Set,12 Pc	1
Ratchet,Adaptor,Female to Male,1/2" to 3/4",Impact	1
Ratchet,Adaptor,Female to Male,3/4" to 1",Impact	1
Ratchet,Adaptor,Female to Male,1/2" to 3/4",Standard	1
Ratchet, Drive, 3/8"	4
Ratchet, Drive, 1/2"	12
Ratchet, Drive, 3/4"	6
Ratchet, Drive, 1"	2
Ratchet, Drive, Breaker, Flex, Bar, 1/2"	8
Ratchet, Drive, Breaker, Flex, Bar, 3/4"	4
Ratchet,Extension,3/8" Drive,3" Long,Standard	5
Ratchet,Extension,3/8" Drive,6" Long,Standard	1
Ratchet,Extension,3/8" Drive,10" Long,Standard	1
Ratchet,Extension,1/2" Drive,8" Long,Standard	1
Ratchet,Extension,1/2" Drive,10" Long,Standard	8
Ratchet,Swivel,A.K.A. U-Joint,1/2" Drive,Impact	2
Ratchet,Swivel,A.K.A. U-Joint,1/2" Drive,Standard	1
Ratchet,Swivel,A.K.A. U-Joint,3/4" Drive,Standard	1
Reamer,Bridge,3/4"	1
Saw,Circular,Corded,7 1/4",Milwaukee	1
Saw,Circular,Metal Cutting,8" Dia Blade,Milwaukee	4
Saw Blade,Cut-Off,Metal,14" x 3/32" x 1"	10

Saw Blade, Hole, Bi-Metal, 5/8" 1 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 102 Screw Driver, Multi-bit, Regular (Picquic Super 8 Plus brand) 1 Bit, Impact Driver Phillips #1, Short(Short being 2" and shorter) 11 Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter) 9 Screw Driver, Hand, Flat, Blade width 1/4" Short (Short being 4" and shorter) 15 Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter) 5 Bit, Impact Driver, Flat, Blade width 1/4" (all lengths) 11 Snips, Left Hand, Red Handle, 10" Overall Length 1 Snips, Right Hand, Green Handle, 10" Overall Length 1 Snips, Straight, Yellow Handle, 10" Overall Length 4 Socket - 3/8" Drive, Metric, Deep, 8 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 9 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 11 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 12 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 15 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard 2	Saw Blade,Hack,Bi-Metal,12" Long	3
Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Reciprocating, Metal, 6"x14 tpi 158 Saw Blade, Reciprocating, Metal, 12"x18 tpi 102 Screw Driver, Multi-bit, Regular (Picquic Super 8 Plus brand) 1 Bit, Impact Driver Phillips #1, Short(Short being 2" and shorter) 1 Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter) 9 Screw Driver, Hand, Flat, Blade width 1/4" Short (Short being 4" and shorter) 15 Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter) 5 Bit, Impact Driver, Flat, Blade width 1/4" (all lengths) 11 Snips, Left Hand, Red Handle, 10" Overall Length 1 Snips, Right Hand, Green Handle, 10" Overall Length 1 Snips, Straight, Yellow Handle, 10" Overall Length 4 Socket - 3/8" Drive, Metric, Deep, 8 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 9 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 11 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 13 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 17 mm, Standard 2 <td></td> <td></td>		
Saw Blade, Hole, Bi-Metal, 1 1/4" Saw Blade, Reciprocating, Metal, 6"x14 tpi Saw Blade, Reciprocating, Metal, 12"x18 tpi Screw Driver, Multi-bit, Regular (Picquic Super 8 Plus brand) Bit, Impact Driver Phillips #1, Short(Short being 2" and shorter) Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter) Screw Driver, Hand, Flat, Blade width 1/4" Short (Short being 4" and shorter) Screw Driver Phillips #3, Short(Short being 2" and shorter) Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter) Bit, Impact Driver, Flat, Blade width 1/4" (all lengths) Bit, Impact Driver, Flat, Blade width 1/4" (all lengths) Snips, Left Hand, Red Handle, 10" Overall Length 1 Snips, Right Hand, Green Handle, 10" Overall Length Socket - 3/8" Drive, Metric, Deep, 8 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 9 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 11 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 12 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 13 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 14 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 15 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 17 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 18 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 2 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 3 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 3 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 3 Socket - 3/8" Drive, Metric, Shallow, 6 mm, Standard 3 Socket - 3/8" Drive, Metric, Shallow, 7 mm, Standard 5 Socket - 3/8" Drive, Metric, Shallow, 8 mm, Standard 5 Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard 5 Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard		1
Saw Blade,Reciprocating,Metal,12"x18 tpi Screw Driver,Multi-bit,Regular (Picquic Super 8 Plus brand) Bit, Impact Driver Phillips #1, Short(Short being 2" and shorter) Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter) Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter) Bit, Impact Driver, Hand,Flat,Blade width 1/4" Short (Short being 4" and shorter) Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter) Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter) Bit, Impact Driver,Flat,Blade width 1/4"(all lengths) 11 Snips,Left Hand,Red Handle,10" Overall Length 1 Snips,Right Hand,Green Handle,10" Overall Length 1 Snips,Straight,Yellow Handle,10" Overall Length 4 Socket - 3/8" Drive,Metric,Deep,8 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,9 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,11 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,12 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,13 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,14 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,15 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,16 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,17 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,18 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 3 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 5 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard		1
Saw Blade,Reciprocating,Metal,12"x18 tpi Screw Driver,Multi-bit,Regular (Picquic Super 8 Plus brand) Bit, Impact Driver Phillips #1, Short(Short being 2" and shorter) Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter) Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter) Bit, Impact Driver, Hand,Flat,Blade width 1/4" Short (Short being 4" and shorter) Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter) Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter) Bit, Impact Driver,Flat,Blade width 1/4"(all lengths) 11 Snips,Left Hand,Red Handle,10" Overall Length 1 Snips,Right Hand,Green Handle,10" Overall Length 1 Snips,Straight,Yellow Handle,10" Overall Length 4 Socket - 3/8" Drive,Metric,Deep,8 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,9 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,11 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,12 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,13 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,14 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,15 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,16 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,17 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,18 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 3 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 5 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard	Saw Blade,Reciprocating,Metal,6"x14 tpi	158
Screw Driver, Multi-bit, Regular (Picquic Super 8 Plus brand) Bit, Impact Driver Phillips #1, Short(Short being 2" and shorter) Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter) Screw Driver, Hand, Flat, Blade width 1/4" Short (Short being 4" and shorter) Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter) Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter) Bit, Impact Driver, Flat, Blade width 1/4" (all lengths) 11 Snips, Left Hand, Red Handle, 10" Overall Length 12 Snips, Right Hand, Green Handle, 10" Overall Length 13 Snips, Straight, Yellow Handle, 10" Overall Length 44 Socket - 3/8" Drive, Metric, Deep, 8 mm, Standard 25 Socket - 3/8" Drive, Metric, Deep, 11 mm, Standard 26 Socket - 3/8" Drive, Metric, Deep, 12 mm, Standard 27 Socket - 3/8" Drive, Metric, Deep, 13 mm, Standard 28 Socket - 3/8" Drive, Metric, Deep, 14 mm, Standard 29 Socket - 3/8" Drive, Metric, Deep, 15 mm, Standard 20 Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard 20 Socket - 3/8" Drive, Metric, Deep, 17 mm, Standard 21 Socket - 3/8" Drive, Metric, Deep, 18 mm, Standard 29 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 20 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 20 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 21 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 22 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 20 Socket - 3/8" Drive, Metric, Shallow, 6 mm, Standard 10 Socket - 3/8" Drive, Metric, Shallow, 8 mm, Standard 11 Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard 12 Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard 13 Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard		102
Bit, Impact Driver Phillips #1, Short(Short being 2" and shorter) Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter) Screw Driver, Hand, Flat, Blade width 1/4" Short (Short being 4" and shorter) Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter) Bit, Impact Driver, Flat, Blade width 1/4" (all lengths) Bit, Impact Driver, Flat, Blade width 1/4" (all lengths) 11 Snips, Left Hand, Red Handle, 10" Overall Length 12 Snips, Right Hand, Green Handle, 10" Overall Length 13 Snips, Straight, Yellow Handle, 10" Overall Length 40 Socket - 3/8" Drive, Metric, Deep, 8 mm, Standard 21 Socket - 3/8" Drive, Metric, Deep, 11 mm, Standard 22 Socket - 3/8" Drive, Metric, Deep, 12 mm, Standard 23 Socket - 3/8" Drive, Metric, Deep, 14 mm, Standard 24 Socket - 3/8" Drive, Metric, Deep, 15 mm, Standard 25 Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard 26 Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard 27 Socket - 3/8" Drive, Metric, Deep, 17 mm, Standard 28 Socket - 3/8" Drive, Metric, Deep, 18 mm, Standard 29 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 20 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 20 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 21 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 29 Socket - 3/8" Drive, Metric, Shallow, 6 mm, Standard 10 Socket - 3/8" Drive, Metric, Shallow, 7 mm, Standard 11 Socket - 3/8" Drive, Metric, Shallow, 8 mm, Standard 12 Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard 13 Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard	1 0	1
Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter) Screw Driver, Hand,Flat,Blade width 1/4" Short (Short being 4" and shorter) Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter) Bit, Impact Driver,Flat,Blade width 1/4"(all lengths) Bit, Impact Driver,Flat,Blade width 1/4"(all lengths) Snips,Left Hand,Red Handle,10" Overall Length 1 Snips,Right Hand,Green Handle,10" Overall Length 1 Snips,Straight,Yellow Handle,10" Overall Length 4 Socket - 3/8" Drive,Metric,Deep,8 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,9 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,11 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,12 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,13 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,14 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,15 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,16 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,17 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,18 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 3 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard		11
Screw Driver, Hand, Flat, Blade width 1/4" Short (Short being 4" and shorter) Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter) Bit, Impact Driver, Flat, Blade width 1/4"(all lengths) Bit, Impact Driver, Flat, Blade width 1/4"(all lengths) 11 Snips, Left Hand, Red Handle, 10" Overall Length 12 Snips, Right Hand, Green Handle, 10" Overall Length 13 Snips, Straight, Yellow Handle, 10" Overall Length 14 Socket - 3/8" Drive, Metric, Deep, 8 mm, Standard 25 Socket - 3/8" Drive, Metric, Deep, 9 mm, Standard 26 Socket - 3/8" Drive, Metric, Deep, 11 mm, Standard 27 Socket - 3/8" Drive, Metric, Deep, 12 mm, Standard 28 Socket - 3/8" Drive, Metric, Deep, 13 mm, Standard 29 Socket - 3/8" Drive, Metric, Deep, 14 mm, Standard 20 Socket - 3/8" Drive, Metric, Deep, 15 mm, Standard 20 Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard 21 Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard 22 Socket - 3/8" Drive, Metric, Deep, 17 mm, Standard 20 Socket - 3/8" Drive, Metric, Deep, 18 mm, Standard 21 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 22 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 23 Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard 14 Socket - 3/8" Drive, Metric, Shallow, 6 mm, Standard 15 Socket - 3/8" Drive, Metric, Shallow, 7 mm, Standard 16 Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard 17 Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard 18 Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard	Bit, Impact Driver Robertson #1, Short(Short being 2" and	9
shorter) Bit, Impact Driver,Flat,Blade width 1/4"(all lengths) 11 Snips,Left Hand,Red Handle,10" Overall Length 1 Snips,Right Hand,Green Handle,10" Overall Length 1 Snips,Straight,Yellow Handle,10" Overall Length 2 Socket - 3/8" Drive,Metric,Deep,8 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,9 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,11 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,12 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,12 mm,Standard 3 Socket - 3/8" Drive,Metric,Deep,13 mm,Standard 4 Socket - 3/8" Drive,Metric,Deep,14 mm,Standard 5 Socket - 3/8" Drive,Metric,Deep,15 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,16 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,16 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,17 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 3 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 4 Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard 5 Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,10 mm,Standard 1	Screw Driver, Hand,Flat,Blade width 1/4" Short (Short being 4"	15
Snips,Left Hand,Red Handle,10" Overall Length Snips,Right Hand,Green Handle,10" Overall Length Snips,Straight,Yellow Handle,10" Overall Length Socket - 3/8" Drive,Metric,Deep,8 mm,Standard Socket - 3/8" Drive,Metric,Deep,9 mm,Standard Socket - 3/8" Drive,Metric,Deep,11 mm,Standard Socket - 3/8" Drive,Metric,Deep,12 mm,Standard Socket - 3/8" Drive,Metric,Deep,12 mm,Standard Socket - 3/8" Drive,Metric,Deep,13 mm,Standard Socket - 3/8" Drive,Metric,Deep,14 mm,Standard Socket - 3/8" Drive,Metric,Deep,15 mm,Standard Socket - 3/8" Drive,Metric,Deep,15 mm,Standard Socket - 3/8" Drive,Metric,Deep,16 mm,Standard Socket - 3/8" Drive,Metric,Deep,17 mm,Standard Socket - 3/8" Drive,Metric,Deep,18 mm,Standard Socket - 3/8" Drive,Metric,Deep,19 mm,Standard Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard		5
Snips,Right Hand,Green Handle,10" Overall Length Snips,Straight,Yellow Handle,10" Overall Length Socket - 3/8" Drive,Metric,Deep,8 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,9 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,11 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,11 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,12 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,13 mm,Standard 1 Socket - 3/8" Drive,Metric,Deep,14 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,15 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,16 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,16 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,17 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,18 mm,Standard 2 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 3 Socket - 3/8" Drive,Metric,Deep,19 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard	Bit, Impact Driver,Flat,Blade width 1/4"(all lengths)	11
Snips,Straight,Yellow Handle,10" Overall Length Socket - 3/8" Drive,Metric,Deep,8 mm,Standard Socket - 3/8" Drive,Metric,Deep,9 mm,Standard Socket - 3/8" Drive,Metric,Deep,11 mm,Standard Socket - 3/8" Drive,Metric,Deep,12 mm,Standard Socket - 3/8" Drive,Metric,Deep,12 mm,Standard Socket - 3/8" Drive,Metric,Deep,13 mm,Standard Socket - 3/8" Drive,Metric,Deep,14 mm,Standard Socket - 3/8" Drive,Metric,Deep,15 mm,Standard Socket - 3/8" Drive,Metric,Deep,15 mm,Standard Socket - 3/8" Drive,Metric,Deep,16 mm,Standard Socket - 3/8" Drive,Metric,Deep,17 mm,Standard Socket - 3/8" Drive,Metric,Deep,18 mm,Standard Socket - 3/8" Drive,Metric,Deep,19 mm,Standard Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard	Snips,Left Hand,Red Handle,10" Overall Length	1
Socket - 3/8" Drive,Metric,Deep,8 mm,Standard Socket - 3/8" Drive,Metric,Deep,9 mm,Standard Socket - 3/8" Drive,Metric,Deep,11 mm,Standard Socket - 3/8" Drive,Metric,Deep,12 mm,Standard Socket - 3/8" Drive,Metric,Deep,12 mm,Standard Socket - 3/8" Drive,Metric,Deep,13 mm,Standard Socket - 3/8" Drive,Metric,Deep,14 mm,Standard Socket - 3/8" Drive,Metric,Deep,15 mm,Standard Socket - 3/8" Drive,Metric,Deep,16 mm,Standard Socket - 3/8" Drive,Metric,Deep,17 mm,Standard Socket - 3/8" Drive,Metric,Deep,18 mm,Standard Socket - 3/8" Drive,Metric,Deep,18 mm,Standard Socket - 3/8" Drive,Metric,Deep,19 mm,Standard Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard	Snips,Right Hand,Green Handle,10" Overall Length	1
Socket - 3/8" Drive,Metric,Deep,9 mm,Standard Socket - 3/8" Drive,Metric,Deep,11 mm,Standard Socket - 3/8" Drive,Metric,Deep,12 mm,Standard Socket - 3/8" Drive,Metric,Deep,13 mm,Standard Socket - 3/8" Drive,Metric,Deep,14 mm,Standard Socket - 3/8" Drive,Metric,Deep,15 mm,Standard Socket - 3/8" Drive,Metric,Deep,15 mm,Standard Socket - 3/8" Drive,Metric,Deep,16 mm,Standard Socket - 3/8" Drive,Metric,Deep,17 mm,Standard Socket - 3/8" Drive,Metric,Deep,18 mm,Standard Socket - 3/8" Drive,Metric,Deep,19 mm,Standard Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard	Snips,Straight,Yellow Handle,10" Overall Length	4
Socket - 3/8" Drive, Metric, Deep, 11 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 12 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 13 mm, Standard1Socket - 3/8" Drive, Metric, Deep, 14 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 15 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 17 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 18 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard2Socket - 3/8" Drive, Metric, Shallow, 6 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 7 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 8 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 10 mm, Standard1	Socket - 3/8" Drive, Metric, Deep, 8 mm, Standard	2
Socket - 3/8" Drive,Metric,Deep,12 mm,Standard Socket - 3/8" Drive,Metric,Deep,13 mm,Standard 1 Socket - 3/8" Drive,Metric,Deep,14 mm,Standard Socket - 3/8" Drive,Metric,Deep,15 mm,Standard Socket - 3/8" Drive,Metric,Deep,16 mm,Standard Socket - 3/8" Drive,Metric,Deep,16 mm,Standard Socket - 3/8" Drive,Metric,Deep,17 mm,Standard Socket - 3/8" Drive,Metric,Deep,18 mm,Standard Socket - 3/8" Drive,Metric,Deep,19 mm,Standard Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1	Socket - 3/8" Drive, Metric, Deep, 9 mm, Standard	2
Socket - 3/8" Drive,Metric,Deep,13 mm,Standard1Socket - 3/8" Drive,Metric,Deep,14 mm,Standard2Socket - 3/8" Drive,Metric,Deep,15 mm,Standard2Socket - 3/8" Drive,Metric,Deep,16 mm,Standard2Socket - 3/8" Drive,Metric,Deep,17 mm,Standard2Socket - 3/8" Drive,Metric,Deep,18 mm,Standard2Socket - 3/8" Drive,Metric,Deep,19 mm,Standard2Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,10 mm,Standard1	Socket - 3/8" Drive, Metric, Deep, 11 mm, Standard	2
Socket - 3/8" Drive, Metric, Deep, 14 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 15 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 17 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 18 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard2Socket - 3/8" Drive, Metric, Shallow, 6 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 7 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 8 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 10 mm, Standard1	Socket - 3/8" Drive, Metric, Deep, 12 mm, Standard	2
Socket - 3/8" Drive,Metric,Deep,15 mm,Standard2Socket - 3/8" Drive,Metric,Deep,16 mm,Standard2Socket - 3/8" Drive,Metric,Deep,17 mm,Standard2Socket - 3/8" Drive,Metric,Deep,18 mm,Standard2Socket - 3/8" Drive,Metric,Deep,19 mm,Standard2Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,10 mm,Standard1	Socket - 3/8" Drive, Metric, Deep, 13 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 17 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 18 mm, Standard2Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard2Socket - 3/8" Drive, Metric, Shallow, 6 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 7 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 8 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 10 mm, Standard1	Socket - 3/8" Drive, Metric, Deep, 14 mm, Standard	2
Socket - 3/8" Drive,Metric,Deep,17 mm,Standard2Socket - 3/8" Drive,Metric,Deep,18 mm,Standard2Socket - 3/8" Drive,Metric,Deep,19 mm,Standard2Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,10 mm,Standard1	Socket - 3/8" Drive, Metric, Deep, 15 mm, Standard	2
Socket - 3/8" Drive,Metric,Deep,18 mm,Standard2Socket - 3/8" Drive,Metric,Deep,19 mm,Standard2Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,10 mm,Standard1	Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard	2
Socket - 3/8" Drive,Metric,Deep,19 mm,Standard2Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,10 mm,Standard1	Socket - 3/8" Drive, Metric, Deep, 17 mm, Standard	2
Socket - 3/8" Drive, Metric, Shallow, 6 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 7 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 8 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 10 mm, Standard1	Socket - 3/8" Drive, Metric, Deep, 18 mm, Standard	2
Socket - 3/8" Drive,Metric,Shallow,7 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard1Socket - 3/8" Drive,Metric,Shallow,10 mm,Standard1	Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard	2
Socket - 3/8" Drive, Metric, Shallow, 8 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard1Socket - 3/8" Drive, Metric, Shallow, 10 mm, Standard1	Socket - 3/8" Drive,Metric,Shallow,6 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard 1 Socket - 3/8" Drive,Metric,Shallow,10 mm,Standard 1	Socket - 3/8" Drive, Metric, Shallow, 7 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 10 mm, Standard 1	Socket - 3/8" Drive,Metric,Shallow,8 mm,Standard	1
	Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,11 mm,Standard 1	Socket - 3/8" Drive,Metric,Shallow,10 mm,Standard	1
	Socket - 3/8" Drive,Metric,Shallow,11 mm,Standard	1
Socket - 3/8" Drive, Metric, Shallow, 12 mm, Standard 1	Socket - 3/8" Drive,Metric,Shallow,12 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,13 mm,Standard 1	Socket - 3/8" Drive,Metric,Shallow,13 mm,Standard	1
Socket - 3/8" Drive, Metric, Shallow, 14 mm, Standard 1	Socket - 3/8" Drive,Metric,Shallow,14 mm,Standard	1
Socket - 3/8" Drive, Metric, Shallow, 15 mm, Standard 1	Socket - 3/8" Drive,Metric,Shallow,15 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,16 mm,Standard 1	Socket - 3/8" Drive,Metric,Shallow,16 mm,Standard	1
Socket - 3/8" Drive, Metric, Shallow, 17 mm, Standard 1	Socket - 3/8" Drive,Metric,Shallow,17 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,18 mm,Standard 1	Socket - 3/8" Drive,Metric,Shallow,18 mm,Standard	1

Socket - 3/8" Drive, Metric, Shallow, 19 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 20 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 21 mm, Standard	2
Socket - 3/8" Drive, Metric, Shallow, 22 mm, Standard	2
Socket - 1/2" Drive, Metric, Deep, 10 mm, Standard	1
Socket - 1/2" Drive, Metric, Deep, 12 mm, Standard	1
Socket - 1/2" Drive, Metric, Deep, 14 mm, Standard	1
Socket - 1/2" Drive, Metric, Shallow, 14 mm, Standard	1
Socket - 1/2" Drive, Metric, Shallow, 17 mm, Standard	1
Socket - 3/8" Drive,SAE,Deep,5/16",Standard	2
Socket - 3/8" Drive,SAE,Deep,7/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,1/2",Standard	2
Socket - 3/8" Drive,SAE,Deep,9/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,5/8",Standard	2
Socket - 3/8" Drive,SAE,Deep,11/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,3/4",Standard	1
Socket - 3/8" Drive,SAE,Deep,13/16",Standard	2
Socket - 3/8" Drive,SAE,Deep,7/8",Standard	2
Socket - 3/8" Drive,SAE,Shallow,5/16",Standard	2
Socket - 3/8" Drive,SAE,Shallow,3/8",Standard	1
Socket - 3/8" Drive,SAE,Shallow,7/16",Standard	2
Socket - 3/8" Drive,SAE,Shallow,1/2",Standard	1
Socket - 3/8" Drive,SAE,Shallow,5/8",Standard	3
Socket - 3/8" Drive,SAE,Shallow,11/16",Standard	2
Socket - 3/8" Drive,SAE,Shallow,3/4",Standard	1
Socket - 3/8" Drive,SAE,Shallow,13/16",Standard	2
Socket - 3/8" Drive,SAE,Shallow,7/8",Standard	2
Socket - 1/2" Drive,SAE,Allen (Short),3/16",Standard	2
Socket - 1/2" Drive,SAE,Allen (Short),7/32",Standard	1
Socket - 1/2" Drive,SAE,Allen (Short),1/4",Standard	2
Socket - 1/2" Drive,SAE,Allen (Short),9/32",Standard	2
Socket - 1/2" Drive,SAE,Allen (Short),5/16",Standard	2
Socket - 1/2" Drive,SAE,Allen (Short),3/8",Standard	2
Socket - 1/2" Drive,SAE,Allen (Short),1/2",Standard	2
Socket - 1/2" Drive,SAE,Allen (Short),9/16",Standard	3
Socket - 1/2" Drive,SAE,Allen (Short),5/8",Standard	2
Socket - 1/2" Drive,SAE,Deep,3/8",Impact	6
Socket - 1/2" Drive,SAE,Deep,7/16",Impact	5
Socket - 1/2" Drive,SAE,Deep,1/2",Impact	7
Socket - 1/2" Drive,SAE,Deep,9/16",Impact	3
Socket - 1/2" Drive,SAE,Deep,5/8",Impact	5
L	

Socket - 1/2" Drive,SAE,Deep,3/4",Impact 5 Socket - 1/2" Drive,SAE,Deep,13/16",Impact 5 Socket - 1/2" Drive,SAE,Deep,13/16",Impact 4 Socket - 1/2" Drive,SAE,Deep,18/16",Impact 7 Socket - 1/2" Drive,SAE,Deep,1",Impact 6 Socket - 1/2" Drive,SAE,Deep,1 1/16",Impact 4 Socket - 1/2" Drive,SAE,Deep,1 1/8",Impact 2 Socket - 1/2" Drive,SAE,Deep,1 1/4",Impact 5 Socket - 1/2" Drive,SAE,Deep,9/16",Standard 2 Socket - 1/2" Drive,SAE,Deep,11/16",Standard 2 Socket - 1/2" Drive,SAE,Deep,3/8",Standard 2 Socket - 1/2" Drive,SAE,Deep,13/16",Standard 2 Socket - 1/2" Drive,SAE,Deep,13/16",Standard 3 Socket - 1/2" Drive,SAE,Deep,13/16",Standard 3 Socket - 1/2" Drive,SAE,Deep,13/16",Standard 3 Socket - 1/2" Drive,SAE,Deep,1",Standard 3 Socket - 1/2" Drive,SAE,Deep,1",Standard 3 Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard 3 Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,19/16",Impact	Socket - 1/2" Drive,SAE,Deep,11/16",Impact	6
Socket - 1/2" Drive, SAE, Deep, 13/16", Impact 5 Socket - 1/2" Drive, SAE, Deep, 7/8", Impact 4 Socket - 1/2" Drive, SAE, Deep, 15/16", Impact 7 Socket - 1/2" Drive, SAE, Deep, 1 ", Impact 6 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Impact 4 Socket - 1/2" Drive, SAE, Deep, 1 1/4", Impact 2 Socket - 1/2" Drive, SAE, Deep, 1 1/4", Impact 5 Socket - 1/2" Drive, SAE, Deep, 1 1/4", Impact 2 Socket - 1/2" Drive, SAE, Deep, 1 1/4", Impact 2 Socket - 1/2" Drive, SAE, Deep, 16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 13/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 13/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 1 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 1/16", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 1/16", Impact 1 <td>· · · · · · · · · · · · · · · · · · ·</td> <td></td>	· · · · · · · · · · · · · · · · · · ·	
Socket - 1/2" Drive, SAE, Deep, 7/8", Impact 4 Socket - 1/2" Drive, SAE, Deep, 15/16", Impact 7 Socket - 1/2" Drive, SAE, Deep, 1", Impact 6 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Impact 4 Socket - 1/2" Drive, SAE, Deep, 1 1/8", Impact 2 Socket - 1/2" Drive, SAE, Deep, 1 1/8", Impact 5 Socket - 1/2" Drive, SAE, Deep, 5/8", Standard 2 Socket - 1/2" Drive, SAE, Deep, 5/8", Standard 2 Socket - 1/2" Drive, SAE, Deep, 5/8", Standard 2 Socket - 1/2" Drive, SAE, Deep, 5/8", Standard 2 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 13/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact 1 <td>· · · · · · · · · · · · · · · · · · ·</td> <td></td>	· · · · · · · · · · · · · · · · · · ·	
Socket - 1/2" Drive, SAE, Deep, 15/16", Impact 7 Socket - 1/2" Drive, SAE, Deep, 1", Impact 6 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Impact 4 Socket - 1/2" Drive, SAE, Deep, 1 1/8", Impact 2 Socket - 1/2" Drive, SAE, Deep, 9/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 5/8", Standard 2 Socket - 1/2" Drive, SAE, Deep, 5/8", Standard 2 Socket - 1/2" Drive, SAE, Deep, 5/8", Standard 2 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 13/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 13/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact <td< td=""><td></td><td></td></td<>		
Socket - 1/2" Drive, SAE, Deep, 1", Impact 4 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Impact 2 Socket - 1/2" Drive, SAE, Deep, 1 1/8", Impact 2 Socket - 1/2" Drive, SAE, Deep, 9/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 5/8", Standard 2 Socket - 1/2" Drive, SAE, Deep, 5/8", Standard 2 Socket - 1/2" Drive, SAE, Deep, 3/4", Standard 2 Socket - 1/2" Drive, SAE, Deep, 3/4", Standard 3 Socket - 1/2" Drive, SAE, Deep, 3/4", Standard 3 Socket - 1/2" Drive, SAE, Deep, 13/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 1 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact <	·	
Socket - 1/2" Drive, SAE, Deep, 1 1/16", Impact 4 Socket - 1/2" Drive, SAE, Deep, 1 1/8", Impact 2 Socket - 1/2" Drive, SAE, Deep, 1 1/4", Impact 5 Socket - 1/2" Drive, SAE, Deep, 9/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 5/8", Standard 2 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 3/4", Standard 3 Socket - 1/2" Drive, SAE, Deep, 13/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/8", Standard 1 Socket - 1/2" Drive, SAE, Deep, 1 1/4", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 1/2", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 1/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 1/16", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 1/8", Impact	· · · · · · · · · · · · · · · · · · ·	6
Socket - 1/2" Drive, SAE, Deep, 1 1/8", Impact 2 Socket - 1/2" Drive, SAE, Deep, 1 1/4", Impact 5 Socket - 1/2" Drive, SAE, Deep, 9/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 9/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 13/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 13/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 1 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 5/8", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 5/8", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 5/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/6", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/8", Impact	·	4
Socket - 1/2" Drive,SAE,Deep,9/16",Standard 2 Socket - 1/2" Drive,SAE,Deep,5/8",Standard 2 Socket - 1/2" Drive,SAE,Deep,11/16",Standard 2 Socket - 1/2" Drive,SAE,Deep,13/16",Standard 4 Socket - 1/2" Drive,SAE,Deep,13/16",Standard 3 Socket - 1/2" Drive,SAE,Deep,17/8",Standard 3 Socket - 1/2" Drive,SAE,Deep,15/16",Standard 2 Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard 3 Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard 3 Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard 1 Socket - 1/2" Drive,SAE,Deep,1 1/4",Standard 1 Socket - 1/2" Drive,SAE,Deep,1 1/4",Standard 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,1/2",Impact 5 Socket - 1/2" Drive,SAE,Shallow,11/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,11/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,1 1/8",Impact 1 Socket - 1/2" Drive,		2
Socket - 1/2" Drive, SAE, Deep, 5/8", Standard 2 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 3/4", Standard 4 Socket - 1/2" Drive, SAE, Deep, 13/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 17/8", Standard 3 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 11/6", Standard 3 Socket - 1/2" Drive, SAE, Deep, 11/6", Standard 3 Socket - 1/2" Drive, SAE, Deep, 11/8", Standard 1 Socket - 1/2" Drive, SAE, Deep, 11/8", Standard 1 Socket - 1/2" Drive, SAE, Deep, 11/4", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 1/2", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 5/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/6", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/8", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 11/4", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/4", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/4", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 15/8", Standard	Socket - 1/2" Drive,SAE,Deep,1 1/4",Impact	5
Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 3/4", Standard 4 Socket - 1/2" Drive, SAE, Deep, 13/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 17/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 11/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 11/8", Standard 1 Socket - 1/2" Drive, SAE, Deep, 11/8", Standard 1 Socket - 1/2" Drive, SAE, Deep, 11/8", Standard 1 Socket - 1/2" Drive, SAE, Deep, 11/8", Standard 1 Socket - 1/2" Drive, SAE, Deep, 11/8", Standard 1 Socket - 1/2" Drive, SAE, Deep, 11/8", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 9/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 11/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/4", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 7/16", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 7/16", Standard <td>Socket - 1/2" Drive,SAE,Deep,9/16",Standard</td> <td>2</td>	Socket - 1/2" Drive,SAE,Deep,9/16",Standard	2
Socket - 1/2" Drive, SAE, Deep, 3/4", Standard 4 Socket - 1/2" Drive, SAE, Deep, 13/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 7/8", Standard 2 Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/8", Standard 1 Socket - 1/2" Drive, SAE, Deep, 1 1/4", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 9/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 15/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 15/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 11/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/8", Standard <td>Socket - 1/2" Drive,SAE,Deep,5/8",Standard</td> <td>2</td>	Socket - 1/2" Drive,SAE,Deep,5/8",Standard	2
Socket - 1/2" Drive,SAE,Deep,13/16",Standard 3 Socket - 1/2" Drive,SAE,Deep,7/8",Standard 2 Socket - 1/2" Drive,SAE,Deep,15/16",Standard 2 Socket - 1/2" Drive,SAE,Deep,1",Standard 3 Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard 3 Socket - 1/2" Drive,SAE,Deep,1 1/8",Standard 1 Socket - 1/2" Drive,SAE,Deep,1 1/4",Standard 1 Socket - 1/2" Drive,SAE,Deep,1 1/4",Standard 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,9/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,5/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,11/16",Impact 1 Socket - 1/2" Drive,SAE,Shallow,11/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,11/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,11/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,11/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,7/16",Standard 1 Socket - 1/2" Drive,SAE,Shallow,7/16",Standard 1 Socket - 1/2" Drive,SAE,Shallow,11/16",Standard 1 Socket - 1/2" Drive,SA	Socket - 1/2" Drive,SAE,Deep,11/16",Standard	2
Socket - 1/2" Drive,SAE,Deep,7/8",Standard 3 Socket - 1/2" Drive,SAE,Deep,15/16",Standard 2 Socket - 1/2" Drive,SAE,Deep,1",Standard 3 Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard 3 Socket - 1/2" Drive,SAE,Deep,1 1/8",Standard 1 Socket - 1/2" Drive,SAE,Deep,1 1/4",Standard 1 Socket - 1/2" Drive,SAE,Deep,1 1/4",Standard 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,1/2",Impact 1 Socket - 1/2" Drive,SAE,Shallow,9/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,5/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,11/16",Impact 1 Socket - 1/2" Drive,SAE,Shallow,11/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,1 1/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,1 1/4",Impact 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Standard 1 Socket - 1/2" Drive,SAE,Shallow,7/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,9/16",Standard 6 Socket - 1/2" Drive,SAE,Shallow,11/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,7/8",Standard 10 Socket - 1/2" D	Socket - 1/2" Drive,SAE,Deep,3/4",Standard	4
Socket - 1/2" Drive, SAE, Deep, 15/16", Standard 2 Socket - 1/2" Drive, SAE, Deep, 1", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/8", Standard 1 Socket - 1/2" Drive, SAE, Deep, 1 1/4", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 1/2", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 9/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 15/16", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 15/16", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/4", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 7/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 9/16", Standard 6 Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 7/8", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 7/	Socket - 1/2" Drive,SAE,Deep,13/16",Standard	3
Socket - 1/2" Drive, SAE, Deep, 1", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/16", Standard 3 Socket - 1/2" Drive, SAE, Deep, 1 1/8", Standard 1 Socket - 1/2" Drive, SAE, Deep, 1 1/4", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 1/2", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 9/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 5/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 15/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 11/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/4", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/4", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 7/16", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 7/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 9/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard 11 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shall	Socket - 1/2" Drive,SAE,Deep,7/8",Standard	3
Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard 3 Socket - 1/2" Drive,SAE,Deep,1 1/8",Standard 1 Socket - 1/2" Drive,SAE,Deep,1 1/4",Standard 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,9/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,5/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,11/16",Impact 1 Socket - 1/2" Drive,SAE,Shallow,15/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,15/16",Impact 1 Socket - 1/2" Drive,SAE,Shallow,11/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,1/4",Impact 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Standard 1 Socket - 1/2" Drive,SAE,Shallow,7/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,1/2",Standard 6 Socket - 1/2" Drive,SAE,Shallow,5/8",Standard 10 Socket - 1/2" Drive,SAE,Shallow,11/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,13/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,13/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 10	Socket - 1/2" Drive,SAE,Deep,15/16",Standard	2
Socket - 1/2" Drive,SAE,Deep,1 1/8",Standard 1 Socket - 1/2" Drive,SAE,Deep,1 1/4",Standard 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,1/2",Impact 1 Socket - 1/2" Drive,SAE,Shallow,9/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,5/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,11/16",Impact 1 Socket - 1/2" Drive,SAE,Shallow,15/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,11/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,1/4",Impact 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Standard 1 Socket - 1/2" Drive,SAE,Shallow,7/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,1/2",Standard 8 Socket - 1/2" Drive,SAE,Shallow,9/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,5/8",Standard 10 Socket - 1/2" Drive,SAE,Shallow,11/16",Standard 11 Socket - 1/2" Drive,SAE,Shallow,13/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,13/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 10	Socket - 1/2" Drive,SAE,Deep,1",Standard	3
Socket - 1/2" Drive, SAE, Deep, 1 1/4", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 1/2", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 9/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 5/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 15/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 1 1/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 1 1/4", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1/2", Standard 6 Socket - 1/2" Drive, SAE, Shallow, 9/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 5/8", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard 12 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 10 Socket - 1/2" Dri	Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard	3
Socket - 1/2" Drive, SAE, Shallow, 3/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 1/2", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 9/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 5/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 15/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 1 1/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 1 1/4", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 7/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1/2", Standard 6 Socket - 1/2" Drive, SAE, Shallow, 9/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard 11 Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard 12 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 10 Socket - 1	Socket - 1/2" Drive,SAE,Deep,1 1/8",Standard	1
Socket - 1/2" Drive,SAE,Shallow,1/2",Impact 1 Socket - 1/2" Drive,SAE,Shallow,9/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,5/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,11/16",Impact 1 Socket - 1/2" Drive,SAE,Shallow,15/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,1 1/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,1 1/4",Impact 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Standard 1 Socket - 1/2" Drive,SAE,Shallow,7/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,1/2",Standard 8 Socket - 1/2" Drive,SAE,Shallow,9/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,9/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,11/16",Standard 11 Socket - 1/2" Drive,SAE,Shallow,13/16",Standard 12 Socket - 1/2" Drive,SAE,Shallow,13/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 7 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 7 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 10	Socket - 1/2" Drive,SAE,Deep,1 1/4",Standard	1
Socket - 1/2" Drive, SAE, Shallow, 9/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 5/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 15/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 1 1/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 1 1/4", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 7/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1/2", Standard 8 Socket - 1/2" Drive, SAE, Shallow, 9/16", Standard 6 Socket - 1/2" Drive, SAE, Shallow, 5/8", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard 11 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 12 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 7 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 7 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard 10	Socket - 1/2" Drive,SAE,Shallow,3/8",Impact	1
Socket - 1/2" Drive, SAE, Shallow, 5/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 11/16", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 15/16", Impact 5 Socket - 1/2" Drive, SAE, Shallow, 1 1/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 1 1/4", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 7/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1/2", Standard 8 Socket - 1/2" Drive, SAE, Shallow, 9/16", Standard 6 Socket - 1/2" Drive, SAE, Shallow, 5/8", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard 11 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 12 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 7 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 11, Standard 10 Socket - 1/2" Drive, SAE, Shallow, 11, Standard 10	Socket - 1/2" Drive,SAE,Shallow,1/2",Impact	1
Socket - 1/2" Drive,SAE,Shallow,11/16",Impact 1 Socket - 1/2" Drive,SAE,Shallow,15/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,1 1/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,1 1/4",Impact 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Standard 1 Socket - 1/2" Drive,SAE,Shallow,7/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,1/2",Standard 8 Socket - 1/2" Drive,SAE,Shallow,9/16",Standard 6 Socket - 1/2" Drive,SAE,Shallow,5/8",Standard 10 Socket - 1/2" Drive,SAE,Shallow,11/16",Standard 11 Socket - 1/2" Drive,SAE,Shallow,3/4",Standard 12 Socket - 1/2" Drive,SAE,Shallow,13/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,7/8",Standard 10 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 7 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,1",Standard 10 Socket - 1/2" Drive,SAE,Shallow,1",Standard 10 Socket - 1/2" Drive,SAE,Shallow,1",Standard 10	Socket - 1/2" Drive,SAE,Shallow,9/16",Impact	5
Socket - 1/2" Drive,SAE,Shallow,15/16",Impact 5 Socket - 1/2" Drive,SAE,Shallow,1 1/8",Impact 1 Socket - 1/2" Drive,SAE,Shallow,1 1/4",Impact 1 Socket - 1/2" Drive,SAE,Shallow,3/8",Standard 1 Socket - 1/2" Drive,SAE,Shallow,7/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,1/2",Standard 8 Socket - 1/2" Drive,SAE,Shallow,9/16",Standard 6 Socket - 1/2" Drive,SAE,Shallow,5/8",Standard 10 Socket - 1/2" Drive,SAE,Shallow,11/16",Standard 11 Socket - 1/2" Drive,SAE,Shallow,3/4",Standard 12 Socket - 1/2" Drive,SAE,Shallow,13/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,7/8",Standard 10 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 7 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,11",Standard 10 Socket - 1/2" Drive,SAE,Shallow,11",Standard 10	Socket - 1/2" Drive,SAE,Shallow,5/8",Impact	1
Socket - 1/2" Drive, SAE, Shallow, 1 1/8", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 1 1/4", Impact 1 Socket - 1/2" Drive, SAE, Shallow, 3/8", Standard 1 Socket - 1/2" Drive, SAE, Shallow, 7/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1/2", Standard 8 Socket - 1/2" Drive, SAE, Shallow, 9/16", Standard 6 Socket - 1/2" Drive, SAE, Shallow, 5/8", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard 11 Socket - 1/2" Drive, SAE, Shallow, 3/4", Standard 12 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 7 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1 1/16", Standard 10	Socket - 1/2" Drive,SAE,Shallow,11/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,1 1/4",Impact Socket - 1/2" Drive,SAE,Shallow,3/8",Standard 10 Socket - 1/2" Drive,SAE,Shallow,7/16",Standard Socket - 1/2" Drive,SAE,Shallow,1/2",Standard 8 Socket - 1/2" Drive,SAE,Shallow,9/16",Standard Socket - 1/2" Drive,SAE,Shallow,5/8",Standard 10 Socket - 1/2" Drive,SAE,Shallow,11/16",Standard 11 Socket - 1/2" Drive,SAE,Shallow,3/4",Standard 12 Socket - 1/2" Drive,SAE,Shallow,13/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,7/8",Standard 10 Socket - 1/2" Drive,SAE,Shallow,7/8",Standard 10 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 7 Socket - 1/2" Drive,SAE,Shallow,1",Standard 10 Socket - 1/2" Drive,SAE,Shallow,1",Standard 10 Socket - 1/2" Drive,SAE,Shallow,1",Standard 10	Socket - 1/2" Drive,SAE,Shallow,15/16",Impact	5
Socket - 1/2" Drive,SAE,Shallow,3/8",Standard Socket - 1/2" Drive,SAE,Shallow,7/16",Standard Socket - 1/2" Drive,SAE,Shallow,1/2",Standard Socket - 1/2" Drive,SAE,Shallow,9/16",Standard Socket - 1/2" Drive,SAE,Shallow,5/8",Standard Socket - 1/2" Drive,SAE,Shallow,11/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,11/16",Standard 11 Socket - 1/2" Drive,SAE,Shallow,3/4",Standard 12 Socket - 1/2" Drive,SAE,Shallow,13/16",Standard 10 Socket - 1/2" Drive,SAE,Shallow,7/8",Standard 10 Socket - 1/2" Drive,SAE,Shallow,15/16",Standard 7 Socket - 1/2" Drive,SAE,Shallow,1",Standard 10 Socket - 1/2" Drive,SAE,Shallow,1",Standard 10 Socket - 1/2" Drive,SAE,Shallow,1",Standard 10	Socket - 1/2" Drive,SAE,Shallow,1 1/8",Impact	1
Socket - 1/2" Drive, SAE, Shallow, 7/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1/2", Standard 8 Socket - 1/2" Drive, SAE, Shallow, 9/16", Standard 6 Socket - 1/2" Drive, SAE, Shallow, 5/8", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard 11 Socket - 1/2" Drive, SAE, Shallow, 3/4", Standard 12 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 7/8", Standard 7 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1", Standard 10	Socket - 1/2" Drive,SAE,Shallow,1 1/4",Impact	1
Socket - 1/2" Drive, SAE, Shallow, 1/2", Standard 8 Socket - 1/2" Drive, SAE, Shallow, 9/16", Standard 6 Socket - 1/2" Drive, SAE, Shallow, 5/8", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard 11 Socket - 1/2" Drive, SAE, Shallow, 3/4", Standard 12 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 7/8", Standard 7 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1 ", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1 ", Standard 10	Socket - 1/2" Drive,SAE,Shallow,3/8",Standard	1
Socket - 1/2" Drive, SAE, Shallow, 9/16", Standard6Socket - 1/2" Drive, SAE, Shallow, 5/8", Standard10Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard11Socket - 1/2" Drive, SAE, Shallow, 3/4", Standard12Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard10Socket - 1/2" Drive, SAE, Shallow, 7/8", Standard10Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard7Socket - 1/2" Drive, SAE, Shallow, 1", Standard10Socket - 1/2" Drive, SAE, Shallow, 1", Standard10Socket - 1/2" Drive, SAE, Shallow, 1 1/16", Standard10	Socket - 1/2" Drive,SAE,Shallow,7/16",Standard	10
Socket - 1/2" Drive, SAE, Shallow, 5/8", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard 11 Socket - 1/2" Drive, SAE, Shallow, 3/4", Standard 12 Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 7/8", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard 7 Socket - 1/2" Drive, SAE, Shallow, 1", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1", Standard 10 Socket - 1/2" Drive, SAE, Shallow, 1 1/16", Standard 10	Socket - 1/2" Drive,SAE,Shallow,1/2",Standard	8
Socket - 1/2" Drive, SAE, Shallow, 11/16", Standard11Socket - 1/2" Drive, SAE, Shallow, 3/4", Standard12Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard10Socket - 1/2" Drive, SAE, Shallow, 7/8", Standard10Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard7Socket - 1/2" Drive, SAE, Shallow, 1", Standard10Socket - 1/2" Drive, SAE, Shallow, 1", Standard10Socket - 1/2" Drive, SAE, Shallow, 1 1/16", Standard10	Socket - 1/2" Drive,SAE,Shallow,9/16",Standard	6
Socket - 1/2" Drive, SAE, Shallow, 3/4", Standard12Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard10Socket - 1/2" Drive, SAE, Shallow, 7/8", Standard10Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard7Socket - 1/2" Drive, SAE, Shallow, 1", Standard10Socket - 1/2" Drive, SAE, Shallow, 1 ", Standard10Socket - 1/2" Drive, SAE, Shallow, 1 1/16", Standard10		10
Socket - 1/2" Drive, SAE, Shallow, 13/16", Standard10Socket - 1/2" Drive, SAE, Shallow, 7/8", Standard10Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard7Socket - 1/2" Drive, SAE, Shallow, 1", Standard10Socket - 1/2" Drive, SAE, Shallow, 1 1/16", Standard10		
Socket - 1/2" Drive, SAE, Shallow, 7/8", Standard10Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard7Socket - 1/2" Drive, SAE, Shallow, 1", Standard10Socket - 1/2" Drive, SAE, Shallow, 1 1/16", Standard10		
Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard7Socket - 1/2" Drive, SAE, Shallow, 1", Standard10Socket - 1/2" Drive, SAE, Shallow, 1 1/16", Standard10		
Socket - 1/2" Drive, SAE, Shallow, 1", Standard10Socket - 1/2" Drive, SAE, Shallow, 1 1/16", Standard10		10
Socket - 1/2" Drive,SAE,Shallow,1 1/16",Standard 10		7
		10
Socket - 1/2" Drive,SAE,Shallow,1 1/8",Standard 9		10
	Socket - 1/2" Drive,SAE,Shallow,1 1/8",Standard	9

Socket - 1/2" Drive,SAE,Shallow,1 3/16",Standard	11
Socket - 1/2" Drive,SAE,Shallow,1 1/4",Standard	10
Socket - 3/4" Drive,SAE,Deep,1 1/4",Impact	7
Socket - 3/4" Drive,SAE,Deep,1 7/16",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 1/2",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 7/8",Impact	3
Socket - 3/4" Drive,SAE,Deep,1 1/16",Standard	1
Socket - 3/4" Drive,SAE,Shallow,7/8",Impact	1
Socket - 3/4" Drive,SAE,Shallow,15/16",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 1/16",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 1/8",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 5/16",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 7/16",Impact	3
Socket - 3/4" Drive, SAE, Shallow, 1 1/2", Impact	1
Socket - 3/4" Drive, SAE, Shallow, 1 5/8", Impact	1
Socket - 3/4" Drive, SAE, Shallow, 1 13/16", Impact	1
Socket - 3/4" Drive,SAE,Shallow,7/8",Standard	4
Socket - 3/4" Drive,SAE,Shallow,15/16",Standard	5
Socket - 3/4" Drive,SAE,Shallow,1",Standard	4
Socket - 3/4" Drive, SAE, Shallow, 1 1/16", Standard	4
Socket - 3/4" Drive, SAE, Shallow, 1 1/8", Standard	3
Socket - 3/4" Drive,SAE,Shallow,1 3/16",Standard	4
Socket - 3/4" Drive, SAE, Shallow, 1 1/4", Standard	5
Socket - 3/4" Drive, SAE, Shallow, 1 3/8", Standard	4
Socket - 3/4" Drive, SAE, Shallow, 1 7/16", Standard	3
Socket - 3/4" Drive, SAE, Shallow, 1 1/2", Standard	4
Socket - 3/4" Drive, SAE, Shallow, 1 5/8", Standard	5
Socket - 3/4" Drive, SAE, Shallow, 1 3/4", Standard	4
Socket - 3/4" Drive, SAE, Shallow, 1 13/16", Standard	4
Socket - 3/4" Drive, SAE, Shallow, 1 7/8", Standard	2
Socket - 3/4" Drive,SAE,Shallow,2",Standard	4
Socket - 3/4" Drive, SAE, Shallow, 2 1/8", Standard	1
Socket Tray,Metric,Plastic,3/8" Drive	2
Square,Carpenter,Normal,24" x 16"	10
Square,Combination,12"	6
Square,Layout,6 3/4" (Speed Square)	8
Tape Measure,Manual Reel ,Metric / SAE,15 m / 50'	1
Tape Measure,Manual Reel,SAE,100'	1
Tie Down Strap,Ratchet,Polyester,1" x 10',Heavy Duty	3
Tie Down Strap,Ratchet,Polyester,1"x 15',Heavy Duty	2
Tie Down Strap,Ratchet,Polyester,2" x 15',Heavy Duty	4

Tie Down Strap,Bungee,Rubber,15" Long	10
Tool Chest,Roller Cabinet,11 Drawer	2
Tool Chest,Top,10 Drawer	2
Vacuum,4 Gallon,Shop-Vac,Wet/Dry	1
Vise,Bench,Max Jaw Width",6"	2
Vise,Drill Press,Max Jaw Width",6"	1
Wire Brush, Stainless Steel, Curved Handle, 13 3/4"	3
Wire Brush, Steel, Curved Handle, 13 3/4"	9
Wire Wheel Brush,S.S.,Knot Twisted or Stringer Bead,5"	15
Measuring Gasket,Wrap-A-Round,Flexible,4" Wide x 6' Long	1
Wrench,Allen,Metric - Regular,8 mm	1
Wrench,Allen,SAE - Long,1/2"	1
Wrench,Allen,SAE - Long,9/16"	1
Wrench,Allen,SAE - Long,5/8"	1
Wrench,Allen,SAE - Long,3/4"	2
Wrench,Crescent,8"	2
Wrench, Crescent, 10"	3
Wrench,Crescent,15"	2
Wrench, Crescent, 18"	1
Wrench, Crescent, 24"	3
Wrench,Flat (Combination),Metric - Regular,7 mm	1
Wrench,Flat (Combination),Metric - Regular,9 mm	3
Wrench,Flat (Combination),Metric - Regular,12 mm	4
Wrench,Flat (Combination),Metric - Regular,13 mm	3
Wrench,Flat (Combination),Metric - Regular,14 mm	3
Wrench,Flat (Combination),Metric - Regular,15 mm	3
Wrench,Flat (Combination),Metric - Regular,16 mm	2
Wrench,Flat (Combination),Metric - Regular,17 mm	3
Wrench,Flat (Combination),Metric - Regular,18 mm	4
Wrench,Flat (Combination),Metric - Regular,19 mm	3
Wrench,Flat (Combination),Metric - Regular,20 mm	3
Wrench,Flat (Combination),Metric - Regular,21 mm	3
Wrench,Flat (Combination),Metric - Regular,22 mm	3
Wrench,Flat (Combination),Metric - Regular,23 mm	3
Wrench,Flat (Combination),Metric - Regular,24 mm	3
Wrench,Flat (Combination),SAE - Regular,1/4"	8
Wrench,Flat (Combination),SAE - Regular,7/16"	4
Wrench,Flat (Combination),SAE - Regular,1/2"	6
Wrench,Flat (Combination),SAE - Regular,9/16"	16
Wrench,Flat (Combination),SAE - Regular,5/8"	8
Wrench,Flat (Combination),SAE - Regular,11/16"	8

Wrench,Flat (Combination),SAE - Regular,3/4"	15
Wrench,Flat (Combination),SAE - Regular,13/16"	8
Wrench,Flat (Combination),SAE - Regular,15/16"	11
Wrench,Flat (Combination),SAE - Regular,1"	4
Wrench,Flat (Combination),SAE - Regular,1 1/4"	7
Wrench,Flat (Combination),SAE - Regular,1 3/8"	4
Wrench,Flat (Combination),SAE - Regular,1 7/16"	5
Wrench,Flat (Combination),SAE - Regular,1 1/2"	3
Wrench,Flat (Combination),SAE - Regular,1 5/8"	4
Wrench,Flat (Combination),SAE - Regular,1 3/4"	3
Wrench,Flat (Combination),SAE - Regular,1 13/16"	1
Wrench,Flat (Combination),SAE - Regular,1 7/8"	2
Wrench,Flat (Combination),SAE - Regular,2"	3
Wrench,Grinder,Sander	17
Wrench,Pipe,Aluminum,18"	5
Wrench,Pipe,Aluminum,24"	3
Wrench,Ratcheting,Combination - SAE,9/16"	6
Wrench,Ratcheting,Combination - SAE,3/4"	2
Wrench,Spanner,3/4" - 2"	1
Wrench,Spanner,1 1/4" - 3"	1
Wrench,Spanner,2" - 4 3/4"	1
Wrench,Spanner,4 1/2" - 6 1/4"	1
Wrench,Spud,1-1/4" x 18"	22
Wrench,Torque,1/2" Drive	3
Wrench,Torque,3/4" Drive	1
Wrench Set,Allen,13 piece - SAE - Long	2
Caulking Gun, Applicator, Hilti, HDM500, supersedes MD2500	3
Pliers,Needle Nose	2
Socket - 1/2" Drive,SAE,Deep,1 5/16",Impact	2
Wrench Set,Allen,13 piece - SAE - Short	3
Utility Knife Replacement Blade,Olfa,EA Blade	55
Pail,Plastic,4.54 L (1-1/4 US gal - 1 Imp gal),w/o lid	10
Tool,Bag,Bucket,Canvas w/leather bottom,Kuny SW744	11
Annular Cutter,1-1/4" x 1" Depth	1
Drill Bit,Rotary Hammer,SDS Plus,7/8" x 4" to 8" (2 and 4 cutter)	2
Annular Cutter,3/4" x 1" depth	7
Annular Cutter,1/2" x 1" depth	3
Annular Cutter,13/16" x 2" Depth	15
Hilti DX 351 BTG Tool Set (8mm) with drill, Hilti # 3001078	1
Powder-Actuated Tool, Hilti DX 351	1
Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits	8

Tool Bag,Bull Pin	8
Socket - 1/2" Drive,SAE,U-Joint,1/2",Standard	4
Socket - 1/2" Drive,Metric,Allen (Long),9 mm,Standard	1
Saw,Cut-off,Corded,14",Milwaukee	2
Tool Box, Jobox, 48" x 30" x 30"	5
Coring Bit,Diamond,Wet,7/8"	1
Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits	7
Wrench, Collet, Die Grinder, Dewalt	7
Reamer, Taper Shank Bridge, 13/16"	3
Drill Press,Electromagnetic,Mag Drill,Hougen	2
Drill Bit,Rotary Hammer,SDS Plus,1" x 9" to 12" (2 and 4	1
cutter)	'
Knife, Utility, Self Retracting, Westward	7
Clamp,Bar "Bessey",12",HD	2
Pipe Stand,Roller Head,2500 Lb,Ridgid	9
Trowel, Tile Grout, Concrete, Margin, 6" x 2"	1
Rake,Bow	1
Coupler,Compressed Air,M-Style,Plug,1/4" MNPT,Milton 727	3
Lanyard,Tool,2 Caribiner,42" - 54"	8
Cutter,Rebar,Rotary,SDS Plus,3/4" x 12" (Bit)	1
Micrometer,Outside,6" - 7"	1
Micrometer,Outside,7"- 8"	1
Bar,Stripping,72" (Savage)	4
Screwdriver,Set 20pc (Purchase only)	1
Chisel Set,Cold,5 piece	1
Punch Set,Hollow,7 pc 3/32" - 3/8" (belt Punches)	1
Pipe Cutter Wheel, Ridgid 33110, Fits 1A, 2A, 42A, 202, 360	4
Hammer,Ball,Pein,Peen,32 oz.	15
Tarp,Blue,12' x 16'	4
Wrench,Striking,12 pt,1-7/16"	1
Wrench,Striking,12 pt,1-5/8"	1
Wrench,Striking,12 pt,1-13/16"	1
Wrench,Spud,1-7/16" x 21"	3
Annular Cutter,11/16" x 2" Depth	2
Socket - 1/2" Drive,SAE,Shallow,1 5/16",Impact	2
Drill Bit,Rotary Hammer,SDS Max,5/8"x 9" to 12" (2 and 4	2
cutter)	
Annular Cutter,1-1/16" x 1"	1
Drill,Corded,Rotary,Hammer,Combihammer,Hilti,TE 60	1
Cutter,Rebar,Rotary,SDS Plus,7/8" x 12" (Bit)	1
Reamer, Dual Cut, 1"	2
Guard Assembly,Grinder,Makita,5",180 Degree	6

Grinder,Angle,Corded,6",Milwaukee	1
Bit, Impact Driver, Nut SAE 3/8" (all lengths)	4
Booster Cables, Vehicle Battery, 20',	1
Battery,Cordless Tool,Dewalt,20V	13
Impact,Cordless,3/4" Drive, Milwaukee	1
Saw Reciprocating, Cordless, Milwaukee	1
Drill Bit, Cobalt, 3/8"	1
Drill Bit, Cobalt, 1/2"	4
Arbor, Hole Saw, 7/16" Hex Shank, 1 1/4" - 6", Lenox, 1779805	3
Impact, Cordless, Dewalt 20 V, 1/2" Drive	1
Reamer,5/8"	2
Drill Press, Electromagnetic, Mag, Drill, Cordless, Milwaukee, MTL2787-22	1
Adapter, Rotary Hammer, SDS Max to SDS Plus, Driltec AH- 230-230, Dewalt DW5891	1
Ratchet, Adaptor, Female to Male, 1" to 3/4", Standard	1
Welding Rod,Air Carbon Arc,Gouging,1/4" x 12",50 Rods per Box	200
Fire Blanket,Leather, SQFT	192
Regulator/Flowmeter,Inert Gas,Victor,AF 250	1
Hose,Welding,Acetylene / Oxygen,1/4" x 25'	2
Hose,Welding,Acetylene / Oxygen,1/4" x 50'	9
Mig Contact Tip,Standard,0.045", Tregaskiss	29
Mig Nozzle,5/8", Tregaskiss,401-4-62	9
Propane Torch,Tiger Torch	2
Regulator,Oxygen,Heavy Duty,Victor,CSR 450D	5
Welding Oven,Rod Oven,Portable	2
Soap Stone,Flat,1/2" x 5"	158
Spark Striker,Single Flint	23
Torch Cart,Oxygen / Acetylene	5
Torch Cutting Assembly, Oxygen/Acetylene, Victor	6
Torch Cutting Attachment,90 Degree,Tip Series 1,10 1/2" Long	2
Torch Cutting Tip,3-1-101, Capacity,2 1/2",3,Heavy Duty	12
Torch Cutting Tip,Capacity 3/4",Medium Duty,Victor,1-3-101	3
Torch Nozzle, Heating, 8", Heavy Duty, Victor, 8MFA	2
Torch Nozzle, Heating, 10", Heavy Duty, Victor, 10MFA	2
Torch Nozzle,Welding,2W,Heavy Duty,Victor,2W	6
Torch Tip Cleaner, Spiral, Stainless Steel Wire, Standard	3
Welder,Inverter,Lincoln,V350-Pro	1
Welding Helmet	4
Welding Hose Repair Kit,100 piece,Oetiker	1
Welding Lens,2" x 4 1/4"Shade,9,10,11	47

Welding Rod,Low Hydrogen,7018,5/32" x 14",11 lb box	30
Welding Rod, Stainless Steel, 316L, 3/32" x 12", 73 Rods KG	18
Welding Stinger, Twist Type, 400 amp	17
Welding Rod, Stainless Steel, 316L, 1/8" x 14", 31.4 Rods per box	31
Marker,Paint,Yellow	24
Welding Curtain, Single Panel, See-Thru, 6' x 6'	5
Welding Rod, Stainless Steel, 309L, 1/8" x 14", 31.4 Rods/KG	20
Welding Oven,Rod Oven,Shop Bench Top Style,150lb Capacity	1
Welder,Lincoln,Ranger 305G	1
Flashback Arrestor, Torch Adaptor Style, Set	16
Welding Cable,Cord (Cable),Copper,2 / 0 AWG	720.3
Welding Lens,2" x 4 1/4",Clear	227
Plasma Cutting Shield, Hypertherm, 220931	5
Flap Wheel, Angle Grinder, 5" x 7/8", 80 Grit	8
Disc,Cutting,Metal,5" x .045" x 7/8",Tyrolit 458870,Zip	764
Screw,Self Drilling,Hex Washer Head,#10,3/16" x 1 1/2"	50
Screw,Wood,Countersunk,3"	490
Silicone,Multi Use,Clear,300 mL Tube,Dow Corning,732	50
Tape,Teflon,White,1/2" x 480"	5
Shackle, Anchor, Screw Pin, 3/4" (4 3/4 Tonne), Crosby, G-209	24
Trolley,Beam,2 Tonne	2
Table,Folding,30" x 72"	8
Anchor Sling,Steel Cable,Fall Protection,4' x 1/4",Red,Dog leash	15
Anchor Sling,Steel Cable,Fall Protection,6' x 1/4",Red,Dog leash	8
Dust Masks,8210,N95,20 / box,3M	67
Ear Plugs,Expandable Foam with Cord,LL30,100 pair/box	3
Fire Extinguisher,ABC,Multi-Purpose,10 lbs	7
Fire Extinguisher,ABC,Multi-Purpose,20 lbs	6
Gloves,Nitrile,Surgical,Touch-N-Tuff(100)92-500-10	400
Gloves,Rubber,9, 12" Long,Ansell Flocklined	4
Hard Hat,Fibre Metal,Roughneck Series,Quick-Loc,Grey	2
Hard Hat,Comfort Band,Sweatband,Liner,Terry Cloth,Pkg of 2	19
Knee Pads, Foam	4
Lockout Hasp,Steel,6 Hole	11
Gloves,Fitters,Condor Split Leather,Standard w/Palm Patch,	37
Belt,Sash,Reflective,Stripes,Safety,High Vis,Elastic,Yel/Gry	4
Anchor,Structural Beam,AKA Flange bar,FB2, Beam Buddy	14
Gloves,Gauntlet,Cowhide,X-Large	15
Glasses,Safety,ORR XP710,Clear	40

Anchor Sling, Nylon, Pass thru	2
Lanyard, Self Retracting, 10', Latchways,63013-00E	4
Drill Bit,Regular,SST,9/32"	2
Pail,Galvanized Steel,12 Litre	33
Punch,Belt,HP2	2
Ratchet, Swivel, A.K.A. U-Joint, 3/4" Drive, Impact	1
Ratchet, Swivel, A.K.A. U-Joint, 3/8" Drive, Standard	1
Saw,Hack,12"	2
Saw,Reciprocating,Corded,Dewalt	3
Saw Blade, Circular, All-Purpose, 7 1/4" Wood	1
Saw Blade, Circular, Metal, 8", Milwaukee	2
Socket - 3/8" Drive, SAE, Shallow, 9/16", Standard	1
Socket - 1/2" Drive, SAE, Deep, 1 3/16", Impact	3
Socket - 1/2" Drive,SAE,Deep,1 3/16",Standard	1
Socket - 1/2" Drive, SAE, Shallow, 7/16", Impact	1
Socket - 1/2" Drive,SAE,Shallow,7/8",Impact	1
Socket - 1/2" Drive,SAE,Shallow,1",Impact	1
Wrench,Flat (Combination),Metric - Regular,10 mm	4
Wrench,Flat (Combination),SAE - Regular,5/16"	6
Wrench,Flat (Combination),SAE - Regular,3/8"	4
Wrench,Flat (Combination),SAE - Regular,7/8"	7
Wrench,Flat (Combination),SAE - Regular,1 1/16"	7
Wrench,Flat (Combination),SAE - Regular,1 1/8"	9
Wrench,Flat (Combination),SAE - Regular,1 5/16"	3
Wrench,Pipe,Aluminum,36"	4
Drill,Cordless,20 Volt,1/2" Chuck,Dewalt	2
Mig Contact Tip,Standard,0.035",Tregaskiss	22
Torch Cutting Tip,0-1-101,Capacity,3/8" x 1/2",0,Heavy Duty	2
Torch Cutting Tip,1-1-101, Capacity,3/4",1,Heavy Duty	5
Welding Ground Clamp,300 Amp	9
Welding Rod,Low Hydrogen,7018,3/32" x 12", 2.5KG/ box, 183 RODS PER BOX	25
Welding Rod,Low Hydrogen,7018,1/8" x 14", 5KG/box	65
Regulator,Argon,FR14	1
Torch Cutting Tip,Gouging,Angled,#4,2-1-118	3
Fire Blanket,32 oz,Coated,39" x 50yd roll	637
Welding Cable Connector, Set, Tweco, 2MPC, 9425- 1200, (1)M(1)F	11
Lockout,Lock Box	4
Receptacle, Smoking, Cease Fire, JRT 26800	1
Lanyard,Self Retracting,REW-23 Safewaze	3
Eye Wash Station, with Bottle and Solution, 500 ml	6

Punch,Center	11
Battery, AAA, Alkaline, 4-Pack	8
Face Shield Connector, Fibre Metal, Quick-lok, FBR4000 (both)	6
Respirator, Cartridge, 75SCP100	12
Annular Cutter,1" x 1"	2
Welding Curtain,With Frame,Single Panel,6' x 8'	2
Flint, Replacement Spark Striker, Standard, 5-Pack	10
Hose, Argon / Inert Gas,1/4", with ends	6
Tape,Correction	8
Lockout Lock, Assorted Colors, Masterlock 410 KA, 1 1/2"	51
Angle Meter, Magnetic Base, 0 - 90 Degrees	1
Cutting Fluid, Bessey, Rapid Tap, 4L	1
String Line,50'	1
Punch,Bull Pin,10" x 1 1/16"	3
Pliers Set,Snap Ring,Internal / External,8 piece	1
Wrench,Pipe,Aluminum,48"	2
Wrench Set,Allen,8 piece,SAE,Fold up	1
Shackle, Anchor, Screw Pin, 1" (8 1/2 Tonne), Crosby, G-209	12
Shackle, Anchor, Screw Pin, 7/8" (6 1/2 Tonne), Crosby, G-209	1
Trolley,Beam,3 Tonne	1
Pants,Chainsaw Faller	3
Ratchet,Adaptor,Female to Male,3/4" to 1/2",Impact	1
Ratchet,Extension,3/4" Drive,4" Long,Standard	3
Ratchet,Extension,3/4" Drive,8" Long,Standard	3
Hose,Welding,Acetylene / Oxygen,1/4" x 100'	1
Welding Rod,5P+ (Pipe),6010,1/8" x 14",Lincoln,5 KG Box	3
Jacket,Leather Welding	6
Clamp,Plate,2 Tonne	2
Silicone,High Temperature RTV,Red,300 mL Tube	17
Chair,Stacking,Black, w/o Arm	6
Staples,Office,Standard	11
Knee Pads,Hard Shell	1
Rain Gear,Coat and Pants,X Large	4
Armband,Safety,Reflective	5
Saw Blade,Hole,Bi-Metal,2 1/2"	3
Battery,Cordless Tool,Milwaukee,18V,XC4.0	5
Lockout Tag,250 Tag Roll	3
Welding Rod,Hard Surfacing,MR 761wcs	15
Socket - 3/8" Drive,SAE,Spark Plug,13/16",Standard	1
Ratchet,Extension,3/4" Drive,16" Long,Standard	3
Drill Bit,Rotary Hammer,SDS Max,1" x 8"	1

Socket - 1/2" Drive,SAE,U-Joint,1/2",Impact	2
Spinner, Chuck, 8", Adjustable, JAV PCS8	1
Sling,Wire Rope,Permaloc,1/2" x 2'	3
Floodlight,LED,Milwaukee,M18	1
Light,Tower+Charger,Floodlight,LED,Milwaukee,M18	1
Annular Cutter,3/4" x 2" Depth,HSS	6
Nut Driver, Hand, 1/4"	5
Nut Driver, Hand, 5/16"	3
Nut Driver, Hand, 3/8"	6
Lifeline, Vertical, Safety, 5/8" x 100'	5
Reamer,1-1/8"	2
Spill Tray,Utility,40" x 48",Polyethylene	4
Sling,3 - Straight Eye and Eye,Nylon Single Ply,2"x 12',EE1902X12T3N	1
Marker,Permanent,Fine Tip,Black,Sharpie,30001	29
Battery Charger, Cordless Tool, Milwaukee, 18V	2
Impact,Cordless,1/2" Drive,Dewalt 20V	1
Socket - 1" Drive,SAE,Shallow,2 3/4",Standard	1
Shim, Slotted Stainless Steel, C (4" x 4"),.001"	20
Shim, Slotted Stainless Steel, C (4" x 4"),.002"	17
Shim, Slotted Stainless Steel, C (4" x 4"),.003"	19
Shim, Slotted Stainless Steel, C (4" x 4"),.004"	16
Shim, Slotted Stainless Steel, C (4" x 4"),.005"	15
Shim, Slotted Stainless Steel, C (4" x 4"),.010"	11
Shim, Slotted Stainless Steel, C (4" x 4"),.015"	10
Shim, Slotted Stainless Steel, C (4" x 4"),.020"	13
Shim, Slotted Stainless Steel, C (4" x 4"), .025"	8
Shim, Slotted Stainless Steel, C (4" x 4"), .050"	7
Shim, Slotted Stainless Steel, C (4" x 4"),.075"	8
Shim, Slotted Stainless Steel, C (4" x 4"),.100"	2
Socket - 1" Drive,SAE, Shallow, 1 7/16", Standard	1
Socket - 1" Drive,SAE, Shallow, 1 1/2", Standard	1
Socket - 1" Drive,SAE,Shallow, 1 5/8",Standard	1
Socket - 1" Drive,SAE,Shallow, 1 11/16",Standard	1
Socket - 1" Drive,SAE,Shallow, 1 3/4",Standard	1
Socket - 1" Drive,SAE,Shallow, 1 13/16",Standard	1
Socket - 1" Drive,SAE,Shallow, 1 7/8",Standard	1
Socket - 1" Drive,SAE,Shallow, 2 1/8",Standard	1
Socket - 1" Drive,SAE,Shallow, 2 3/16",Standard	1
Socket - 1" Drive,SAE,Shallow ,2 1/4",Standard	1
Socket - 1" Drive,SAE,Shallow ,2 5/8",Standard	1
Socket - 1" Drive,SAE,Shallow ,2 15/16",Standard	1

Socket - 1" Drive, SAE, Shallow ,3 1/8", Standard	1
Ratchet,Extension,1" Drive,12" Long,Standard	1
Ratchet,Extension,1" Drive,5" Long,Standard	1
Drill Bit,Rotary Hammer,SDS Max,7/8" x 13" to 16" (2 and 4 cutter)	1
Marker,Paint,Black	22

Unit 445:

Type: Sea Can Serial Number: 798864 Inventory Listing:

Inventory Description	# of Units
Bolt,Carriage,3/8" x 5",Gr. 5	200
Bolt,Carriage,1/2" x 5",Gr. 5	400
Nut,Hex,UNC,3/8",SS	2,256
Nut,Hex,UNC,1/2",SS	1,000
Screw,Cap,UNC - Hex Head,3/8" x 1",SS	2,000
Grease Gun, Cordless	1
Welding Rod,ESAB,7018,1/8",20 Rods/Kg,4.7Kg/Box	25
Welding Rod, Stainless Steel, ESAB, 316L-17, 3/32, 7.7 KG/Per Box	54.5
Welding Rod, Stainless Steel, ESAB, 316L-17, 1/8", 5KG Per Box	35.4
Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",SS	2,000
Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",SS	1,500
Screw,Cap,UNC - Hex Head,1/2" x 1",SS	750
Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",SS	750
Screw,Cap,UNC - Hex Head,1/2" x 2",SS	500
Silicone,Multi Use,Clear,300 mL Tube,Dow Corning,732	50
Washer,Flat,3/8",SS	4,447
Washer,Flat,1/2",SS	2,250
Lock,Pad,Long Shackle- 2",Master,Laminated,Commercial,3210	3
Belt,Sash,Reflective,Stripes,Safety,High Vis,Elastic,Yel/Gry	25
Welding Rod,Low Hydrogen,7018,1/8" x 14", 5KG/box	5
Anchor,Hilti,HAS-E,Rod,7/8" x 16",SS	20

Unit 446:

Type: Sea Can Serial Number: DSCU2143158

Inventory Listing:

Inventory Description	# of Units
Cloth,Emery,1" x 50 Yards,80 Grit	1
Disc,Grinding,Metal,5" x 1/4" x 7/8", 24 Grit	37
Extension Cord,110 V,20' (300V 3c 12AWG SJOOW	1
Mininum)	
Extension Cord,110 V,25' (300V 3c 12AWG SJOOW Mininum)	3
Extension Cord,110 V,30' (300V 3c 12AWG SJOOW Mininum)	2
Extension Cord,110 V,50' (300V 3c 12AWG SJOOW Mininum)	6
Extension Cord,110 V,100' (300V 3c 12AWG SJOOW Mininum)	5
Extension Cord,220V,50' 30A Blade Conn (300V 3C	1
10AWG SJOW or SJOOW Minimum) (Heater Ext)	
Extension Cord Conn (Female),2P3W,15A,125V,YELLOW,HBL5969VY	8
Extension Cord Conn	8
(Male),2P3W,125V,15A,YELLOW,HBL5965VY	
Interrupter,Ground Fault Circuit,Wall Plug in,GFCI(3 outlet)	4
Tape,Electrical,Black,3/4" x 66'	7
Light Bulb,Floodlight,Halogen,25 Degree Beam	3
Rake,16"	3
Shovel,Spade,Round Point,Various	4
Shovel,Square,Various	1
Wipes,Wypall,180/Box,Kimberly-Clark,White	4
Anchor,Expansion,Wedge,1/2" x 7",Red Head	28
Nut,Hex,UNC,1/2",Gr 5	250
Tape,Duct,Grey,2" x 180'	1
Bolt,Structural,Assembly,3/4"x2 1/4",CAD Plated,A325	319
Chain Hoist,Long Drop,Manual,2 Tonne	2
Chain Hoist,Short Drop,Manual,1 Tonne	9
Chain Hoist,Short Drop,Manual,2 Tonne	1
Puller,Lever,Chain,Come Along,3/4 Tonne	8
Puller,Lever,Chain,Come Along,1 1/2 Tonne	7
Puller,Lever,Chain,Come Along,3 Tonne	3
Rope,Polypropylene,Yellow Rope,1/4" (ROLL 1310 FT)	50
Rope,Polypropylene,Yellow Rope,1/2"	195
Shackle, Anchor, Screw Pin, 7/16" (1 1/2 Tonne), Crosby, G-209	1
Shackle,Anchor,Screw Pin,1/2" (2 Tonne),Crosby,G-209	12
Shackle,Anchor,Screw Pin,5/8" (3 1/4 Tonne),Crosby,G-209	12

Shackle, Anchor, Screw Pin, 1 1/8" (9 1/2 Tonne), Crosby, G-	1
209	'
Shackle, Anchor, Screw Pin, 1 1/4" (12 Tonne), Crosby, G-209	1
Sling,3 - Straight Eye and Eye,Nylon Double Ply,2" x 4'	2
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,1" x 4'	3
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 4'	11
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 6'	12
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 8'	11
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 10'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 12'	11
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16'	4
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 20'	10
Sling,Wire Rope,Permaloc,3/8" x 4'	18
Sling,Wire Rope,Permaloc,3/8" x 6'	12
Sling,Wire Rope,Permaloc,3/8" x 8'	8
Sling,Wire Rope,Permaloc,3/8" x 10'	1
Sling,Wire Rope,Permaloc,1/2" x 3'	1
Sling,Wire Rope,Permaloc,1/2" x 4'	13
Sling,Wire Rope,Permaloc,1/2" x 6'	11
Sling,Wire Rope,Permaloc,1/2" x 8'	9
Sling,Wire Rope,Permaloc,1/2" x 10'	1
Sling,Wire Rope,Permaloc,1/2" x 12'	4
Sling,Wire Rope,Permaloc,5/8" x 6'	7
Sling,Wire Rope,Permaloc,3/4" x 4'	1
Snatchblock,Hooked,2 tonne	2
Snatchblock, Hooked, Uses 1/2" Wire Rope, 4 tonne	3
Sling,Wire Rope,Permaloc,3/8" x 12'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,4" x 12'	3
Shim,Slotted Stainless Steel,B (3" x 3"),.001"	60
Shim, Slotted Stainless Steel, B (3" x 3"),.003"	64
Shim, Slotted Stainless Steel, B (3" x 3"),.004"	61
Shim, Slotted Stainless Steel, B (3" x 3"),.005"	55
Shim,Slotted Stainless Steel,B (3" x 3"),.010"	60
Shim,Slotted Stainless Steel,B (3" x 3"),.015"	57
Shim, Slotted Stainless Steel, B (3" x 3"), .020"	62
Shim, Slotted Stainless Steel, B (3" x 3"), .025"	35
Shim,Slotted Stainless Steel,B (3" x 3"),.050"	13
Face Shield Window,Clear,High Perf ,Fibre Metal,4178CLEAR	36
Face Shield Window, Dark Green, High Perf, Fibre	36
Metal,4178DGR First Aid Kit,Small,FAKSKT1BM	1
THOUTHURST FARORT TOWN	I

Lanyard,Fall Restraint,Adjustable Web,6'	3
Lanyard, Self Retracting, REW-30 3M Safewaze, 30'	5
Face Shield,Quick-lok,Crown Protector,Fibre- Metal,7",F4500	12
Face Shield Connector, Fibre-Metal Quick-lok, FBR4001, (female)	4
Lifeline,Vertical,Safety,5/8" x 150'	2
Lockout,Cable,Adjustable,15'	4
Annular Cutter,9/16" x 2"	5
Annular Cutter,13/16" x 1"	2
Bar,Aligning,18"	4
Bar,Aligning,24"	2
Bar,Pry,18"	1
Bar,Pry,24"	3
Bar,Pry,32"	2
Bar,Rolling Head Pry,16"	1
Battery Charger, Cordless Tool, Dewalt, 20V	6
Battery Charger, Cordless Tool, Dewalt, 18V	3
Battery Charger, Cordless Tool, Hilti, 18V	1
Bolt Cutter, Heavy Duty, 24"	1
Booster Cables, Vehicle Battery, 12',	1
Burr,Set,Die Grinder,#3,8 piece	1
Caulking Gun,Manual,300 mL	5
Chisel,Flat	3
Chisel,Rotary Hammer Drill,Flat - 1" x 18"	2
Clamp,Bar "Bessey",8",SD	1
Clamp,Bar "Bessey",12",SD	1
Clamp,Bar "Bessey",16",SD	2
Clamp,Bar "Bessey",18",HD	1
Clamp,Beam,1 Tonne	2
Clamp,Beam,2 Tonne	5
Clamp,Beam,5 Tonne	1
C-Clamp,C,6"	2
(Do Not Reorder) Drill,Corded,Rotary Hammer,SDS+,Hilti,TE17	2
Annular Cutter,9/16" x 1"	3
Drill Bit,Regular,SST,3/32"	1
Drill Bit,Regular,SST,9/64"	1
Drill Bit,Regular,SST,5/32"	2
Drill Bit,Regular,SST,15/64"	1
Drill Bit,Regular,SST,17/64"	1
Drill Bit,Regular,SST,19/64"	<u>.</u>
Drill Bit,Regular,SST,5/16"	4

Drill Bit,Regular,SST,21/64"	1
Drill Bit,Regular,SST,11/32"	1
Drill Bit,Regular,SST,13/32"	1
Drill Bit,Regular,SST,27/64"	1
Drill Bit,Regular,SST,7/16"	1
Drill Bit,Regular,SST,15/32"	1
Drill Bit,Regular,SST,31/64"	1
Drill Bit,Regular,SST,17/32"	1
Drill Bit,Regular,SST,9/16"	5
Drill Bit,Rotary Hammer,SDS Plus,3/8" x 4" to 8" (2 and	1
4 cutter)	
Drill Bit,Rotary Hammer,SDS Plus,3/8" x 9" to 12" (2 and 4	1
cutter) Drill Bit,Rotary Hammer,SDS Plus,9/16" x 9" to 12" (2 and	3
4 cutter)	o l
Drill Bit,Rotary Hammer,SDS Plus,1/2" x 4" to 8" (2 and	2
4 cutter) Drill Bit,Rotary Hammer,SDS Plus,1/2" x 9" to 12"(2 and 4	2
cutter)	3
Drill Bit,Rotary Hammer,SDS Plus,5/8" x 4" to 8" (2 and	3
4 cutter)	
Drill Bit,Rotary Hammer,SDS Plus,5/8" x 9" to 12" (2 and 4 cutter)	3
Drill Bit,Rotary Hammer,SDS Plus,3/4" x 4" to 8" (2 and	1
4 cutter)	-
Drill Bit,Spade,3/4"	7
Funnel,Multi-Purpose,Polyethylene,Large	1
Grease Gun,Pistol Grip,Heavy Duty	1
Grinder, Die, Corded, Dewalt	5
Hammer,Chipping,Welding	6
Hammer,Framer,Claw	4
Hammer,Deadblow,Long Handle	3
Hammer,Sledge,Long Handle (Various Styles)	4
Hammer,Sledge,Short Handle 4 lbs.	7
Hand Truck,(dolly)(wheeler)Heavy Duty	1
Heat Gun,Corded	1
Impact,Corded,1/2" Drive,Dewalt	4
Impact,Corded,1/2" Drive,All "Other" Models	1
Impact,Corded,3/4" Drive,All "Other" Models	2
Impact,Cordless,1/2" Drive,Dewalt 18V	3
Jack,Bottle,Low Profile,12 1/2 Tonne	1
Jack,Bottle,Low Profile,12 1/2 Tonne	2
	1
Ladder, Extension, Featherlite, 16'	
Ladder,Extension,Featherlite,24'	1
Ladder,Step,Fiberglass,Featherlite,8'	1

Level,Box Beam, Magnetic, 24" 3	Level,Box Beam,Magnetic,48"	4
Level, Laser, Self Leveling, Rotary 1 Bit, Impact Driver, Nut SAE 1/4" (all lengths) 3 Pliers, Locking, C-Clamp, 6" Long 2 Pliers, Wire Stripper 1 Pliers, Silip Joint 2 Punch, Aligning 3 Ratchet, Adaptor, Female to Male, 3/8" to 1/4", Standard 1 Ratchet, Drive, 1/4" 4 Ratchet, Drive, 1/4" 5 Ratchet, Drive, 1/2" 5 Ratchet, Drive, 1/2" 5 Ratchet, Drive, Breaker, Flex, Bar, 3/8" 1 Ratchet, Drive, Breaker, Flex, Bar, 3/8" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Extension, 1/4" Drive, 4" Long, Standard 2 Ratchet, Extension, 3/8" Drive, 3" Long, Standard 1 Ratchet, Extension, 3/8" Drive, 3" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Ratchet, Swivel, A.K. A. U-Joint,		3
Pliers, Locking, C-Clamp, 6" Long 2 Pliers, Wire Stripper 1 Pliers, Slip Joint 2 Punch, Aligning 9 Ratchet, Adaptor, Female to Male, 3/8" to 1/4", Standard 1 Ratchet, Drive, 1/4" 4 Ratchet, Drive, 1/4" 5 Ratchet, Drive, 3/8" 5 Ratchet, Drive, 3/8" 5 Ratchet, Drive, 3/4" 2 Ratchet, Drive, 8-Reaker, Flex, Bar, 3/8" 1 Ratchet, Drive, Breaker, Flex, Bar, 3/8" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Sliding T-Handle, 3/4" 2 Ratchet, Extension, 1/4" Drive, 4" Long, Standard 2 Ratchet, Extension, 3/8" Drive, 3" Long, Standard 1 Ratchet, Extension, 3/8" Drive, 6" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Swivel, A.K.A. U-Joint, 1/4" Drive, Standard 1 Raw, Gircular, Corded, 7 1/4", Dewalt 2 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Blade, Hole, Bi-Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 11/4" 1 Saw Blade, Hole, Bi-Metal, 12" 1 Saw Blade, Hole, Bi-Metal, 12" 1	<u>-</u>	1
Pliers,Wire Stripper	Bit, Impact Driver,Nut SAE 1/4" (all lengths)	3
Pliers,Slip Joint 2	Pliers,Locking,C-Clamp,6" Long	2
Punch, Aligning 9 Ratchet, Adaptor, Female to Male, 3/8" to 1/4", Standard 1 Ratchet, Drive, 1/4" 4 Ratchet, Drive, 3/8" 5 Ratchet, Drive, 1/2" 5 Ratchet, Drive, 3/4" 2 Ratchet, Drive, Breaker, Flex, Bar, 3/8" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Breaker, Flex, Bar, 3/8" 1 Ratchet, Extension, 1/4" Drive, Long, Standard 1 Ratchet, Extension, 3/8" Drive, 5" Long, Standard 1 Ratchet, Extension, 3/8" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 <td>Pliers,Wire Stripper</td> <td>1</td>	Pliers,Wire Stripper	1
Ratchet, Adaptor, Female to Male, 3/8" to 1/4", Standard 1 Ratchet, Drive, 1/4" 4 Ratchet, Drive, 3/8" 5 Ratchet, Drive, 3/4" 2 Ratchet, Drive, 3/4" 2 Ratchet, Drive, Breaker, Flex, Bar, 3/8" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Sliding T-Handle, 3/4" 2 Ratchet, Extension, 1/4" Drive, 4" Long, Standard 2 Ratchet, Extension, 3/8" Drive, 3" Long, Standard 1 Ratchet, Extension, 3/8" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard </td <td>Pliers,Slip Joint</td> <td>2</td>	Pliers,Slip Joint	2
Ratchet, Drive, 1/4" 4 Ratchet, Drive, 3/8" 5 Ratchet, Drive, 1/2" 5 Ratchet, Drive, 3/4" 2 Ratchet, Drive, Breaker, Flex, Bar, 3/8" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Sliding T-Handle, 3/4" 2 Ratchet, Extension, 1/4" Drive, 4" Long, Standard 2 Ratchet, Extension, 3/8" Drive, 3" Long, Standard 1 Ratchet, Extension, 3/8" Drive, 6" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard	Punch, Aligning	9
Ratchet, Drive, 3/8" 5 Ratchet, Drive, 1/2" 5 Ratchet, Drive, 3/4" 2 Ratchet, Drive, Breaker, Flex, Bar, 3/8" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Breaker, Flex, Bar, 3/8" 2 Ratchet, Drive, Breaker,	Ratchet, Adaptor, Female to Male, 3/8" to 1/4", Standard	1
Ratchet, Drive, 1/2" 5 Ratchet, Drive, 3/4" 2 Ratchet, Drive, Breaker, Flex, Bar, 3/8" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Sliding T-Handle, 3/4" 2 Ratchet, Extension, 1/4" Drive, 4" Long, Standard 2 Ratchet, Extension, 3/8" Drive, 5" Long, Standard 1 Ratchet, Extension, 3/8" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1	Ratchet, Drive, 1/4"	4
Ratchet, Drive, 3/4" 2 Ratchet, Drive, Breaker, Flex, Bar, 3/8" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Sliding T-Handle, 3/4" 2 Ratchet, Extension, 1/4" Drive, 4" Long, Standard 2 Ratchet, Extension, 3/8" Drive, 6" Long, Standard 1 Ratchet, Extension, 3/8" Drive, 6" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Swivel, A.K. A. U-Joint, 1/4" Drive, Standard 1 Reamer, Bridge, 3/4" 1 Rotation Laser Stand, Tripod 1 Saw, Band, Portable, 4 3/4", Milwaukee Corded 1 Saw, Circular, Corded, 7 1/4", Dewalt 2 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw Blade, Hole, Bi-Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 11/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1	Ratchet, Drive, 3/8"	5
Ratchet, Drive, Breaker, Flex, Bar, 3/8" 1 Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Sliding T-Handle, 3/4" 2 Ratchet, Extension, 1/4" Drive, 4" Long, Standard 2 Ratchet, Extension, 3/8" Drive, 3" Long, Standard 1 Ratchet, Extension, 3/8" Drive, 6" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Swivel, A.K.A. U-Joint, 1/4" Drive, Standard 1 Reamer, Bridge, 3/4" 1 Rotation Laser Stand, Tripod 1 Saw, Band, Portable, 4 3/4", Milwaukee Corded 1 Saw, Circular, Corded, 7 1/4", Dewalt 2 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Reciprocating, Corded, Milwaukee 2 Saw Blade, Hole, Bi-Metal, 1/8" 1 Saw Blade, Hole, Bi-Metal, 1/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1	Ratchet, Drive, 1/2"	5
Ratchet, Drive, Breaker, Flex, Bar, 1/2" 1 Ratchet, Drive, Sliding T-Handle, 3/4" 2 Ratchet, Extension, 1/4" Drive, 4" Long, Standard 2 Ratchet, Extension, 3/8" Drive, 3" Long, Standard 1 Ratchet, Extension, 3/8" Drive, 6" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Swivel, A.K.A. U-Joint, 1/4" Drive, Standard 1 Reamer, Bridge, 3/4" 1 Reamer, Bridge, 3/4" 1 Rotation Laser Stand, Tripod 1 Saw, Band, Portable, 4 3/4", Milwaukee Corded 1 Saw, Circular, Corded, 7 1/4", Dewalt 2 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 17/8" 1 Saw Blade, Hole, Bi-Metal, 1 3/8" 1 Saw Blade, Hole, Bi-Metal, 1 3/8" 1	Ratchet, Drive, 3/4"	2
Ratchet, Drive, Sliding T-Handle, 3/4" 2 Ratchet, Extension, 1/4" Drive, 4" Long, Standard 2 Ratchet, Extension, 3/8" Drive, 3" Long, Standard 1 Ratchet, Extension, 3/8" Drive, 6" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Swivel, A.K.A. U-Joint, 1/4" Drive, Standard 1 Reamer, Bridge, 3/4" 1 Reamer, Bridge, 3/4" 1 Reamer, Bridge, 3/4" 1 Rotation Laser Stand, Tripod 1 Saw, Band, Portable, 4 3/4", Milwaukee Corded 1 Saw, Circular, Corded, 7 1/4", Dewalt 2 Saw, Circular, Orded, 7 1/4", Dewalt 2 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Reciprocating, Corded, Milwaukee 2 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 17/8" 1 Saw Blade, Hole, Bi-Metal, 1 1 Saw Blade, Hole, Bi-Metal, 1 1/2" Saw Blade, Hole, Bi-Metal, 1	Ratchet, Drive, Breaker, Flex, Bar, 3/8"	1
Ratchet, Extension, 1/4" Drive, 4" Long, Standard 2 Ratchet, Extension, 3/8" Drive, 3" Long, Standard 1 Ratchet, Extension, 3/8" Drive, 6" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Swivel, A.K.A. U-Joint, 1/4" Drive, Standard 1 Reamer, Bridge, 3/4" 1 Rotation Laser Stand, Tripod 1 Saw, Band, Portable, 4 3/4", Milwaukee Corded 1 Saw, Circular, Corded, 7 1/4", Dewalt 2 Saw, Circular, Corded, 7 1/4", Dewalt 2 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Reciprocating, Corded, Milwaukee 2 Saw Blade, Cut-Off, Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 17/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 3/8" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Hole, Bi-	Ratchet, Drive, Breaker, Flex, Bar, 1/2"	1
Ratchet, Extension, 3/8" Drive, 3" Long, Standard 1 Ratchet, Extension, 3/8" Drive, 6" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Swivel, A. K. A. U-Joint, 1/4" Drive, Standard 1 Reamer, Bridge, 3/4" 1 Rotation Laser Stand, Tripod 1 Saw, Band, Portable, 4 3/4", Milwaukee Corded 1 Saw, Circular, Corded, 7 1/4", Dewalt 2 Saw, Circular, Corded, 7 1/4", Dewalt 2 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Reciprocating, Corded, Milwaukee 2 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Hole, Bi-Metal,	Ratchet, Drive, Sliding T-Handle, 3/4"	2
Ratchet, Extension, 3/8" Drive, 6" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 5" Long, Standard 1 Ratchet, Extension, 1/2" Drive, 10" Long, Standard 1 Ratchet, Swivel, A. K.A. U-Joint, 1/4" Drive, Standard 1 Reamer, Bridge, 3/4" 1 Rotation Laser Stand, Tripod 1 Saw, Band, Portable, 4 3/4", Milwaukee Corded 1 Saw, Circular, Corded, 7 1/4", Dewalt 2 Saw, Circular, Corded, 14", All "Other" Models 1 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Reciprocating, Corded, Milwaukee 2 Saw Blade, Cut-Off, Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 7/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x1	Ratchet,Extension,1/4" Drive,4" Long,Standard	2
Ratchet, Extension, 1/2" Drive, 5" Long, Standard Ratchet, Extension, 1/2" Drive, 10" Long, Standard Ratchet, Swivel, A.K.A. U-Joint, 1/4" Drive, Standard Reamer, Bridge, 3/4" Rotation Laser Stand, Tripod Saw, Band, Portable, 4 3/4", Milwaukee Corded 1 Saw, Circular, Corded, 7 1/4", Dewalt Saw, Circular, Corded, 14", All "Other" Models Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 2 Saw, Reciprocating, Corded, Milwaukee 2 Saw Blade, Cut-Off, Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 1, 1/4" Saw Blade, Hole, Bi-Metal, 1 1/4" Saw Blade, Hole, Bi-Metal, 1 1/4" Saw Blade, Hole, Bi-Metal, 1 1/2" Saw Blade, Hole, Bi-Metal, 1 1/2" Saw Blade, Hole, Bi-Metal, 1 3/4" Saw Blade, Hole, Bi-Metal, 2 1/4" Saw Blade, Hole, Bi-Metal, 2 1/4" Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Ratchet,Extension,3/8" Drive,3" Long,Standard	1
Ratchet,Extension,1/2" Drive,10" Long,Standard Ratchet,Swivel,A.K.A. U-Joint,1/4" Drive,Standard Reamer,Bridge,3/4" Rotation Laser Stand,Tripod Saw,Band,Portable,4 3/4",Milwaukee Corded Saw,Circular,Corded,7 1/4",Dewalt Saw,Circular,Corded,7 1/4",Dewalt Saw,Circular,Metal Cutting,8" Dia Blade,Milwaukee Saw,Reciprocating,Corded,Milwaukee Saw,Reciprocating,Corded,Milwaukee Saw Blade,Cut-Off,Metal,14" x 3/32" x 1" 1 Saw Blade,Hole,Bi-Metal,3/4" 1 Saw Blade,Hole,Bi-Metal,7/8" 1 Saw Blade,Hole,Bi-Metal,1 1/4" Saw Blade,Hole,Bi-Metal,1 1/4" Saw Blade,Hole,Bi-Metal,1 1/2" Saw Blade,Hole,Bi-Metal,1 1/2" Saw Blade,Hole,Bi-Metal,1 3/4" 1 Saw Blade,Hole,Bi-Metal,1 3/4" Saw Blade,Hole,Bi-Metal,2 1/4" Saw Blade,Hole,Bi-Metal,2 1/4" Saw Blade,Reciprocating,Metal,12"x18 tpi 20	Ratchet,Extension,3/8" Drive,6" Long,Standard	1
Ratchet, Swivel, A.K.A. U-Joint, 1/4" Drive, Standard Reamer, Bridge, 3/4" Rotation Laser Stand, Tripod 1 Saw, Band, Portable, 4 3/4", Milwaukee Corded 5aw, Circular, Corded, 7 1/4", Dewalt Saw, Circular, Corded, 14", All "Other" Models 5aw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Reciprocating, Corded, Milwaukee 2 Saw, Blade, Cut-Off, Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 7/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Ratchet,Extension,1/2" Drive,5" Long,Standard	1
Reamer, Bridge, 3/4" 1 Rotation Laser Stand, Tripod 1 Saw, Band, Portable, 4 3/4", Milwaukee Corded 1 Saw, Circular, Corded, 7 1/4", Dewalt 2 Saw, Cut-off, Corded, 14", All "Other" Models 1 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Reciprocating, Corded, Milwaukee 2 Saw Blade, Cut-Off, Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 7/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/2"x18 tpi 20	Ratchet,Extension,1/2" Drive,10" Long,Standard	1
Rotation Laser Stand, Tripod 1 Saw, Band, Portable, 4 3/4", Milwaukee Corded 1 Saw, Circular, Corded, 7 1/4", Dewalt 2 Saw, Cut-off, Corded, 14", All "Other" Models 1 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Reciprocating, Corded, Milwaukee 2 Saw Blade, Cut-Off, Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 7/8" 1 Saw Blade, Hole, Bi-Metal, 1" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 3/8" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Ratchet,Swivel,A.K.A. U-Joint,1/4" Drive,Standard	1
Saw,Band,Portable,4 3/4",Milwaukee Corded Saw,Circular,Corded,7 1/4",Dewalt Saw,Cut-off,Corded,14",All "Other" Models Saw,Circular,Metal Cutting,8" Dia Blade,Milwaukee Saw,Reciprocating,Corded,Milwaukee Saw Blade,Cut-Off,Metal,14" x 3/32" x 1" Saw Blade,Hole,Bi-Metal,3/4" Saw Blade,Hole,Bi-Metal,7/8" 1 Saw Blade,Hole,Bi-Metal,1" Saw Blade,Hole,Bi-Metal,1 1/4" Saw Blade,Hole,Bi-Metal,1 1/4" Saw Blade,Hole,Bi-Metal,1 1/2" Saw Blade,Hole,Bi-Metal,1 3/8" 1 Saw Blade,Hole,Bi-Metal,1 3/4" Saw Blade,Hole,Bi-Metal,2" Saw Blade,Hole,Bi-Metal,2" Saw Blade,Hole,Bi-Metal,2 1/4" Saw Blade,Reciprocating,Metal,12"x18 tpi 20	Reamer,Bridge,3/4"	1
Saw, Circular, Corded, 7 1/4", Dewalt 2 Saw, Cut-off, Corded, 14", All "Other" Models 1 Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 1 Saw, Reciprocating, Corded, Milwaukee 2 Saw Blade, Cut-Off, Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 7/8" 1 Saw Blade, Hole, Bi-Metal, 1" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 3/8" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Rotation Laser Stand, Tripod	1
Saw,Cut-off,Corded,14",All "Other" Models Saw,Circular,Metal Cutting,8" Dia Blade,Milwaukee 1 Saw,Reciprocating,Corded,Milwaukee 2 Saw Blade,Cut-Off,Metal,14" x 3/32" x 1" 1 Saw Blade,Hole,Bi-Metal,3/4" 1 Saw Blade,Hole,Bi-Metal,7/8" 1 Saw Blade,Hole,Bi-Metal,1" Saw Blade,Hole,Bi-Metal,1 1/4" 1 Saw Blade,Hole,Bi-Metal,1 1/4" 1 Saw Blade,Hole,Bi-Metal,1 1/2" 1 Saw Blade,Hole,Bi-Metal,1 1/2" 1 Saw Blade,Hole,Bi-Metal,1 3/4" 1 Saw Blade,Hole,Bi-Metal,2 1/4" 1 Saw Blade,Hole,Bi-Metal,2 1/4" 1 Saw Blade,Reciprocating,Metal,12"x18 tpi 20	Saw,Band,Portable,4 3/4",Milwaukee Corded	1
Saw, Circular, Metal Cutting, 8" Dia Blade, Milwaukee 2 Saw, Reciprocating, Corded, Milwaukee 2 Saw Blade, Cut-Off, Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 7/8" 1 Saw Blade, Hole, Bi-Metal, 1" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 3/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Saw,Circular,Corded,7 1/4",Dewalt	2
Saw, Reciprocating, Corded, Milwaukee 2 Saw Blade, Cut-Off, Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 7/8" 1 Saw Blade, Hole, Bi-Metal, 1" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 3/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Saw,Cut-off,Corded,14",All "Other" Models	1
Saw Blade, Cut-Off, Metal, 14" x 3/32" x 1" 1 Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 7/8" 1 Saw Blade, Hole, Bi-Metal, 1" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 3/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Saw,Circular,Metal Cutting,8" Dia Blade,Milwaukee	1
Saw Blade, Hole, Bi-Metal, 3/4" 1 Saw Blade, Hole, Bi-Metal, 7/8" 1 Saw Blade, Hole, Bi-Metal, 1" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 3/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Saw,Reciprocating,Corded,Milwaukee	2
Saw Blade, Hole, Bi-Metal, 7/8" 1 Saw Blade, Hole, Bi-Metal, 1" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 3/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Saw Blade,Cut-Off,Metal,14" x 3/32" x 1"	1
Saw Blade, Hole, Bi-Metal, 1" 1 Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 3/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Saw Blade, Hole, Bi-Metal, 3/4"	1
Saw Blade, Hole, Bi-Metal, 1 1/4" 1 Saw Blade, Hole, Bi-Metal, 1 3/8" 1 Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Saw Blade,Hole,Bi-Metal,7/8"	1
Saw Blade,Hole,Bi-Metal,1 3/8" Saw Blade,Hole,Bi-Metal,1 1/2" Saw Blade,Hole,Bi-Metal,1 3/4" Saw Blade,Hole,Bi-Metal,2" Saw Blade,Hole,Bi-Metal,2" Saw Blade,Hole,Bi-Metal,2 1/4" Saw Blade,Reciprocating,Metal,12"x18 tpi 20	Saw Blade,Hole,Bi-Metal,1"	1
Saw Blade, Hole, Bi-Metal, 1 1/2" 1 Saw Blade, Hole, Bi-Metal, 1 3/4" 1 Saw Blade, Hole, Bi-Metal, 2" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Saw Blade,Hole,Bi-Metal,1 1/4"	1
Saw Blade, Hole, Bi-Metal, 1 3/4" Saw Blade, Hole, Bi-Metal, 2" Saw Blade, Hole, Bi-Metal, 2 1/4" Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Saw Blade,Hole,Bi-Metal,1 3/8"	1
Saw Blade, Hole, Bi-Metal, 2"1Saw Blade, Hole, Bi-Metal, 2 1/4"1Saw Blade, Reciprocating, Metal, 12"x18 tpi20	Saw Blade,Hole,Bi-Metal,1 1/2"	1
Saw Blade, Hole, Bi-Metal, 2 1/4" 1 Saw Blade, Reciprocating, Metal, 12"x18 tpi 20	Saw Blade,Hole,Bi-Metal,1 3/4"	1
Saw Blade,Reciprocating,Metal,12"x18 tpi 20	Saw Blade,Hole,Bi-Metal,2"	1
	Saw Blade,Hole,Bi-Metal,2 1/4"	1
Snips,Left Hand,Red Handle,10" Overall Length 2	Saw Blade,Reciprocating,Metal,12"x18 tpi	20
	Snips,Left Hand,Red Handle,10" Overall Length	2

Snips,Right Hand,Green Handle,10" Overall Length	1
Snips,Straight,Yellow Handle,10" Overall Length	1
Socket - 1/4" Drive, Metric, Deep, 8 mm, Standard	1
Socket - 1/4" Drive, Metric, Deep, 9 mm, Standard	1
Socket - 1/4" Drive,Metric,Deep,11 mm,Standard	1
Socket - 1/4" Drive,Metric,Shallow,4 mm,Standard	2
Socket - 1/4" Drive,Metric,Shallow,5 mm,Standard	2
Socket - 1/4" Drive, Metric, Shallow, 6 mm, Standard	2
Socket - 1/4" Drive,Metric,Shallow,7 mm,Standard	2
Socket - 1/4" Drive, Metric, Shallow, 8 mm, Standard	2
Socket - 1/4" Drive,Metric,Shallow,9 mm,Standard	2
Socket - 1/4" Drive,Metric,Shallow,10 mm,Standard	2
Socket - 1/4" Drive,Metric,Shallow,11 mm,Standard	1
Socket - 3/8" Drive,Metric,Deep,12 mm,Standard	1
Socket - 3/8" Drive, Metric, Deep, 13 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 14 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 15 mm, Standard	1
Socket - 3/8" Drive,Metric,Deep,16 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,9 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,10 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,11 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,12 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,13 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,14 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,15 mm,Standard	1
Socket - 3/8" Drive,Metric,Shallow,16 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,15 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,16 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,17 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,18 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,19 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,21 mm,Standard	1
Socket - 1/4" Drive,SAE,Deep,1/4",Standard	1
Socket - 1/4" Drive,SAE,Deep,9/32",Standard	1
Socket - 1/4" Drive,SAE,Deep,5/16",Standard	1
Socket - 1/4" Drive,SAE,Deep,11/32",Standard	1
Socket - 1/4" Drive,SAE,Deep,3/8",Standard	1
Socket - 1/4" Drive,SAE,Deep,7/16",Standard	1
Socket - 1/4" Drive,SAE,Shallow,3/16",Standard	2
Socket - 1/4" Drive,SAE,Shallow,7/32",Standard	2
Socket - 1/4" Drive,SAE,Shallow,1/4",Standard	2
L	

Socket - 1/4" Drive,SAE,Shallow,9/32",Standard	2
Socket - 1/4" Drive,SAE,Shallow,5/16",Standard	2
Socket - 1/4" Drive,SAE,Shallow,11/32",Standard	2
Socket - 1/4" Drive,SAE,Shallow,3/8",Standard	2
Socket - 1/4" Drive,SAE,Shallow,7/16",Standard	1
Socket - 1/4" Drive,SAE,Shallow,1/2",Standard	1
Socket - 3/8" Drive,SAE,Deep,7/16",Standard	3
Socket - 3/8" Drive,SAE,Deep,1/2",Standard	4
Socket - 3/8" Drive,SAE,Deep,9/16",Standard	2
Socket - 3/8" Drive,SAE,Deep,5/8",Standard	1
Socket - 3/8" Drive,SAE,Deep,11/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,3/4",Standard	1
Socket - 3/8" Drive,SAE,Deep,13/16",Standard	1
Socket - 3/8" Drive,SAE,Shallow,5/16",Standard	1
Socket - 3/8" Drive, SAE, Shallow, 3/8", Standard	2
Socket - 3/8" Drive,SAE,Shallow,7/16",Standard	2
Socket - 3/8" Drive, SAE, Shallow, 1/2", Standard	3
Socket - 3/8" Drive, SAE, Shallow, 5/8", Standard	2
Socket - 3/8" Drive,SAE,Shallow,11/16",Standard	2
Socket - 3/8" Drive,SAE,Shallow,3/4",Standard	1
Socket - 3/8" Drive,SAE,Shallow,13/16",Standard	1
Socket - 3/8" Drive,Torx,Short,T25,Standard	1
Socket - 3/8" Drive,Torx,Short,T30,Standard	1
Socket - 3/8" Drive,Torx,Short,T40,Standard	1
Socket - 3/8" Drive,Torx,Short,T45,Standard	1
Socket - 3/8" Drive,Torx,Short,T50,Standard	1
Socket - 1/2" Drive,SAE,Allen (Short),3/16",Standard	4
Socket - 1/2" Drive,SAE,Allen (Short),7/32",Standard	4
Socket - 1/2" Drive,SAE,Allen (Short),1/4",Standard	3
Socket - 1/2" Drive,SAE,Allen (Short),9/32",Standard	4
Socket - 1/2" Drive,SAE,Allen (Short),5/16",Standard	4
Socket - 1/2" Drive,SAE,Allen (Short),3/8",Standard	4
Socket - 1/2" Drive,SAE,Allen (Short),1/2",Standard	4
Socket - 1/2" Drive,SAE,Allen (Short),9/16",Standard	4
Socket - 1/2" Drive,SAE,Allen (Short),5/8",Standard	4
Socket - 1/2" Drive,SAE,Deep,3/8",Impact	26
Socket - 1/2" Drive,SAE,Deep,7/16",Impact	4
Socket - 1/2" Drive,SAE,Deep,1/2",Impact	12
Socket - 1/2" Drive,SAE,Deep,9/16",Impact	2
Socket - 1/2" Drive,SAE,Deep,5/8",Impact	6
Socket - 1/2" Drive,SAE,Deep,11/16",Impact	4

Socket - 1/2" Drive,SAE,Deep,3/4",Impact	13
Socket - 1/2" Drive,SAE,Deep,13/16",Impact	6
Socket - 1/2" Drive,SAE,Deep,7/8",Impact	2
Socket - 1/2" Drive,SAE,Deep,15/16",Impact	8
Socket - 1/2" Drive,SAE,Deep,1",Impact	1
Socket - 1/2" Drive,SAE,Deep,1 1/16",Impact	3
Socket - 1/2" Drive,SAE,Deep,1 1/8",Impact	4
Socket - 1/2" Drive,SAE,Deep,1 1/4",Impact	3
Socket - 1/2" Drive,SAE,Deep,5/8",Standard	1
Socket - 1/2" Drive,SAE,Deep,11/16",Standard	2
Socket - 1/2" Drive,SAE,Deep,13/16",Standard	1
Socket - 1/2" Drive,SAE,Deep,1",Standard	1
Socket - 1/2" Drive,SAE,Shallow,7/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,1/2",Standard	3
Socket - 1/2" Drive,SAE,Shallow,9/16",Standard	2
Socket - 1/2" Drive,SAE,Shallow,5/8",Standard	2
Socket - 1/2" Drive,SAE,Shallow,11/16",Standard	2
Socket - 1/2" Drive,SAE,Shallow,3/4",Standard	2
Socket - 1/2" Drive,SAE,Shallow,13/16",Standard	2
Socket - 1/2" Drive,SAE,Shallow,7/8",Standard	1
Socket - 1/2" Drive,SAE,Shallow,1",Standard	1
Socket - 1/2" Drive,SAE,Shallow,1 1/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,1 1/8",Standard	2
Socket - 1/2" Drive,SAE,Shallow,1 1/4",Standard	1
Socket - 3/4" Drive,SAE,Deep,3/4",Impact	1
Socket - 3/4" Drive,SAE,Deep,15/16",Impact	1
Socket - 3/4" Drive,SAE,Deep,1",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 1/8",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 1/4",Impact	4
Socket - 3/4" Drive,SAE,Deep,1 5/16",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 1/2",Impact	2
Socket - 3/4" Drive,SAE,Shallow,3/4",Impact	1
Socket - 3/4" Drive,SAE,Shallow,7/8",Impact	3
Socket - 3/4" Drive,SAE,Shallow,15/16",Impact	3
Socket - 3/4" Drive,SAE,Shallow,1",Impact	3
Socket - 3/4" Drive,SAE,Shallow,1 1/16",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 1/8",Impact	2
Socket - 3/4" Drive,SAE,Shallow,1 3/16",Impact	3
Socket - 3/4" Drive,SAE,Shallow,1 1/4",Impact	2
Socket - 3/4" Drive,SAE,Shallow,1 5/16",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 3/8",Impact	1
	

Socket - 3/4" Drive,SAE,Shallow,1 7/16",Impact	3
Socket - 3/4" Drive,SAE,Shallow,1 1/2",Impact	3
Socket - 3/4" Drive,SAE,Shallow,1 5/8",Impact	3
Socket - 3/4" Drive,SAE,Shallow,1 3/4",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 7/8",Impact	1
Socket - 3/4" Drive,SAE,Shallow,2",Impact	2
Socket - 3/4" Drive,SAE,Shallow,7/8",Standard	2
Socket - 3/4" Drive,SAE,Shallow,15/16",Standard	2
Socket - 3/4" Drive,SAE,Shallow,1",Standard	2
Socket - 3/4" Drive,SAE,Shallow,1 1/16",Standard	2
Socket - 3/4" Drive,SAE,Shallow,1 1/8",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 3/16",Standard	2
Socket - 3/4" Drive,SAE,Shallow,1 1/4",Standard	2
Socket - 3/4" Drive,SAE,Shallow,1 3/8",Standard	2
Socket - 3/4" Drive,SAE,Shallow,1 7/16",Standard	2
Socket - 3/4" Drive,SAE,Shallow,1 1/2",Standard	4
Socket - 3/4" Drive,SAE,Shallow,1 5/8",Standard	4
Socket - 3/4" Drive,SAE,Shallow,1 3/4",Standard	2
Socket - 3/4" Drive,SAE,Shallow,1 13/16",Standard	2
Socket - 3/4" Drive,SAE,Shallow,1 7/8",Standard	2
Socket - 3/4" Drive,SAE,Shallow,2",Standard	3
Square,Carpenter,Normal,24" x 16"	6
Square,Layout,6 3/4" (Speed Square)	2
Tap and Die Set,SAE/Metric,110 piece	1
Tool Chest,Top,6 Drawer	1
Wire Brush, Steel, Curved Handle, 13 3/4"	2
Wrench, Crescent, 6"	2
Wrench,Crescent,10"	2
Wrench, Crescent, 18"	2
Wrench,Crescent,24"	3
Wrench,Flat (Combination),Metric - Regular,7 mm	1
Wrench,Flat (Combination),Metric - Regular,9 mm	1
Wrench,Flat (Combination),Metric - Regular,11mm	1
Wrench,Flat (Combination),Metric - Regular,12 mm	1
Wrench,Flat (Combination),Metric - Regular,13 mm	1
Wrench,Flat (Combination),Metric - Regular,15 mm	1
Wrench,Flat (Combination),Metric - Regular,16 mm	1
Wrench,Flat (Combination),Metric - Regular,18 mm	1
Wrench,Flat (Combination),Metric - Regular,19 mm	2
Wrench,Flat (Combination),Metric - Regular,20 mm	1
Wrench,Flat (Combination),Metric - Regular,22 mm	1

Wrench,Flat (Combination),Metric - Regular,24 mm	1
Wrench,Flat (Combination),SAE - Regular,1/4"	7
Wrench,Flat (Combination),SAE - Regular,7/16"	7
Wrench,Flat (Combination),SAE - Regular,1/2"	8
Wrench,Flat (Combination),SAE - Regular,9/16"	6
Wrench,Flat (Combination),SAE - Regular,5/8"	7
Wrench,Flat (Combination),SAE - Regular,11/16"	8
Wrench,Flat (Combination),SAE - Regular,3/4"	6
Wrench,Flat (Combination),SAE - Regular,13/16"	9
Wrench,Flat (Combination),SAE - Regular,15/16"	10
Wrench,Flat (Combination),SAE - Regular,1"	10
Wrench,Flat (Combination),SAE - Regular,1 3/16"	1
Wrench,Flat (Combination),SAE - Regular,1 1/4"	12
Wrench,Flat (Combination),SAE - Regular,1 3/8"	1
Wrench,Flat (Combination),SAE - Regular,1 1/2"	6
Wrench,Flat (Combination),SAE - Regular,1 5/8"	2
Wrench,Flat (Combination),SAE - Regular,1 3/4"	1
Wrench,Flat (Combination),SAE - Regular,1 15/16"	1
Wrench,Pipe,Aluminum,18"	2
Wrench,Pipe,Aluminum,24"	3
Wrench,Pipe,Steel - SAE,14"	1
Wrench,Pipe,Steel - SAE,18"	1
Wrench,Spud,1-1/4" x 18"	2
Wrench,Torque,3/8" Drive	1
Wrench,Torque,1/2" Drive	1
(Do Not Reorder)Drill,Corded,D-Handle,1/2",Makita	1
Drill,Corded,Rotary Hammer,SDS+,Dewalt	5
Pail,Plastic,20L (5-1/4 US Gal) - w/o lid	7
Pliers,Needle Nose	1
Socket - 1/2" Drive,SAE,Deep,1 5/16",Impact	2
Socket - 3/8" Drive,Torx,Short,T27,Standard	1
Tool,Bag,Bucket,Canvas w/leather bottom,Kuny SW744	7
Annular Cutter,13/16" x 2" Depth	3
Saw,Circular,Concrete,14",Makita DPC 7321 73cc Gas- Powered	1
Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits	4
Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits	2
Mason's Line,250 feet w/ holder	1
Drill Press,Electromagnetic,Mag Drill,Hougen	3
Drill,Cordless,1/2" Chuck,Milwaukee	2
Punch,Bull Pin,Broad Head,13" x 1 1/4"	3
Hammer,Ball,Pein,Peen,32 oz.	5

Guard Assembly, Grinder, Makita, 6", 180 Degree, # 165486-6	1
Saw,Circular,Cordless,6 -1/2", Dewalt 18 V	2
Impact,Cordless,1/4"Hex Drive,Screwdriver,Dewalt 18V	1
Drill,Corded,Rotary,Hammer,Combihammer,Hilti,TE 60	1
Ratchet, Extension, 3/4" Drive, 7" Long, Impact	1
Saw,Table Corded all models	1
Reamer,Dual Cut,1"	1
Bit, Impact Driver,Nut SAE 3/8" (all lengths)	2
Battery,Cordless Tool,Dewalt,20V	8
Drill,Cordless,Rotary,Hammer,Dewalt 20V	1
Hammer,Ball Pein,Peen,24 oz	3
Stringline, Chalk Line, Reel, 540', Yellow	2
Adaptor, Battery, 18V to 20V, Dewalt	1
Grinder, Angle, Cordless Kit, 2 - 6A-60V Battery, Charger, DeWalt (Purchase only)	2
Nailer, Framing, Cordless, 20V Dewalt	2
Gas,Acetylene (C2H2),CWG,38" Tank	1
Gas,Acetylene (C2H2),CWG,32" Tank	1
Welding Rod, Air Carbon Arc, Gouging, 1/4" x 12", 50 Rods per Box	1
Hose,Welding,Acetylene / Oxygen,1/4" x 50'	5
Gas,Oxygen (O2),K,56" Tank	1
Regulator, Acetylene, Heavy Duty, Victor, CSR 460A	2
Regulator,Oxygen,Heavy Duty,Victor,CSR 450D	1
Spark Striker, Single Flint	6
Torch Cart,Oxygen / Acetylene	1
Torch Cutting Attachment,90 Degree,Tip Series 1,10 1/2" Long	1
Torch Cutting Tip,Capacity 3/4",Medium Duty,Victor,1-3-101	3
Torch Handle,9/16" Hose Connection,9" Long,Heavy Duty,Victor	1
Torch Tip Cleaner, Spiral, Stainless Steel Wire, Standard	1
Welding Rod,Low Hydrogen,7018,5/32" x 14",11 lb box	1
Welding Rod,5P+ (Pipe),6010,3/32" x 12", 4KG/Box	1
Welding Stinger, Twist Type, 400 amp	2
Welding Cable Connector, Set, Tweco, 2MPC, 9425-1210, (2) Male	1
Replacement Protection Lense, Outer, Std, 3M 9000 series helmet	15
Replacement Protection Lense,Inner,Std,3M 9000 series helmet	7
Welding Oven,Rod Oven,Shop Bench Top Style,150lb Capacity	1
Welding Cable Connector, Set, Tweco, 2MPC, 9425-1220, (2) Female	1

Welding Lens,2" x 4 1/4",Clear	20
Welding Rod,ESAB,7018,3/32	1
Disc,Cutting,Metal,5" x .045" x 7/8",Tyrolit 458870,Zip	7
Tape,Teflon,White,1/2" x 480"	5
Shackle,Anchor,Screw Pin,3/4" (4 3/4 Tonne),Crosby,G-209	27
Trolley,Beam,2 Tonne	1
Anchor Sling, Steel Cable, Fall Protection, 4' x 1/4", Red, Dog leash	3
Anchor Sling, Steel Cable, Fall Protection, 6' x 1/4", Red, Dog leash	2
Fire Extinguisher,ABC,Multi-Purpose,20 lbs	3
First Aid Kit,Large,FAKSKT2UP	1
Lanyard,Self Retracting,Protecta,Rebel,10'	1
Anchor,Structural Beam,AKA Flange bar,FB2, Beam Buddy	5
Lanyard, Self Retracting, 10', Latchways,63013-00E	9
Battery,Cordless Tool,Dewalt,18V	2
Drill Bit,Regular,SST,1/2"	4
Pail,Galvanized Steel,12 Litre	3
Ratchet, Extension, 1/4" Drive, 6" Long, Standard	1
Ratchet,Swivel,A.K.A. U-Joint,3/4" Drive,Impact	1
Saw,Hack,12"	1
Saw,Reciprocating,Corded,Dewalt	1
Saw,Wood,Blade Length",15"	1
Socket - 1/4" Drive,Metric,Deep,7 mm,Standard	1
Socket - 1/4" Drive,Metric,Deep,10 mm,Standard	1
Socket - 1/4" Drive, Metric, Shallow, 12 mm, Standard	1
Socket - 3/8" Drive,SAE,Deep,3/8",Standard	1
Socket - 3/8" Drive,SAE,Shallow,9/16",Standard	2
Socket - 1/2" Drive,SAE,Deep,1/2",Standard	1
Wrench,Crescent,12"	3
Wrench,Flat (Combination),Metric - Regular,10 mm	1
Wrench,Flat (Combination),SAE - Regular,5/16"	6
Wrench,Flat (Combination),SAE - Regular,3/8"	8
Wrench,Flat (Combination),SAE - Regular,7/8"	8
Wrench,Flat (Combination),SAE - Regular,1 1/16"	10
Wrench,Flat (Combination),SAE - Regular,1 1/8"	11
(Do Not Reorder) Grinder, Angle, Corded, 6", all "Other" Models	6
Drill,Cordless,20 Volt,1/2" Chuck,Dewalt	4
Welding Ground Clamp,300 Amp	2
Fire Blanket,32 oz,Coated,39" x 50yd roll	5
Lockout,Lock Box	4

Saw,Circular,Corded,7 1/4",All "Other" Models	1
Lockout Lock, Assorted Colors, Masterlock 410 KA, 1 1/2"	35
Drill,Cordless,Rotary,Hammer,Hilti,TE4-A18	1
Level,I-Beam,Non-Magnetic,72" Long	1
Punch,Bull Pin,10" x 1 1/16"	5
Pliers,Snap Ring	4
Shackle, Anchor, Screw Pin, 1" (8 1/2 Tonne), Crosby, G-209	12
Shackle, Anchor, Screw Pin, 7/8" (6 1/2 Tonne), Crosby, G-209	18
Wrench,Flat (Combination),Metric - Regular,8 mm	1
One Way Clip, Trailing Rope Grab, Auto Sliding, Miller, 8175	3
Fireproof Storage Cabinet,20 Gal,44"x23 1/4"x18"	1
Ratchet,Extension,3/4" Drive,4" Long,Standard	2
Ratchet,Extension,3/4" Drive,8" Long,Standard	2
Battery, Cordless Tool, Milwaukee, 18V, XC4.0	1
Lockout Tag,250 Tag Roll	1
Gas,Oxygen (O2),M,48" Tank	1
Ratchet, Adaptor, Female to Male, 1/2" to 3/8", Standard	2
Ratchet, Extension, 3/4" Drive, 16" Long, Standard	2
Ratchet, Adaptor, Female to Male, 3/4" to 1/2", Standard	3
Saw,Wood,Blade Length",26"	2
Ratchet, Extension, 1/4" Drive, 3" Long, Standard	1
Lockout Hasp,Steel,4 Hole	25
Breaker,Bolt-on, 15A, 1P, Eaton, GFI, QBGFT1015	2
Anchor, Expansion, Wedge, 1/4 x 3-1/4, SS	78
Sling,Wire Rope,Permaloc,1/2" x 2'	1
Impact Adapter,1/2" Female - 3/4" Male,1/2" Drive	1
Floodlight,LED,Milwaukee,M18	1
Annular Cutter,3/4" x 2" Depth,HSS	3
Hose,1/4" x 3' Whip MxF,5,000 PSI,G1850-04MF3	8
Socket - 3/4" Drive,SAE,Deep,1 3/4",Impact	1
Drill Bit,Rotary Hammer,SDS Plus,1/4" x 4" to 8" (2 and 4 cutter)	1
Hose,Rubber,Water (Garden),2" x 50',Camlock	4
Air Nailer,Brad,Cordless,20V,Straight-angle, Dewalt	1
Leaf Blower,Cordless,Battery + Charger	1
Socket - 3/4" Drive,SAE,Deep,1 11/16",Impact	1
Bit, Impact Driver Robertson #2, Long(Long being 3" and longer)	2
Saw Blade, Circular, Wood, 7 1/4", 24 Tooth, Irwin, 24035	10
Drill Bit,Rotary Hammer,SDS Plus,3/16 x 4" to 8" (2 and 4 cutter)	1
Bushing Tool,Rotary,Milwaukee / Dewalt, Square pointed concrete breaker,SDS Max,1 3/4" x 10 1/2"	8

Battery,Cordless Tool,Hilti,18V	2
Drill Bit,Regular,SST,35/64	1
Ratchet,Extension,1/4" Dr, 2' Long, Standard	1
Impact,Cordless,1/4" Hex Drive,Screwdriver,Dewalt 20V	3
Screw Driver, Hand,Flat,Blade width 3/16" - 1/4" Short (Short being 3" and shorter)	1
Screw Driver, Hand,Flat,Blade width 3/16" - 1/4" Long (Long being 4" and longer)	4
Screw Driver, Hand,Flat,Blade width 5/16" - 3/8" Long (Long being 4" and longer)	9
Screw Driver, Hand, Philips #1 Short (Short being 3" and shorter)	3
Screw Driver, Hand, Philips #2 Short (Short being 3" and shorter)	1
Screw Driver, Hand, Philips #4 Short (Short being 3" and shorter)	1
Screw Driver, Hand,Philips #1 Long (Long being 4" and longer)	2
Screw Driver, Hand,Philips #2 Long (Long being 4" and longer)	2
Screw Driver, Hand, Philips #3 Long (Long being 4" and longer)	9
Screw Driver, Hand,Robertson #1 Short (Short being 3" and shorter)	1
Screw Driver, Hand,Robertson #1 Long (Long being 4" and longer)	4
Screw Driver, Hand,Robertson #2 Long (Long being 4" and longer)	10
Screw Driver, Hand,Robertson #3 Long (Long being 4" and longer)	2
Socket - 3/4" Drive,SAE,Shallow,1 5/16",Standard	1
Goose neck wrecking bar - all sizes	1
50' 1/0 AWG Extension welding cable	2
100' 1/0 AWG Extension welding cable	4
Welding Ground Whip	2
Welding Stinger Whip	2
Wrench,Allen,Metric,Regular,Up to 10mm SET	1
Sling,3 - Straight Eye and Eye,Nylon Double Ply,4" x 8'	3
Sling,3 - Straight Eye and Eye,Nylon Double Ply,4" x 12'	3
Socket - 1/2" Drive,Metric,Allen (Long),7 mm,Standard	1
Socket - 1/2" Drive, Metric, Allen (Long), 8 mm, Standard	1
Socket - 1/2" Drive,Metric,Allen (Long),9 mm,Standard	1
Socket - 1/2" Drive,Metric,Allen (Long),10 mm,Standard	1
Socket - 1/2" Drive,Metric,Allen (Long),12 mm,Standard	1
Socket - 1/2" Drive,Metric,Allen (Long),17 mm,Standard	1
Socket - 3/4" Drive,SAE,Deep,1 1/16",Impact	1

Unit 112:

Type: 2003 Work Trailer Serial Number: 2T9FV223X3B004027 Inventory Listing:

Inventory Listing: Inventory Description	# of Units
Cloth,Emery,1" x 50 Yards,80 Grit	151.25
Disc,Cutting,Metal,7" x 1/16" x 7/8",Tyrolit,Zip	19
Disc,Grinding,Metal,5" x 1/4" x 7/8", 24 Grit	55
Disc,Grinding,Metal,7" x 1/4" x 7/8"	20
Disc,Cutting,Metal,6" x .045" x 7/8",Tyrolit 458871,Zip	222
Disc,Grinding,Metal,6" x 1/4" x 7/8"	10
Disc,Grinding,Pipe,Metal,6" x 1/8" x 7/8"	63
Grinding Disc, Non-Woven, 5" x 7/8", Rapid Strip	36
Bearing,NTN,6308LLUNR	3
Grease Fitting,Nipple,Kit,SAE,Asstd,100 Pc	2
Bearing, Dodge, F2B-GT-110L	2
Battery,AA	12
Battery,AAA	60
Battery,D	2
Extension Cord,110 V,20' (300V 3c 12AWG SJOOW Mininum)	1
Extension Cord,110 V,25' (300V 3c 12AWG SJOOW	3
Mininum)	
Extension Cord,110 V,50' (300V 3c 12AWG SJOOW	4
Mininum) Extension Cord,110 V,100' (300V 3c 12AWG SJOOW	1
Mininum)	'
Extension Cord Conn	9
(Female),2P3W,15A,125V,YELLOW,HBL5969VY	
Extension Cord Conn (Male),2P3W,125V,15A,YELLOW,HBL5965VY	9
Extension Cord Conn (Male)4 Prong,L14-30P,30-125-	1
250V,S21-SP	
Tape,Electrical,Black,3/4" x 66'	17
Light Bulb,Halogen,250 W,2 per package	1
Saw Horse Assembly, Shop Made	2
Broom,Hand	1
Broom,Magnetic,Wheeled	1
Dust Pan,Steel	1
Garbage Bag,100 / Box,35" x 50"	280
Glass Cleaner, Aerosol Spray, CRC 539 g	2
Rake,16"	1
Compound,Sweeping,Oil and Chemical	1
Absorbent,22.7 Liter Bag	
Wipes,Wypall,180/Box,Kimberly-Clark,White	5
Adhesive,Epoxy,Hilti,HIT HY-200 ,330	7
mL,supersedes HY-150	

All Thread,UNC,3/8",Gr. 2	2
All Thread,UNC,1/2",Gr. 2	7
All Thread,UNC,3/4",Gr. 2	5
Anchor,Expansion,Wedge,1/2" x 5-1/2",Hilti	10
Anchor,Expansion,Wedge,3/8" x 3",Red Head	33
Anchor,Expansion,Wedge,3/8" x 5",Red Head	7
Anchor, Expansion, Wedge, 1/2" x 4-1/4", Red Head	22
Anchor, Expansion, Wedge, 1/2" x 5-1/2", Red Head	300
Anchor,Expansion,Wedge,5/8" x 5",Red Head	22
Anchor,Expansion,Wedge,5/8" x 6",Red Head	54
Anchor,Expansion,Wedge,3/4" x 4-1/4",Red Head	3
Anchor,Expansion,Wedge,3/4" x 5-1/2",Red Head	8
Anchor,Expansion,Wedge,3/4" x 8-1/2",Red Head	10
Bolt,Carriage,3/8" x 3 1/2",Gr. 5	66
Bolt,Carriage,3/8" x 4",Gr. 5	7
Bolt,Carriage,1/2" x 3",Gr. 5	2
Bolt,Carriage,1/2" x 4",Gr. 5	26
Bolt,Carriage,5/16" x 1",SS	23
Bolt,Carriage,3/8" x 2 1/2",SS	10
Bolt,Carriage,3/8" x 4",SS	30
Bolt,Carriage,1/2" x 5",SS	22
Bolt,Elevator,1/4" x 1 ",Gr. 5	193
Bolt,Elevator,1/4" x 1 3/8",Gr. 5	38
Bolt,Elevator,1/4" x 1 1/2",Gr. 5	44
Bolt,Elevator,1/4" x 2",Gr. 5	124
Bolt,Elevator,5/16" x 1 ",Gr. 5	79
Bolt,Elevator,5/16" x 1 1/2",Gr. 5	15
Bolt,Elevator,5/16" x 1 3/4",Gr. 5	98
Bolt,Elevator,3/8" x 1 1/2",Gr. 5	33
Bolt,Elevator,3/8" x 2",Gr. 5	209
Bolt,Elevator,5/16" x 1 1/2",SS	50
Bolt,Eye,Regular Nut,7/8" I.D. x 12" Long,Industrial	1
Bolt,Lag,1/4" x 1",Gr. 5	66
Bolt,Lag,1/4" x 2 1/2",Gr. 5	50
Bolt,Lag,5/16" x 1 1/2",Gr. 5	100
Bolt,Lag,5/16" x 2 1/2",Gr. 5	81
Bolt,Lag,5/16" x 3 1/2",Gr. 5	30
Bolt,Lag,5/16" x 4",Gr. 5	20
Bolt,Lag,3/8" x 1 1/2",Gr. 5	11
Bolt,Lag,3/8" x 3",Gr. 5	22
Bolt,Lag,1/2" x 2 1/2",Gr. 5	58

Bolt,Lag,1/2" x 5",Gr. 5	18
Bolt,Lag,3/8" x 4",SS	73
Bolt,Shoulder Lock,1/4" x 1",Gr. 5	982
Bolt,Shoulder Lock,1/4" x 1 1/4",Gr. 5	23
Bolt,Shoulder Lock,1/4"x 2",Gr. 5	50
Bolt,Shoulder Lock,1/4" x 3",Gr. 5	67
Bolt,Shoulder Lock,5/16" x 1",Gr. 5	50
Bolt,Shoulder Lock,5/16" x 1 1/4",Gr. 5	330
Bolt,Shoulder Lock,5/16" x 1 1/2",Gr. 5	300
Bolt,Shoulder Lock,3/8" x 1",Gr. 5	50
Bolt,Shoulder Lock,3/8" x 1 1/4",Gr. 5	105
Bolt,Shoulder Lock,3/8" x 1 1/2",Gr. 5	246
Bolt,Shoulder Lock,3/8" x 2",Gr. 5	146
Bolt,Shoulder Lock,3/8" x 2 1/2",Gr. 5	50
Bolt,Shoulder Lock,1/2" x 1 1/2",Gr. 5	123
Bolt,Shoulder Lock,1/2" x 2",Gr. 5	57
Bolt,Shoulder Lock,1/2" x 2 1/2",Gr. 5	64
Bolt,Shoulder Lock,1/2" x 3",Gr. 5	124
Bolt,Shoulder Lock,1/2" x 3 1/2",Gr. 5	189
Bolt,U,Clamp,Muffler,5/16"x1 1/8",Standard Duty	7
Nut,Hex,UNC,1/4",Gr 5	287
Nut,Hex,UNC,5/16",Gr 5	107
Nut,Hex,UNC,3/8",Gr 5	1,130
Nut,Hex,UNC,7/16",Gr 5	50
Nut,Hex,UNC,1/2",Gr 5	58
Nut,Hex,UNC,5/8",Gr 5	29
Nut,Hex,UNC,3/4",Gr 5	51
Nut,Hex,UNC,1",Gr 5	3
Nut,Hex,UNC,1/4",SS	287
Nut,Hex,UNC,5/16",SS	95
Nut,Hex,UNC,3/8",SS	115
Nut,Hex,UNC,1/2",SS	58
Nut,Hex,UNC,5/8",SS	29
Nut,Nylon Lock,UNC,1/4",Gr 5	200
Nut,Nylon Lock,UNC,5/16",Gr 5	368
Nut,Nylon Lock,UNC,3/8",Gr. 5	100
Nut,Nylon Lock,UNC,1/2",Gr 5	10
Nut,Nylon Lock,UNC,5/8",Gr 5	25
Nut,Nylon Lock,UNC,3/4",Gr 5	55
Nut,Nylon Lock,UNC,5/16",SS	79
Nut,Nylon Lock,UNC,1/2",SS	53

Nut,Shoulder Lock,1/4",Gr 5	523
Nut,Shoulder Lock,5/16",Gr 5	146
Nut,Shoulder Lock,3/8",Gr 5	188
Nut,Shoulder Lock,1/2",Gr 5	300
Pin,Cotter,Assortment,560 piece set,fastenall,#990106	1
Pop Rivet,Steel Body/Steel Mandrel (SBS),Lge Flge,3/16"x3/4"	900
Screw,Cap,Socket Head,5/16" x 1",Alloy Steel	160
Screw,Cap,UNC-Countersunk,Socket Head,3/8" x 3/4",Alloy Steel	20
Screw,Cap,UNC - Countersunk Socket,5/16"x1 1/4",Alloy Steel	330
Screw,Cap,UNC - Hex Head,1/4" x 3/4",Gr. 5	229
Screw,Cap,UNC - Hex Head,1/4" x 1",Gr. 5	184
Screw,Cap,UNC - Hex Head,1/4" x 1 1/4",Gr. 5	100
Screw,Cap,UNC - Hex Head,1/4" x 1 1/2",Gr. 5	203
Screw,Cap,UNC - Hex Head,1/4"x 2",Gr. 5	131
Screw,Cap,UNC - Hex Head,1/4" x 2 1/2",Gr. 5	43
Screw,Cap,UNC - Hex Head,1/4" x 3",Gr. 5	28
Screw,Cap,UNC - Hex Head,1/4" x 3 1/2",Gr. 5	26
Screw,Cap,UNC - Hex Head,1/4" x 5",Gr. 5	32
Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5	50
Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5	49
Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5	20
Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5	256
Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5	43
Screw,Cap,UNC - Hex Head,5/16" x 6",Gr. 5	56
Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5	50
Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5	62
Screw,Cap,UNC - Hex Head,3/8" x 5",Gr. 5	59
Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5	68
Screw,Cap,UNC - Hex Head,7/16" x 1 1/2",Gr. 5	20
Screw,Cap,UNC - Hex Head,7/16" x 3",Gr. 5	24
Screw,Cap,UNC - Hex Head,7/16" x 3 1/2",Gr. 5	41
Screw,Cap,UNC - Hex Head,7/16" x 4 1/2",Gr. 5	50
Screw,Cap,UNC - Hex Head,7/16" x 5",Gr. 5	23
Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5	123
Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5	30
Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5	109
Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5	17
Screw,Cap,UNC - Hex Head,1/2" x 6",Gr. 5	20
Screw,Cap,UNC - Hex Head,5/8" x 1",Gr. 5	20

Screw,Cap,UNC - Hex Head,5/8" x 1 3/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5	8 20 20 25 35 12 23 73
Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5	20 25 35 12 23
Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5	25 35 12 23
Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5	35 12 23
1 1	12 23
	23
Screw,Cap,UNC - Hex Head,5/8" x 5 1/2" ,Gr. 5	
Screw,Cap,UNC - Hex Head,3/4" x 1",Gr. 5	73
Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5	
Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5	5
Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5	27
Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5	10
Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5	26
Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5	47
Screw,Cap,UNC - Hex Head,7/8" x 2",Gr. 5	2
Screw,Cap,UNC - Hex Head,7/8 x 2 1/2",Gr. 5	4
Screw,Cap,UNC - Hex Head,7/8" x 3",Gr. 5	10
Screw,Cap,UNC - Hex Head,1/4" x 1",SS	100
Screw,Cap,UNC - Hex Head,5/16" x 1",SS	28
Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS	49
Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS	40
Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS	38
Screw,Cap,UNC - Hex Head,5/8" x 3",SS	16
Screw,Cap,Socket,Button Head,1/4" x 1 1/4"	300
Screw,Machine,Assortment,Round Head Screw and	1
Nut,600 pc Screw,Self Tapping,Hex Washer Head,#8,5/32 x 1	200
1/2",Plated	200
Screw,Self Tapping,Hex Washer Head,#14,1/4" x 1",Plated	30
Tape,Duct,Grey,2" x 180'	2
Washer,Fender,3/8",Gr. 5	30
Washer,Flat,1/4",Gr. 5	411
Washer,Flat,5/16",Gr. 5	932
Washer,Flat,3/8",Gr. 5	267
Washer,Flat,7/16",Gr. 5	55
Washer,Flat,3/4",Gr. 5	12
Washer,Flat,7/8",Gr. 5	10
Washer,Flat,1",Gr. 5	27
Washer,Flat,1/4",SS	498
Washer,Lock,#14,1/4",Gr. 5	619
Washer,Lock,5/16",Gr. 5	230
Washer,Lock,3/8",Gr. 5	944

Washer,Lock,7/16",Gr. 5	63
Washer,Lock,1/2",Gr. 5	203
Washer,Lock,5/8",Gr. 5	31
Washer,Lock,3/4",Gr. 5	48
Washer,Lock,7/8",Gr. 5	22
Washer,Lock,1",Gr. 5	5
Washer,Lock,1/4",SS	523
Washer,Lock,5/16",SS	188
Washer,Lock,5/8",SS	52
Bolt,Elevator,1/4" x 1 3/8",SS	40
Anchor,Expansion,Wedge,3/8" x 5",SS	200
Cable Clip,Wire Rope,Galvanized,3/16",Crosby,G-450	41
Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450	34
Cable Clip,Wire Rope,Galvanized,5/16",Crosby,G-450	34
Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450	19
Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450	19
Cable Clip,Wire Rope,Galvanized,3/4",Crosby,G-450	35
Cable Clip,Wire Rope,Galvanized,1",Crosby,G-450	3
Hammerlock,Connecting Link,3/8",Gr. 6	1
Hammerlock,Connecting Link,1/2",Gr. 6	7
Hammerlock,Connecting Link,5/8",Gr. 8	3
Thimble,Wire Rope,Galvanized,3/16",LD,Crosby	2
Thimble,Wire Rope,Galvanized,1/4",HD,Crosby,G-414	22
Thimble,Wire Rope,Galvanized,5/16",HD,Crosby,G-414	10
Thimble,Wire Rope,Galvanized,7/16",HD,Crosby,G-414	3
Thimble,Wire Rope,Galvanized,1/2",HD,Crosby,G-414	11
Thimble,Wire Rope,Galvanized,5/8",HD,Crosby,G-414	4
Thimble,Wire Rope,Galvanized,3/4",HD,Crosby,G-414	4
Thimble,Wire Rope,Galvanized,7/8",HD,Crosby,G-414	3
Thimble,Wire Rope,Galvanized,1",HD,Crosby,G-414	2
Turnbuckle,Eye to Eye,1/2" x 12"	2
Brake Cleaner,Aerosol Spray,CRC,Brakleen,539 g	14
Cutting Fluid,Bessey,Rapid Tap,455 ml	1
Grease,All-Weather,Synthetic,Mobilith,SHC 100 ,354 g Tube	1
Grease,All-Weather,Esso,Epic EP 102, 400 g Tube	8
Grease,All-Weather,Esso,Epic EP 102, 16 KG Pail	1

Grease,Coupling,Falk Long Term Grease,400 g Tube	1
Grease,Elec Motor/ High Speed Bearing,Mobil,Polyrex EM,Tube,	1
Lubricant,Anti-Seize,Loctite,Food Grade,Aerosol,8 oz	2
Oil,Gear,Mobil,SHC 629,Synthetic,18.9 L Pail	19
Oil,Transmission,Mobil,Delvac,Mobil,Synthetic,10 Litre	3
Penetrating Fluid,Aerosol,3 in 1,311 g	4
Penetrating Fluid,Aerosol,Fluid Film,333 g	1
Penetrating Fluid,Aerosol,WD-40,311 g	4
Penetrating Fluid, Aerosol, WD-40, 411g	2
Chain Hoist, Double Drop, Manual, 5 Tonne	2
Chain Hoist,Long Drop,Manual,1 Tonne	1
Chain Hoist,Long Drop,Manual,2 Tonne	5
Chain Hoist, Short Drop, Manual, 1/2 Tonne	2
Chain Hoist,Short Drop,Manual,1 Tonne	1
Chain Hoist, Short Drop, Manual, 1 1/2 Tonne	2
Chain Hoist, Short Drop, Manual, 2 Tonne	1
Puller,Lever,Chain,Come Along,3/4 Tonne	3
Puller,Lever,Chain,Come Along,1 1/2 Tonne	3
Puller,Lever,Chain,Come Along,3 Tonne	1
Puller,Lever,Chain,Come Along,6 Tonne	1
Rope,Polypropylene,Yellow Rope,3/8",	50
Shackle, Anchor, Screw Pin, 3/8" (1 Tonne), Crosby, G-209	7
Shackle,Anchor,Screw Pin,7/16" (1 1/2 Tonne),Crosby,G-209	2
Shackle, Anchor, Screw Pin, 1/2" (2 Tonne), Crosby, G-209	19
Shackle, Anchor, Screw Pin, 5/8" (3 1/4 Tonne), Crosby, G-209	4
Shackle, Anchor, Screw Pin, 1 1/8" (9 1/2 Tonne), Crosby, G-209	1
Shackle, Anchor, Screw Pin, 1 1/4" (12 Tonne), Crosby, G-209	4
Sling,3 - Straight Eye and Eye,Nylon Double Ply,1" x 3"	2
Sling,3 - Straight Eye and Eye,Nylon Double Ply,2" x 10'	2
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,1" x 3'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,1" x 4'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,1" x 6'	3
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 4'	4
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 6'	7

Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 8'	9
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 10'	3
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 12'	3
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 20'	2
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 24'	2
Sling,Wire Rope,Permaloc,3/8" x 4'	2
Sling,Wire Rope,Permaloc,3/8" x 8'	1
Sling,Wire Rope,Permaloc,1/2" x 4'	1
Sling,Wire Rope,Permaloc,1/2" x 6'	4
Sling,Wire Rope,Permaloc,1/2" x 8'	3
Sling,Wire Rope,Permaloc,1/2" x 12'	4
Snatchblock,Hooked,1/2 tonne	4
Snatchblock,Hooked,2 tonne	5
Snatchblock, Hooked, Uses 1/2" Wire Rope, 4 tonne	1
Trolley,Beam,5 Tonne	2
Sling,Wire Rope,Permaloc,3/8" x 12'	8
Rope,Manila,Manlift,1"	220
Puller, Lever, Chain, 1/4 Ton	1
Insulation,Foam,20 oz,Great Stuff	2
Sealant,Sikaflex 1A Polyurethane,300 ml Tube,Grey	12
Belt,Lacing,SS,Clipper,U3-2S12	7
Paint Brush,Bristle,2"	43
Paint Roller Frame,5 Wire Frame,4 1/2"	6
Paint Roller Sleeve,Multi-Use,4 1/2"	10
Paint Roller Tray Insert,Plastic,9 1/2"	2
Carabiner,Auto Locking,5/8"	5
Emergency Vehicle Warning Kit, Triangle Flare, Grote, 71422	3
Face Shield Window, Clear, High Perf, Fibre Metal, 4178 CLEAR	33
Face Shield Window, Dark Green, High Perf, Fibre Metal, 4178DGR	20
Lockout Tag,25/Pkg	2
One Way Clip,Trailing Rope Grab,Auto Stop,5/8",Tractel	2
Tape,Caution,Yellow,DO NOT ENTER	6
Tape,Danger,Red,DO NOT ENTER	5
Vest,Reflective,Stripes,Safety,High Vis,XL,TVCSA-OR-LXL	3
Face Shield,Quick-lok,Crown Protector,Fibre-	5

Metal,7",F4500	
Lockout, Lock Station, 10 Locks Only	1
Keystock,Square,1018,1/4"	12
Keystock,Square,1018,3/8"	23
Air Blow,Wand,24" Long	1
Air Chuck	1
Air Compressor, Electric, Portable, 15 Gallon	1
Air Pressure Gauge,Tire	3
Annular Cutter,9/16" x 2"	2
Annular Cutter,5/8" x 1"	3
Annular Cutter,7/8" x 1"	2
Annular Cutter,13/16" x 1"	2
Bar,Crow,30" (2 1/2')	1
Bar,Crow,48"	1
Bar,Pry,24"	1
Bar,Pry,29"	1
Bar,Pry,48"	1
Bar,Pry,60"	1
Bar,Rolling Head Pry,15"	3
Battery Charger, Cordless Tool, Dewalt, 20V	8
Battery Charger, Cordless Tool, Dewalt, 18V	1
Belt Lacing Tool,Roller,36",Clipper	1
Bolt Cutter, Heavy Duty, 18"	1
Bolt,Screw,Extractor Set,7 Pc	2
Caliper,Dial,0" - 6"	4
Caulking Gun,Manual,300 mL	3
Chalk Line,100'	4
Chalk Line Refill, Assorted Colours, 8 oz Bottle	2
Chisel,Flat	5
Clamp,Bar "Bessey",4",SD	1
Clamp,Bar "Bessey",16",SD	4
Clamp,Bar "Bessey",18",HD	2
Clamp,Bar "Bessey",20",HD	1
Clamp,Bar "Bessey",24",HD	1
Clamp,Beam,2 Tonne	2
Clamp,Beam,3 Tonne	2
Clamp,Beam,5 Tonne	2
C-Clamp,C,4"	1
Drill,Corded,Pistol Grip,1/2" Chuck,Dewalt	2
Drill,Corded,Right Angle,3/8" Chuck,Dewalt	1
Drill,Cordless,1/2" Chuck,Dewalt 18V	1

Annular Cutter,9/16" x 1"	8
Annular Cutter,1-1/8" x 1"	2
Drill Bit,Regular,SST,1/16"	7
Drill Bit,Regular,SST,5/64"	8
Drill Bit,Regular,SST,3/32"	6
Drill Bit,Regular,SST,1/8"	8
Drill Bit,Regular,SST,3/16"	8
Drill Bit,Regular,SST,7/32"	9
Drill Bit,Regular,SST,1/4"	20
Drill Bit,Regular,SST,5/16"	24
	13
Drill Bit,Regular,SST,21/64"	
Drill Bit,Regular,SST,3/8"	36
Drill Bit,Regular,SST,27/64"	8
Drill Bit,Regular,SST,7/16"	14
Drill Bit,Regular,SST,29/64"	23
Drill Bit,Regular,SST,15/32"	8
Drill Bit,Regular,SST,5/8"	2
Drill Bit,Regular,SST,11/16"	2
Drill Bit,Regular,SST,3/4"	3
Drill Bit,Regular,SST,13/16"	2
Drill Bit,Regular,SST,7/8"	1
Drill Bit,Regular,SST,15/16"	1
Drill Bit,Regular,SST,1"	2
Drill Bit,Regular,SST,1 1/16"	1
Drill Bit,Regular,SST,1 1/8"	1
Drill Bit,Regular,SST,1 3/8"	2
Drill Bit,Rotary Hammer,3/8" x 4" to 6" standard drill shank	1
Drill Bit,Rotary Hammer,SDS Plus,3/8" x 9" to 12" (2 and 4 cutter)	1
Drill Bit,Rotary Hammer, 1/2" x 4" to 6" standard drill shank	1
Drill Bit,Rotary Hammer,SDS Plus,1/2" x 13" to 16" (2 and 4 cutter)	1
Drill Bit,Rotary Hammer,SDS Plus,3/4" x 4" to 8" (2 and 4 cutter)	1
Drill Bit,Ship Auger,3/4" x 14"	1
Drill Bit Set,Index,Regular,29 Pc	3
Drill Press,Electromagnetic,Mag Drill,Milwaukee	2
Feeler Gauge,Long Blade,25 Blade,0.0015 - 0.025"	2
Feeler Gauge,Standard Blade,22 Blade	1
Feeler Gauge,Standard Blade,25 Blade,0.0015 - 0.025"	1
File,Flat,Bastard,12"	1
	l

File,Flat,Smooth	2
File,Half Round,Bastard	2
File,Round,Bastard,10"	2
File Set,Nicholson,9 Pc	1
Funnel,Multi-Purpose,Polyethylene,Small	3
Funnel, Multi-Purpose, Polyethylene, Large	3
Grease Gun,Pistol Grip,Heavy Duty	3
Grinder, Angle, Corded, 5", Dewalt	1
(Do Not Reorder) Grinder, Angle, Corded, 5", all "Other" Models	4
Grinder,Angle,Corded,7",Dewalt	1
(Order in Special Circumstances only) Grinder,Angle,Corded,7",Makita 5020 Y (Mosaic Spec)	1
Grinder,Bench,8"	1
(Do Not Reorder) Grinder, Die, Corded, Makita	2
Hammer,Ball,Pein,Peen,16 oz.	4
Hammer,Chipping,Welding	7
Hammer,Framer,Claw	1
Hammer,Deadblow,Long Handle	1
Hammer,Deadblow,Short Handle	2
Hammer,Mallet,Rubber	1
Hammer,Sledge,Long Handle (Various Styles)	1
Hammer,Sledge,Short Handle 4 lbs.	1
Impact,Corded,1/2" Drive,Dewalt	2
Impact,Corded,3/4" Drive,Dewalt	1
Impact,Corded,3/4" Drive,All "Other" Models	1
Impact,Cordless,1/2" Drive,Dewalt 18V	1
Air,Impact,Pneumatic,1/2" Drive	2
Interrupter,Ground Fault Circuit,Portable,GFCI	2
Jerry Can,Fuel,20 L	2
Knife,Putty,Steel	1
Knife,Utility,Heavy Duty,Olfa,L2	14
Ladder,Extension,Featherlite,20'	1
Ladder,Step,Aluminum,6',Medium-duty	1
Ladder,Step,Fiberglass,Featherlite,10'	1
Level,Box Beam,Magnetic,48"	5
Level,Box Beam,Magnetic,24"	1
Level,I-Beam,Non-Magnetic,48" Long	3
Level,Torpedo,Magnetic	1
Light,Flashlight,AA Battery	2
Light,Hard Hat,Pelican 2610 or 2690	2
Nut, Grinder, 5/8", Use W/Grinding/Cutting Disc&TOO-	5

014715	
Pliers,Needle,Bent Nose	1
Pliers, Diagonal (Side Cutter), 7" - Medium	1
Pliers,Linesman,7" Long	1
Pliers,Locking,C-Clamp,11" Long,Vise Grip,11R	3
Pliers,Locking,C-Clamp with Swivel Pads,11",Vise Grip,11-SP	1
Pliers,Locking,Curved Jaw,10" Long,Vise Grip,10CR	3
Pliers,Mig	1
Pliers,Wire Stripper	3
Pliers,Slip Joint	2
Pliers,Tongue & Groove	4
Plumb Bob,Brass,12 oz.	1
Pop Riveter Gun, Standard, 3/32" - 3/16"	1
Puller,2 Jaw,Regular Jaw,8" Reach,Posi Lock,# 208	2
Puller,3 Jaw,Regular Jaw,10" Reach,Posi Lock,# 110	2
Punch, Aligning	3
Punch,Brass,Tapered,5/8"	1
Punch,Brass Drift,3/4"	1
Punch,Brass,Drift,1/2"	1
Punch / Chisel Set,12 Pc	2
Punch / Chisel Set,14 Pc	1
Ratchet, Drive, 1/4"	1
Ratchet, Drive, 3/8"	1
Ratchet, Drive, 1/2"	1
Ratchet, Drive, Breaker, Flex, Bar, 3/8"	1
Ratchet, Drive, Breaker, Flex, Bar, 1/2"	1
Ratchet,Extension,3/8" Drive,3" Long,Standard	1
Ratchet,Extension,1/2" Drive,4" Long,Standard	1
Ratchet,Extension,1/2" Drive,5" Long,Standard	1
Ratchet,Extension,1/2" Drive,10" Long,Standard	1
Ratchet,Swivel,A.K.A. U-Joint,1/2" Drive,Impact	3
Saw,Circular,Corded,7 1/4",Dewalt	1
Saw,Cut-off,Corded,14",All "Other" Models	1
Saw,Cut-off,Corded,14",Dewalt	1
Saw,Reciprocating,Corded,Milwaukee	1
Saw Blade,Cut-Off,Metal,14" x 3/32" x 1"	14
Saw Blade,Hole,Bi-Metal,1 1/4"	1
Saw Blade,Hole,Bi-Metal,1 3/8"	1
Saw Blade,Hole,Bi-Metal,1 3/4"	1
Saw Blade, Hole, Bi-Metal, 2"	1
Saw Blade, Hole, Bi-Metal, 2 1/4"	1

Saw Blade,Hole,Bi-Metal,3 5/8"	1
Saw Blade,Reciprocating,Metal,6"x14 tpi	33
Saw Blade,Reciprocating,Metal,12"x18 tpi	50
Bit, Impact Driver Phillips #1, Short(Short being 2" and shorter)	6
Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter)	10
Bit, Impact Driver, Torx T10, All Lengths	5
Snips,Right Hand,Green Handle,10" Overall Length	3
Snips,Straight,Yellow Handle,10" Overall Length	2
Socket - 3/8" Drive, Metric, Deep, 13 mm, Standard	1
Socket - 1/2" Drive, Metric, Shallow, 12 mm, Standard	1
Socket - 1/2" Drive,Metric,Shallow,13 mm,Standard	1
Socket - 1/2" Drive, Metric, Shallow, 14 mm, Standard	1
Socket - 1/2" Drive,Metric,Shallow,15 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,16 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,17 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,18 mm,Standard	2
Socket - 1/2" Drive,Metric,Shallow,19 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,20 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,21 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,22 mm,Standard	1
Socket - 1/2" Drive,Metric,Shallow,24 mm,Standard	1
Socket - 1/4" Drive,SAE,Deep,1/4",Standard	1
Socket - 1/4" Drive,SAE,Deep,5/16",Standard	1
Socket - 1/4" Drive,SAE,Shallow,1/4",Standard	1
Socket - 3/8" Drive,SAE,Deep,5/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,7/16",Standard	2
Socket - 3/8" Drive,SAE,Deep,1/2",Standard	1
Socket - 3/8" Drive,SAE,Deep,9/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,5/8",Standard	1
Socket - 3/8" Drive,SAE,Deep,11/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,3/4",Standard	2
Socket - 3/8" Drive,SAE,Deep,13/16",Standard	2
Socket - 3/8" Drive,SAE,Deep,7/8",Standard	2
Socket - 3/8" Drive,SAE,Shallow,5/16",Standard	1
Socket - 3/8" Drive,SAE,Shallow,3/8",Standard	1
Socket - 3/8" Drive,SAE,Shallow,7/16",Standard	1
Socket - 3/8" Drive,SAE,Shallow,1/2",Standard	1
Socket - 3/8" Drive,SAE,Shallow,5/8",Standard	1
Socket - 3/8" Drive,SAE,Shallow,11/16",Standard	1
Socket - 3/8" Drive,SAE,Shallow,3/4",Standard	2

Socket - 3/8" Drive, SAE, Shallow, 13/16", Standard	2
Socket - 3/8" Drive,SAE,Shallow,7/8",Standard	1
Socket - 1/2" Drive,SAE,Deep,3/8",Impact	3
Socket - 1/2" Drive,SAE,Deep,7/16",Impact	3
Socket - 1/2" Drive,SAE,Deep,1/2",Impact	3
Socket - 1/2" Drive,SAE,Deep,9/16",Impact	4
Socket - 1/2" Drive,SAE,Deep,5/8",Impact	4
Socket - 1/2" Drive,SAE,Deep,11/16",Impact	2
Socket - 1/2" Drive,SAE,Deep,3/4",Impact	5
Socket - 1/2" Drive,SAE,Deep,13/16",Impact	3
Socket - 1/2" Drive,SAE,Deep,7/8",Impact	3
Socket - 1/2" Drive,SAE,Deep,15/16",Impact	1
Socket - 1/2" Drive,SAE,Deep,1",Impact	3
Socket - 1/2" Drive,SAE,Deep,1 1/16",Impact	2
Socket - 1/2" Drive,SAE,Deep,1 1/8",Impact	3
Socket - 1/2" Drive,SAE,Deep,1 1/4",Impact	3
Socket - 1/2" Drive,SAE,Deep,3/8",Standard	2
Socket - 1/2" Drive,SAE,Deep,9/16",Standard	2
Socket - 1/2" Drive,SAE,Deep,5/8",Standard	2
Socket - 1/2" Drive,SAE,Deep,11/16",Standard	2
Socket - 1/2" Drive,SAE,Deep,3/4",Standard	2
Socket - 1/2" Drive,SAE,Deep,13/16",Standard	2
Socket - 1/2" Drive,SAE,Deep,7/8",Standard	1
Socket - 1/2" Drive,SAE,Deep,15/16",Standard	2
Socket - 1/2" Drive,SAE,Deep,1",Standard	2
Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard	2
Socket - 1/2" Drive,SAE,Deep,1 1/8",Standard	3
Socket - 1/2" Drive,SAE,Deep,1 1/4",Standard	2
Socket - 1/2" Drive,SAE,Shallow,3/8",Impact	3
Socket - 1/2" Drive,SAE,Shallow,1/2",Impact	3
Socket - 1/2" Drive,SAE,Shallow,9/16",Impact	5
Socket - 1/2" Drive,SAE,Shallow,5/8",Impact	3
Socket - 1/2" Drive,SAE,Shallow,11/16",Impact	3
Socket - 1/2" Drive,SAE,Shallow,3/4",Impact	1
Socket - 1/2" Drive,SAE,Shallow,15/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,1 1/16",Impact	2
Socket - 1/2" Drive,SAE,Shallow,1 1/8",Impact	1
Socket - 1/2" Drive,SAE,Shallow,1 3/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,1 1/4",Impact	4
Socket - 1/2" Drive,SAE,Shallow,1/2",Standard	1
Socket - 1/2" Drive,SAE,Shallow,9/16",Standard	1
L	. 1

Socket - 1/2" Drive,SAE,Shallow,3/4",Standard	1
Socket - 1/2" Drive,SAE,Shallow,13/16",Standard	2
Socket - 1/2" Drive,SAE,Shallow,7/8",Standard	1
Socket - 1/2" Drive,SAE,Shallow,15/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,1",Standard	2
Socket - 1/2" Drive,SAE,Shallow,1 1/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,1 1/8",Standard	2
Socket - 1/2" Drive,SAE,Shallow,1 1/4",Standard	1
Socket - 3/4" Drive,SAE,Deep,1",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 1/8",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 1/4",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 5/16",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 7/16",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 1/2",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 7/8",Impact	1
Socket - 3/4" Drive,SAE,Shallow,7/8",Impact	1
Socket - 3/4" Drive,SAE,Shallow,15/16",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 1/16",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 1/8",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 1/4",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 5/16",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 7/16",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 1/2",Impact	1
Socket - 3/4" Drive,SAE,Shallow,7/8",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 1/16",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 1/4",Standard	1
Socket Tray,Metric,Plastic,1/2" Drive	3
Socket Tray,SAE,Plastic,1/2" Drive	2
Square,Carpenter,Normal,12" x 8"	4
Square,Carpenter,Normal,24" x 16"	1
Square,Combination,12"	2
Square,Layout,6 3/4" (Speed Square)	4
Stethoscope, Mechanic	1
Swage Tester,Hydrajaws	1
Tap and Die Set,SAE/Metric,76 piece	1
Tap and Die Set,SAE/Metric,110 piece	1
Tape Measure, Manual Reel , Metric / SAE, 30 m / 100'	3
Tie Down Strap,Ratchet,Polyester,1"x 15',Heavy Duty	8
Tie Down Strap,Ratchet,Polyester,2" x 15',Heavy Duty	2
Vise,Bench,Max Jaw Width",8"	1

Wire Brush, Steel, Curved Handle, 13 3/4"	2
Wire Wheel Brush, Carbon, Knot Twisted or Stringer Bead, 5"	19
Wire Wheel Brush,S.S.,Knot Twisted or Stringer Bead,5"	13
Measuring Gasket,Wrap-A-Round,Flexible,4" Wide x 6' Long	2
Wrench,Allen,SAE - Regular,3/8"	6
Wrench,Allen,SAE - Regular,5/8"	3
Wrench,Allen,SAE - Regular,1"	1
Wrench,Crescent,6"	3
Wrench,Crescent,8"	1
Wrench,Crescent,10"	1
Wrench,Crescent,18"	1
Wrench,Crescent,24"	2
Wrench,Flat (Combination),Metric - Regular,30 mm	1
Wrench,Flat (Combination),SAE - Regular,7/16"	5
Wrench,Flat (Combination),SAE - Regular,1/2"	7
Wrench,Flat (Combination),SAE - Regular,9/16"	6
Wrench,Flat (Combination),SAE - Regular,5/8"	7
Wrench,Flat (Combination),SAE - Regular,11/16"	7
Wrench,Flat (Combination),SAE - Regular,3/4"	6
Wrench,Flat (Combination),SAE - Regular,13/16"	5
Wrench,Flat (Combination),SAE - Regular,15/16"	7
Wrench,Flat (Combination),SAE - Regular,1"	8
Wrench,Flat (Combination),SAE - Regular,1 1/4"	5
Wrench,Flat (Combination),SAE - Regular,1 3/8"	1
Wrench,Flat (Combination),SAE - Regular,1 1/2"	4
Wrench,Flat (Combination),SAE - Regular,1 3/4"	
Wrench,Flat (Combination),SAE - Regular,2 1/8"	<u>·</u> 1
Wrench,Flat (Combination),SAE - Regular,2 1/4"	<u>·</u> 1
Wrench,Flat (Combination),SAE - Regular,2 1/2"	3
Wrench,Pipe,Aluminum,12"	1
Wrench,Spud,1-1/4" x 18"	4
Wrench, Torque, 3/8" Drive	1
Wrench, Torque, 1/2" Drive	1
Wrench, Torque, 3/4" Drive	1
Wrench Set, Allen, 9 piece - Metric - Fold up	4
Wrench Set, Allen, 13 piece - SAE - Long	4
Drill,Corded,Rotary Hammer,SDS+,Dewalt	4 1
Socket - 1/2" Drive,SAE,Deep,1 5/16",Impact	<u>'</u> 1
Tool,Bag,Bucket,Canvas w/leather bottom,Kuny	6
SW744	0

Annular Cutter,1-1/4" x 1" Depth	2
Annular Cutter,1-1/4" x 2" Depth	1
Annular Cutter,7/16" x 1" depth	2
Annular Cutter,1/2" x 1" depth	2
Pliers,Locking,Chain Clamp,Extension Chain,18",Vise Grip	3
Grinder, Angle, Cordless, 5", DeWalt 20V (18V count only)	1
Saw Blade,Reciprocating,Metal,8" x 18TPI,Lenox	69
Distance Meter,Laser	1
Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits	4
Tool Box,Portable,W/Handle,23"	2
Mason's Line,250 feet w/ holder	1
Pliers,Locking,Chain Clamp,9" Long,18" Chain,Vise Grip	1
Wrench,Ratcheting,Combination - SAE - Reversible,9/16"	4
(Order Only-Do not count)Socket Set - 1/4" & 3/8" Drive,Torx,11 pc	1
Coupler, Compressed Air, M-Style, Body, 1/4" FNPT, Milton S715	1
Bar,Stripping,48" (Savage)	2
Bar,Stripping,72" (Savage)	2
Tape Measure,Autolock Reel,Magnetic Tip,Metric/SAE,8 m/25'	3
Hammer,Ball,Pein,Peen,32 oz.	2
Tarp,Blue,12' x 16'	3
Utility Knife Replacement Blade,Heavy Duty LB,EA Blade	90
Guard Assembly, Grinder, Makita, 5", 180 Degree	1
Battery, Cordless Tool, Dewalt, 20V	6
Impact,Cordless,3/4" Drive, Milwaukee	1
Jack,Rail Track Jack,10 Tonne Manual	2
Hammer,Ball Pein,Peen,24 oz	2
Saw,Reciprocating,Cordless,Dewalt 20V (18V count only)	1
Tachometer, Laser, c/w Block, All types	1
Impact, Cordless, Dewalt 20 V, 1/2" Drive	3
Square,Combination,6"	2
Tarp, Foam Insulated, 12' x 20'	2
Gas,Acetylene (C2H2),CWS,41" Tank	1
Gas,Acetylene (C2H2),CWQ,28" Tank	1
Hose,Welding,Acetylene / Oxygen,1/4" x 25'	3
Hose,Welding,Acetylene / Oxygen,1/4" x 50'	1
Mig Liner,Flexible Steel,.035"045" x 15',Tregaskiss	1
Gas,Oxygen (O2),Q,35" Tank,EMW owned	1

Plasma Cutter,40 Amp,Thermal Dynamics	1
Propane Torch, Tiger Torch	1
Quick Connects, Welding (Torch to Hose), QD Set	9
Regulator, Acetylene, Heavy Duty, Victor, CSR 460A	2
Regulator,Oxygen,Heavy Duty,Victor,CSR 450D	2
Welding Oven,Rod Oven,Portable	2
Soap Stone,Flat,1/2" x 5"	67
Spark Striker, Single Flint	3
Torch Cutting Assembly, Oxygen/Acetylene, Victor	1
Torch Cutting Tip,2-1-101,Capacity,1 1/2",2,Heavy Duty	1
Torch Cutting Tip,3-1-101, Capacity,2 1/2",3,Heavy Duty	13
Torch Nozzle, Heating, 8", Heavy Duty, Victor, 8MFA	1
Torch Tip Cleaner, Spiral, Stainless Steel Wire, Standard	2
Welding Helmet	2
Welding Hose Repair Kit,100 piece,Oetiker	2
Welding Lens,2" x 4 1/4"Shade,9,10,11	4
Welding Lens,4 1/2" x 5 1/4",ProStar,Shade 10	6
Welding Rod,Low Hydrogen,7018,5/32" x 14",11 lb	30
Welding Rod,Low Hydrogen,7018,3/16" x 18",5KG box	12
Welding Rod, Stainless Steel to Mild, E316L-17SS, 1/8" x 14", 35 Rods Per KG	2
Welding Stinger, Twist Type, 400 amp	1
Welding Rod, Stainless Steel, 316L, 1/8" x 14", 31.4 Rods per box	20
Welding Cable Connector, Set, Tweco, 2MPC, 9425-1210, (2) Male	7
Marker,Paint,Yellow	12
Welding Rod, Stainless Steel, 309L, 1/8" x 14", 31.4 Rods/KG	6
Welder,Lincoln,Ranger 305G	1
Flashback Arrestor, Torch Adaptor Style, Set	4
Welding Cable Connector, Set, Tweco, 2MPC, 9425-1220, (2) Female	1
Flap Wheel, Angle Grinder, 5" x 7/8", 80 Grit	40
Disc,Cutting,Metal,5" x .045" x 7/8",Tyrolit 458870,Zip	54
Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 5	38
Screw,Cap,UNC - Hex Head,5/16" x 4",Gr. 5	40
Screw,Cap,UNC - Hex Head,3/8" x 3/4",Gr. 5	9
Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 5	30
Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 5	198
Screw,Cap,UNC - Hex Head,3/8" x 2",Gr. 5	23

Screw,Cap,UNC - Hex Head,3/8" x 2 1/2",Gr. 5	34
Screw,Cap,UNC - Hex Head,3/8" x 4",Gr. 5	73
Screw,Cap,UNC - Hex Head,3/8" x 4 1/2",Gr. 5	10
Screw,Cap,UNC - Hex Head,1/2" x 3",Gr. 5	78
Screw,Cap,UNC - Hex Head,1/2" x 4",Gr. 5	13
Screw,Cap,UNC - Hex Head,1/2" x 5",Gr. 5	18
Screw,Cap,UNC - Hex Head,5/8" x 3",Gr. 5	10
Screw,Cap,UNC - Hex Head,5/8" x 3 1/2",Gr. 5	12
Screw,Cap,UNC - Hex Head,5/8" x 5",Gr. 5	34
Screw,Cap,UNC - Hex Head,3/4" x 4 1/2",Gr. 5	19
Screw,Cap,UNC - Hex Head,7/8" x 3 1/2",Gr. 5	3
Screw,Cap,UNC - Hex Head,7/8" x 4",Gr. 5	2
Screw,Cap,UNC - Hex Head,7/8" x 4 1/2" ,Gr. 5	10
Screw,Cap,UNC - Hex Head,1" x 4 1/2",Gr. 5	3
Screw,Cap,UNC - Hex Head,1/4" x 1 1/4",SS	60
Screw,Cap,UNC - Hex Head,5/16" x 3/4",SS	10
Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",SS	85
Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",SS	10
Screw,Cap,UNC - Hex Head,3/8" x 2 1/2",SS	5
Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",SS	166
Screw,Cap,UNC - Hex Head,1/2" x 2",SS	60
Screw,Cap,UNC - Hex Head,5/8" x 1",SS	25
Screw,Self Tapping,Hex Washer Head,#14,1/4" x 1 1/2",Plated	40
Screw,Wood,Countersunk,2"	486
Screw,Wood,Countersunk,2 1/2"	400
Silicone,Multi Use,Clear,300 mL Tube,Dow Corning,732	51
Washer,Flat,1/2",Gr. 5	58
Washer,Flat,5/8",Gr. 5	107
Washer,Flat,1/2",SS	50
Washer,Flat,3/4",SS	15
Cable Clip,Wire Rope,Galvanized,3/8",Crosby,G-450	15
Cable Clip,Wire Rope,Galvanized,1 1/8",Crosby,G-450	2
Shackle,Anchor,Screw Pin,3/4" (4 3/4 Tonne),Crosby,G-209	12
Anchor Sling,Steel Cable,Fall Protection,4' x 1/4",Red,Dog leash	4
Dust Masks,8210,N95,20 / box,3M	2
Ear Plugs,Expandable Foam with Cord,LL30,100 pair/box	2
Fire Extinguisher,ABC,Multi-Purpose,10 lbs	3
First Aid Kit,Large,FAKSKT2UP	2

Hand Cleaner,Pumice,Fast Orange,3.78 L Hand Cleaner,Smooth,Fast Orange,3.78 L Hard Hat,Fibre Metal,Roughneck Series,Quick-Loc,Grey	1 1 5
Hard Hat,Fibre Metal,Roughneck Series,Quick-	•
<u> </u>	5
LOU, GICY	
Hard Hat,Comfort Band,Sweatband,Liner,Terry Cloth,Pkg of 2	32
Lanyard, Self Retracting, Protecta, Rebel, 10'	3
Lockout Hasp,Steel,6 Hole	6
Belt,Sash,Reflective,Stripes,Safety,High Vis,Elastic,Yel/Gry	6
Anchor,Structural Beam,AKA Flange bar,FB2, Beam Buddy	2
Lockout Tag,100 Tag Roll,ACFTAR110	2
Respirator,Cartridge,75SCP100L	6
Respirator,Cartridge,7580P100	64
Battery,Cordless Tool,Dewalt,18V	4
Drill Bit,Regular,SST,1/2"	24
Pail,Galvanized Steel,12 Litre	5
Ratchet,Swivel,A.K.A. U-Joint,3/8" Drive,Standard	1
Saw,Reciprocating,Corded,Dewalt	1
Socket - 1/2" Drive,Metric,Shallow,23 mm,Standard	1
Socket - 3/8" Drive,SAE,Deep,3/8",Standard	2
Socket - 3/8" Drive,SAE,Shallow,9/16",Standard	1
Socket - 1/2" Drive,SAE,Deep,1 3/16",Impact	1
Socket - 1/2" Drive,SAE,Deep,7/16",Standard	2
Socket - 1/2" Drive,SAE,Deep,1/2",Standard	2
Socket - 1/2" Drive,SAE,Deep,1 3/16",Standard	2
Socket - 1/2" Drive,SAE,Shallow,7/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,13/16",Impact	2
Socket - 1/2" Drive,SAE,Shallow,7/8",Impact	1
Socket - 1/2" Drive,SAE,Shallow,1",Impact	1
Wrench, Crescent, 12"	1
Wrench,Flat (Combination),SAE - Regular,3/8"	3
Wrench,Flat (Combination),SAE - Regular,7/8"	3
Wrench,Flat (Combination),SAE - Regular,1 1/16"	5
Wrench,Flat (Combination),SAE - Regular,1 1/8"	9
Wrench,Flat (Combination),SAE - Regular,2 3/8"	2
Wrench,Pipe,Aluminum,36"	1
Wrench Set,Allen,7 piece,Metric,Fold up	1
Screw Driver Hand Set,12 Pc (Purchase Only)	1
(Do Not Reorder) Grinder, Angle, Corded, 6", all "Other" Models	2
Flange,Grinder,5/8",Use W/Grinding/Cutting	2

Disc&TOO-003560	
Drill,Cordless,20 Volt,1/2" Chuck,Dewalt	2
Mig Contact Tip,Standard,0.035",Tregaskiss	2
Plasma Electrode, Maximum Life, Thermal Dynamics, 9-8215	10
Plasma Nozzle, Hypertherm, 40A, 120826	3
Torch Cutting Tip,1-1-101, Capacity,3/4",1,Heavy Duty	2
Welding Ground Clamp,300 Amp	3
Welding Rod,Low Hydrogen,7018,3/32" x 12", 2.5KG/box, 183 RODS PER BOX	17.5
Welding Rod,Low Hydrogen,7018,1/8" x 14", 5KG/box	125
Regulator,Argon,FR14	1
Torch Cutting Tip,Gouging,Angled,#4,2-1-118	10
Fire Blanket,32 oz,Coated,39" x 50yd roll	487
Welding Cable Connector, Set, Tweco, 2MPC, 9425-1200, (1) M(1) F	7
Lockout,Lock Box	2
Eye Wash Bottle,Empty,with Cup,1L	1
Punch,Center	7
Battery, AAA, Alkaline, 4-Pack	1
Respirator,Air Purifying,Half Mask,Medium,NORTH,7700	3
Respirator,Backpack,Adaptor Kit	2
Bolt Cutter,Heavy Duty,36"	1
Gas,Propane (C3H8),20 lbs. Tank	1
Lockout Lock,Assorted Colors,Masterlock 410 KA,1 1/2"	16
Anchor,Expansion,Wedge,5/8" x 6",SS	40
Thimble,Wire Rope,Galvanized,3/8",HD,Crosby,G-414	15
Lanyard,Fall Restraint,5/8" Rope,50'	4
Angle Meter,Magnetic Base,0 - 90 Degrees	2
Puller,3 Jaw,Regular Jaw,6" Reach,Posi Lock,# 106	3
Cutting Fluid,Bessey,Rapid Tap,4L	2
(Do Not Reorder) Drill,Corded,Rotary Hammer,SDS+,Makita	1
Punch,Bull Pin,10" x 1 1/16"	6
Magnetic,Retrieval Tool,Telescopic,18"	1
Shackle, Anchor, Screw Pin, 1" (8 1/2 Tonne), Crosby, G-209	4
Wrench,Pipe,Steel - SAE,6"	3
Shackle, Anchor, Screw Pin, 7/8" (6 1/2 Tonne), Crosby, G-209	2
Grinder Stone, Bench, Fine, 8" x 1" x 1 1/4", NRN44447	3
Fireproof Storage Cabinet,20 Gal,44"x23 1/4"x18"	1

Spill Pad,16" x 18"	1
Lanyard, Self Retracting, Nanolok Edge, Steel, 8 Ft.	1
(Foot Level Tie-Off)	
Belt Tension Tester,Goodyear,Six	1
Barrel,Lge,Goodyear,Eagle Pliers,Locking,C-Clamp,10" Long,Vise Grip,5R	2
Ratchet, Adaptor, Female to Male, 3/4" to 1/2", Impact	1
Ratchet,Extension,3/4" Drive,4" Long,Standard	2
Welding Rod,5P+ (Pipe),6010,1/8" x 14",Lincoln,5 KG	8
Box	o
Eye Wash Station,with Bottle and Solution,1000 ml	1
Saw Blade,Hole,Bi-Metal,2 1/2"	1
Bolt,Elevator,1/4" x 1 1/2",Maxi-Lift,Sabre-tooth,SS	69
Screw,Cap,UNC - Countersunk Socket,3/8" x 2",Alloy Steel	20
Keystock,Square,1018,3/16"	4
Puller,2 Jaw,Regular Jaw,6" Reach,Posi Lock,# 206	2
Lanyard,Fall Restraint,5/8" Rope,100'	1
Screw,Self Tapping,Hex Washer Head,#12,7/32" x 1",Plated	178
Saw Blade,Hole,Bi-Metal,3"	1
Screw,Self Tapping,Hex Washer Head,#8,5/32 x 1",Plated	100
Screw,Self Tapping,Hex Washer Head,#8,5/32 x 2",Plated	100
Air,Pop Riveter Gun,Pneumatic,3/32" - 3/16"	2
Part Tray,Magnetic,Rectangle,9 1/4" x 5 3/8"	1
Screw,Cap,UNC - Hex Head,1/2" x 5",SS	10
Screw,Self Tapping,Hex Washer Head,#8,5/32 x 1 1/4",Plated	66
Screw,Self Tapping,Hex Washer Head,#10,3/16" x 1",Plated	50
Screw,Self Tapping,Hex Washer Head,#14,1/4" x 3/4",Plated	33
Screw,Cap,UNC - Hex Head,1/4" x 3",SS	150
Wire Rope,Standard,Galvanized,1/4"	200
Sanitizer,Hand,Purell,8oz	1
Lanyard,Self Retracting,Protecta,Rebel,12'	4
Saw,Wood,Blade Length",26"	1
4-Tool,Cordless,Kit,Combo (Purchase only)	1
Screw,Self Tapping,Hex Washer Head,#10,3/16" x 1 1/2",Plated	100
Screw,Self Tapping,Hex Washer Head,#14,1/4" x 2",Plated	330
Eye Wash, Jug, with Solution, 4 Litre	1
Screw, Cap, UNC, Hex Head, 1/4" x 4", SS	20
(Order Only-Do not count)Socket Set - 3/8" Drive, Metric, Hex Drive, 7 Pce.	1

Sealant,Silicone,SI 594 RTV,Loctite,80ml Tube	10
Lifeline,Vertical,Safety,5/8" x 100'	3
Machine screw all sizes, all lengths, all materials	290
100' 1/0 AWG Extension welding cable	1
Welding Ground Whip	4
Welding Stinger Whip	5
Wrench,Allen,SAE,Regular,Up to 3/8" SET	2
Wrench,Allen,Metric,Regular,Up to 10mm SET	2

Unit 120:

Type: 2007 Work Trailer Serial Number: 2T9FV34277B004011

Inventory Listing:

Inventory Description	# of Units
Disc,Cutting,Metal,6" x .045" x 7/8",Tyrolit 458871,Zip	161
Disc,Grinding,Metal,6" x 1/4" x 7/8"	40
Grease Fitting,Nipple,Kit,SAE,Assorted,41 Pc	1
Countrwt Cable, Series 78/112, NEL# 136406	3
Battery,AA	48
Battery,AAA	48
Extension Cord,110 V,15' (300V 3c 12AWG SJOOW Mininum)	1
Extension Cord,110 V,30' (300V 3c 12AWG SJOOW Mininum)	2
Extension Cord,110 V,50' (300V 3c 12AWG SJOOW Mininum)	4
Extension Cord,110 V,100' (300V 3c 12AWG SJOOW Mininum)	5
Extension Cord Conn (Female)Twist,3P4W,30 A,125/250V,HBL2713	1
Interrupter,Ground Fault Circuit,Wall Plug in,GFCI(3 outlet)	2
Tape,Electrical,Black,3/4" x 66'	3
Extension Cord,250/110V,30A,Twist- Lock,50',Trailer Service(300V 4C 10AWG SJOW or SJOOW Minimum)	1
Extension Cord Conn (Female)Twist,2P3W,30A,250V,HBL2623	1
Electrical Wiring Terminal Kit,120 Piece,Fastenal,710865	1
Tire Repair Kit, Mobile, Heavy Duty, Napa, 89-701	1
Wheel Chock,Steel	2
Tape,Aluminum Foil,425,2" x 60 yd roll	1
Saw Horse Assembly, Shop Made	4
Gate, Universal , Self-Closing, Swing, Yellowgate, 11792	1
Broom,Push,24" Wide	1
Glass Cleaner, Aerosol Spray, CRC 539 g	7
Wipes,Wypall,180/Box,Kimberly-Clark,White	4
Anchor,Expansion,Wedge,1/2" x 3-3/4",Red Head	75
Anchor,Expansion,Wedge,1/2" x 5-1/2",Red Head	76
Anchor,Expansion,Wedge,5/8" x 7",Red Head	25
Cable Tie,Nylon,Natural,11",Heavy Duty	10
Pin,Cotter,Set,215 piece - 9 sizes - small,160	1
Bolt,Elevator,5/16" x 1 1/2",Maxi-Lift,Sabretooth,CS	300

Clamp Band,Galvanized,18", Heavy Duty	1
Cable Clip,Wire Rope,Galvanized,3/16",Crosby,G-450	10
Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450	10
Cable Clip,Wire Rope,Galvanized,5/16",Crosby,G-450	6
Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G- 450	27
Grease,All-Weather,Esso,Epic EP 102, 400 g Tube	14
Penetrating Fluid,Aerosol,WD-40,411g	2
Chain,Linked,3/8",Gr. 70	20
Chain Hoist,Long Drop,Manual,2 Tonne	1
Chain Hoist,Short Drop,Manual,1 Tonne	3
Chain Hoist,Short Drop,Manual,2 Tonne	3
Chain Hoist,Short Drop,Manual,3 Tonne	1
Hook,Grab,Clevis,3/8",Gr. 70	2
Puller,Lever,Chain,Come Along,3/4 Tonne	5
Puller,Lever,Chain,Come Along,1 1/2 Tonne	3
Rope,Lifting,100'	1
Shackle,Anchor,Screw Pin,5/8" (3 1/4 Tonne),Crosby,G-209	3
Shackle,Anchor,Screw Pin,1 1/4" (12 Tonne),Crosby,G-209	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 4'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 10'	4
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 12'	2
Sling,Wire Rope,Permaloc,1/2" x 4'	3
Sling,Wire Rope,Permaloc,1/2" x 6'	1
Sling,Wire Rope,Permaloc,1/2" x 8'	1
Sling,Wire Rope,Permaloc,1/2" x 12'	3
Snatchblock,Hooked,Uses 1/2" Wire Rope,4 tonne	3
Sling,Wire Rope,Permaloc,3/8" x 12'	2
Chain Hoist,Long Drop,Manual,5 Tonne	1
Sling,Wire Rope,Permaloc,3/8" x 16'	1
Insulation,Foam,20 oz,Great Stuff	12
Marker,Permanent,Chisel Tip,Papermate	12
Paint,FD Enamel,Rustoleum HP,Gloss White,3.78L Pail	15.12
Paint,FD Enamel,Rustoleum HP,Safety Yellow,15 oz. Aerosol	3
Paint Brush,Bristle,3"	5
Paint Roller Frame,5 Wire Frame,4 1/2"	4
Paint Roller Frame,5 Wire Frame,9 1/2"	2

Paint, Galvanizing, Rustoleum Brite Zinc, 355g Aerosol Aerosol Paint, Enamel, Rustoleum, Silver 6 Aluminum, 14oz., Aerosol Shim, Slotted Stainless Steel, B (3" x 3"), .001" 11 Shim, Slotted Stainless Steel, B (3" x 3"), .004" 10 Shim, Slotted Stainless Steel, B (3" x 3"), .005" 9 Shim, Slotted Stainless Steel, B (3" x 3"), .005" 9 Shim, Slotted Stainless Steel, B (3" x 3"), .005" 10 10 Shim, Slotted Stainless Steel, B (3" x 3"), .010" 10 Shim, Slotted Stainless Steel, B (3" x 3"), .005" 7 11 Shim, Slotted Stainless Steel, B (3" x 3"), .020" 7 7 5 5 5 5 5 5 5 5	Paint Roller Sleeve, Multi-Use, 9 1/2"	12
Paint,Enamel,Rustoleum,Silver Aluminum,140z.,Aerosol Shim,Slotted Stainless Steel,B (3" x 3"),.001" 11 11 15 15 15 15 15		12
Aluminum,14oz.,Aerosol Shim,Slotted Stainless Steel,B (3" x 3").001" Shim,Slotted Stainless Steel,B (3" x 3").004" Shim,Slotted Stainless Steel,B (3" x 3").004" Shim,Slotted Stainless Steel,B (3" x 3").005" 9 Shim,Slotted Stainless Steel,B (3" x 3").005" Shim,Slotted Stainless Steel,B (3" x 3").010" Shim,Slotted Stainless Steel,B (3" x 3").015" Shim,Slotted Stainless Steel,B (3" x 3").020" 7 Shim,Slotted Stainless Steel,B (3" x 3").025" 5 Shim,Slotted Stainless Steel,B (3" x 3").025" 5 Shim,Slotted Stainless Steel,B (3" x 3").050" 3 Shim,Slotted Stainless Steel,B (3" x 3").050" 3 Shim,Slotted Stainless Steel,B (3" x 3").075" 3 Shim,Slotted Stainless Steel,B (3" x 3").075" 3 Shim,Slotted Stainless Steel,B (3" x 3").075" 3 Shim,Slotted Stainless Steel,B (3" x 3").00" 2 Face Shield Window,Clear,High Perf ,Fibre Metal,4178CLEAR Respirator,Combination Cartridge,Advantage,GMA-P100 or 3M 6006 Face Shield Connector,Fibre-Metal Quick-lok,Crown Protector,Fibre-Metal,7",F4500 Face Shield Connector,Fibre-Metal Quick-lok,FBR4001,(female) Lifeline,Vertical,Safety,5/8" x 150' 1 Flagging Tape Tag,Red Air Compressor,Electric,Portable,8 Gallon 1 Annular Cutter,13/16" x 1" 2 Arbor,Hole Saw,1/2" Chuck 1 Bar,Aligning,24" 1 Bar,Crow,18" Bar,Crow,18" Bar,Rechanic Pry,With Screwdriver Handle,24" 1 Bar,Rolling Head Pry,16" Battery Charger,Cordless Tool,Dewalt,20V 9 Battery Charger,Cordless Tool,Dewalt,18V 1 Bolt Cutter,Heavy Duty,24" 1 Bolt Cutter,Heavy Duty,24" 1 Bootser Cables,Vehicle Battery,12', 1 Caliper,Digital,0" - 6" 2 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000		6
Shim, Slotted Stainless Steel, B (3" x 3"), .001"		0
Shim, Slotted Stainless Steel, B. (3" x 3")004" 10 Shim, Slotted Stainless Steel, B. (3" x 3")005" 9 Shim, Slotted Stainless Steel, B. (3" x 3")010" 10 Shim, Slotted Stainless Steel, B. (3" x 3")020" 7 Shim, Slotted Stainless Steel, B. (3" x 3")025" 5 Shim, Slotted Stainless Steel, B. (3" x 3")050" 3 Shim, Slotted Stainless Steel, B. (3" x 3")075" 3 Shim, Slotted Stainless Steel, B. (3" x 3")00" 2 Face Shield Window, Clear, High Perf., Fibre Metal, 4178 CLEAR 3 Respirator, Combination Cartridge, Advantage, GMA-P100 or 3M 6006 6 Face Shield, Quick-lok, Crown Protector, Fibre-Metal, Quick-lok, FBR4001, (female) 10 Lifeline, Vertical, Safety, 5/8" x 150' 1 Flagging Tape Tag, Red 100 Air Compressor, Electric, Portable, 8 Gallon 1 Annular Cutter, 13/16" x 1" 2 Arbor, Hole Saw, 1/2" Chuck 1 Bar, Ruligning, 24" 1 Bar, Pry, 24" 1 Bar, Rolling Head Pry, 16" 2 Battery Charger, Cordless Tool, Dewalt, 18V 1 Battery Charger, Cordless Tool, Dewalt		11
Shim, Slotted Stainless Steel, B (3" x 3")005" 9 Shim, Slotted Stainless Steel, B (3" x 3")010" 10 Shim, Slotted Stainless Steel, B (3" x 3")020" 7 Shim, Slotted Stainless Steel, B (3" x 3")025" 5 Shim, Slotted Stainless Steel, B (3" x 3")050" 3 Shim, Slotted Stainless Steel, B (3" x 3")075" 3 Shim, Slotted Stainless Steel, B (3" x 3")00" 2 Face Shield Window, Clear, High Perf , Fibre Metal, 4178 CLEAR 3 Respirator, Combination Cartridge, Advantage, GMA-P100 or 3M 6006 6 Face Shield, Quick-lok, Crown Protector, Fibre-Metal, 7", F4500 8 Face Shield Connector, Fibre-Metal Quick-lok, FBR4001, (female) 10 Lifeline, Vertical, Safety, 5/8" x 150' 1 Flagging Tape Tag, Red 100 Air Compressor, Electric, Portable, 8 Gallon 1 Arbor, Hole Saw, 1/2" Chuck 1 Bar, Aligning, 24" 1 Bar, Crow, 18" 1 Bar, Py, 24" 1 Bar, Py, 24" 1 Bartery Charger, Cordless Tool, Dewalt, 20V 9 Battery Charger, Cordless Tool, Dewalt, 18V 1	Shim,Slotted Stainless Steel,B (3" x 3"),.003"	10
Shim, Slotted Stainless Steel, B. (3" x 3").,010" 10 Shim, Slotted Stainless Steel, B. (3" x 3").,015" 11 Shim, Slotted Stainless Steel, B. (3" x 3").,020" 7 Shim, Slotted Stainless Steel, B. (3" x 3").,025" 5 Shim, Slotted Stainless Steel, B. (3" x 3").,050" 3 Shim, Slotted Stainless Steel, B. (3" x 3").,075" 3 Shim, Slotted Stainless Steel, B. (3" x 3").,100" 2 Face Shield Window, Clear, High Perf , Fibre 33 Metal, 4178CLEAR 8 Respirator, Combination Cartridge, Advantage, GMA-P100 or 3M 6006 6 Face Shield Quick-lok, Crown Protector, Fibre-Metal, Quick-lok, FBR4001, (female) 10 Lifeline, Vertical, Safety, 5/8" x 150' 1 Flagging Tape Tag, Red 100 Air Compressor, Electric, Portable, 8 Gallon 1 Annular Cutter, 13/16" x 1" 2 Arbor, Hole Saw, 1/2" Chuck 1 Bar, Aligning, 24" 1 Bar, Crow, 18" 1 Bar, Rolling Head Pry, 16" 2 Battery Charger, Cordless Tool, Dewalt, 20V 9 Battery Charger, Cordless Tool, Dewalt, 18V 1	Shim,Slotted Stainless Steel,B (3" x 3"),.004"	10
Shim, Slotted Stainless Steel, B. (3" x 3").,015" 11 Shim, Slotted Stainless Steel, B. (3" x 3").,020" 7 Shim, Slotted Stainless Steel, B. (3" x 3").,025" 5 Shim, Slotted Stainless Steel, B. (3" x 3").,050" 3 Shim, Slotted Stainless Steel, B. (3" x 3").,075" 3 Shim, Slotted Stainless Steel, B. (3" x 3").,100" 2 Face Shield Window, Clear, High Perf , Fibre 33 Metal, 4178CLEAR Respirator, Combination Cartridge, Advantage, GMA-P100 or 3M 6006 Face Shield Quick-lok, Crown Protector, Fibre-Metal, T", F4500 8 Face Shield Connector, Fibre-Metal Quick-lok, FBR4001, (female) 10 Lifeline, Vertical, Safety, 5/8" x 150' 1 Flagging Tape Tag, Red 100 Air Compressor, Electric, Portable, 8 Gallon 1 Arnular Cutter, 13/16" x 1" 2 Arbor, Hole Saw, 1/2" Chuck 1 Bar, Aligning, 24" 1 Bar, Crow, 18" 1 Bar, Robling Head Pry, 16" 2 Battery Charger, Cordless Tool, Dewalt, 20V 9 Battery Charger, Cordless Tool, Dewalt, 18V 1 Bolt Cutter, Heavy Duty, 18" 1	Shim,Slotted Stainless Steel,B (3" x 3"),.005"	9
Shim,Slotted Stainless Steel,B (3" x 3")020" Shim,Slotted Stainless Steel,B (3" x 3")025" Shim,Slotted Stainless Steel,B (3" x 3")050" Shim,Slotted Stainless Steel,B (3" x 3")075" Shim,Slotted Stainless Steel,B (3" x 3")075" 3 Shim,Slotted Stainless Steel,B (3" x 3")100" 2 Face Shield Window,Clear,High Perf ,Fibre Metal,4178CLEAR Respirator,Combination Cartridge,Advantage,GMA-P100 or 3M 6006 Face Shield,Quick-lok,Crown Protector,Fibre-Metal,7",F4500 Face Shield Connector,Fibre-Metal Quick-lok,FBR4001,(female) Lifeline,Vertical,Safety,5/8" x 150' 1 Flagging Tape Tag,White 100 Flagging Tape Tag,Red Air Compressor,Electric,Portable,8 Gallon 1 Annular Cutter,13/16" x 1" 2 Arbor,Hole Saw,1/2" Chuck 1 Bar,Aligning,24" 1 Bar,Crow,18" 16 Bar,Mechanic Pry,With Screwdriver Handle,24" 1 Bar,Rolling Head Pry,16" Battery Charger,Cordless Tool,Dewalt,20V 9 Battery Charger,Cordless Tool,Dewalt,18V 1 Bolt Cutter,Heavy Duty,18" 1 Caliper,Digital,0" - 6" 2 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000	Shim,Slotted Stainless Steel,B (3" x 3"),.010"	10
Shim,Slotted Stainless Steel,B (3" x 3"),.025" Shim,Slotted Stainless Steel,B (3" x 3"),.050" 3 Shim,Slotted Stainless Steel,B (3" x 3"),.075" 3 Shim,Slotted Stainless Steel,B (3" x 3"),.075" 3 Shim,Slotted Stainless Steel,B (3" x 3"),.100" 2 Face Shield Window,Clear,High Perf ,Fibre Metal,4178CLEAR Respirator,Combination Cartridge,Advantage,GMA-P100 or 3M 6006 Face Shield,Quick-lok,Crown Protector,Fibre-Metal,7",F4500 Face Shield Connector,Fibre-Metal Quick-lok,FBR4001,(female) Lifeline,Vertical,Safety,5/8" x 150' 1 Flagging Tape Tag,White 100 Flagging Tape Tag,White 100 Flagging Tape Tag,Red 100 Air Compressor,Electric,Portable,8 Gallon 1 Annular Cutter,13/16" x 1" 2 Arbor,Hole Saw,1/2" Chuck 1 Bar,Aligning,24" 1 Bar,Crow,18" 1 Bar,Rolling Head Pry,16" 2 Battery Charger,Cordless Tool,Dewalt,20V 9 Battery Charger,Cordless Tool,Dewalt,18V 1 Bolt Cutter,Heavy Duty,24" 1 Booster Cables,Vehicle Battery,12', 1 Caliper,Digital,0" - 6" 2 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000	Shim,Slotted Stainless Steel,B (3" x 3"),.015"	11
Shim,Slotted Stainless Steel,B (3" x 3"),.050" Shim,Slotted Stainless Steel,B (3" x 3"),.075" 3 Shim,Slotted Stainless Steel,B (3" x 3"),.075" Shim,Slotted Stainless Steel,B (3" x 3"),.100" 2 Face Shield Window,Clear,High Perf ,Fibre Metal,4178CLEAR Respirator,Combination Cartridge,Advantage,GMA-P100 or 3M 6006 Face Shield, Quick-lok,Crown Protector,Fibre-Metal,7",F4500 Face Shield Connector,Fibre-Metal Quick-lok,FBR4001,(female) Lifeline,Vertical,Safety,5/8" x 150' 1 Flagging Tape Tag,White 100 Flagging Tape Tag,Red Air Compressor,Electric,Portable,8 Gallon 1 Annular Cutter,13/16" x 1" 2 Arbor,Hole Saw,1/2" Chuck 1 Bar,Aligning,24" 1 Bar,Crow,18" 16 Bar,Mechanic Pry,With Screwdriver Handle,24" 1 Bar,Rolling Head Pry,16" 2 Battery Charger,Cordless Tool,Dewalt,20V 9 Battery Charger,Cordless Tool,Dewalt,18V 1 Bolt Cutter,Heavy Duty,18" 1 Booster Cables,Vehicle Battery,12', 1 Caliper,Digital,0" - 6" 2 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000	Shim,Slotted Stainless Steel,B (3" x 3"),.020"	7
Shim,Slotted Stainless Steel,B (3" x 3").075" Shim,Slotted Stainless Steel,B (3" x 3").100" 2 Face Shield Window,Clear,High Perf ,Fibre Metal,4178CLEAR Respirator,Combination Cartridge,Advantage,GMA-P100 or 3M 6006 Face Shield,Quick-lok,Crown Protector,Fibre-Metal, 7",F4500 Face Shield Connector,Fibre-Metal Quick-lok,FBR4001,(female) Lifeline,Vertical,Safety,5/8" x 150' 1 Flagging Tape Tag,White 100 Flagging Tape Tag,Red 300 Air Compressor,Electric,Portable,8 Gallon 1 Annular Cutter,13/16" x 1" 2 Arbor,Hole Saw,1/2" Chuck 1 Bar,Aligning,24" 1 Bar,Crow,18" 16 Bar,Mechanic Pry,With Screwdriver Handle,24" 1 Bar,Pry,24" 1 Bar,Rolling Head Pry,16" 2 Battery Charger,Cordless Tool,Dewalt,20V 9 Battery Charger,Cordless Tool,Dewalt,18V 1 Bolt Cutter,Heavy Duty,18" 1 Booster Cables,Vehicle Battery,12', 1 Caliper,Digital,0" - 6" 2 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000	Shim,Slotted Stainless Steel,B (3" x 3"),.025"	5
Shim, Slotted Stainless Steel, B (3" x 3"), .100" Face Shield Window, Clear, High Perf , Fibre Metal, 4178CLEAR Respirator, Combination Cartridge, Advantage, GMA-P100 or 3M 6006 Face Shield, Quick-lok, Crown Protector, Fibre-Metal, 7", F4500 Face Shield Connector, Fibre-Metal Quick-lok, FBR4001, (female) Lifeline, Vertical, Safety, 5/8" x 150' Flagging Tape Tag, White Flagging Tape Tag, Red Air Compressor, Electric, Portable, 8 Gallon Annular Cutter, 13/16" x 1" Arbor, Hole Saw, 1/2" Chuck Bar, Aligning, 24" Bar, Crow, 18" Bar, Rolling Head Pry, 16" Bar, Rolling Head Pry, 16" Battery Charger, Cordless Tool, Dewalt, 20V Battery Charger, Cordless Tool, Dewalt, 18V Bolt Cutter, Heavy Duty, 18" Booster Cables, Vehicle Battery, 12', Caliper, Digital, 0" - 6" Caulking Gun, Manual, Adhesive Applicator, Hilti, MD1000	Shim,Slotted Stainless Steel,B (3" x 3"),.050"	3
Face Shield Window, Clear, High Perf , Fibre Metal, 4178CLEAR Respirator, Combination Cartridge, Advantage, GMA-P100 or 3M 6006 Face Shield, Quick-lok, Crown Protector, Fibre-Metal, 7", F4500 Face Shield Connector, Fibre-Metal Quick-lok, FBR4001, (female) Lifeline, Vertical, Safety, 5/8" x 150' Flagging Tape Tag, White 100 Flagging Tape Tag, Red Air Compressor, Electric, Portable, 8 Gallon Annular Cutter, 13/16" x 1" 2 Arbor, Hole Saw, 1/2" Chuck Bar, Aligning, 24" Bar, Crow, 18" Bar, Mechanic Pry, With Screwdriver Handle, 24" Bar, Rolling Head Pry, 16" Battery Charger, Cordless Tool, Dewalt, 20V Battery Charger, Cordless Tool, Dewalt, 18V Bolt Cutter, Heavy Duty, 18" Booster Cables, Vehicle Battery, 12', Caliper, Digital, 0" - 6" Caulking Gun, Manual, Adhesive Applicator, Hilti, MD1000	Shim,Slotted Stainless Steel,B (3" x 3"),.075"	3
Metal,4178CLEARRespirator,Combination Cartridge,Advantage,GMA-P100 or 3M 60066Face Shield,Quick-lok,Crown Protector,Fibre-Metal,7",F45008Metal,7",F450010Face Shield Connector,Fibre-Metal Quick-lok,FBR4001,(female)10Lifeline,Vertical,Safety,5/8" x 150'1Flagging Tape Tag,White100Flagging Tape Tag,Red100Air Compressor,Electric,Portable,8 Gallon1Annular Cutter,13/16" x 1"2Arbor,Hole Saw,1/2" Chuck1Bar,Aligning,24"1Bar,Crow,18"16Bar,Mechanic Pry,With Screwdriver Handle,24"1Bar,Pry,24"1Bar,Rolling Head Pry,16"2Battery Charger,Cordless Tool,Dewalt,20V9Battery Charger,Cordless Tool,Dewalt,18V1Bolt Cutter,Heavy Duty,18"1Bolt Cutter,Heavy Duty,24"1Booster Cables,Vehicle Battery,12',1Caliper,Digital,0" - 6"2Caulking Gun,Manual,Adhesive Applicator,Hilti,MD10001	Shim,Slotted Stainless Steel,B (3" x 3"),.100"	2
P100 or 3M 6006 Face Shield, Quick-lok, Crown Protector, Fibre-Metal, 7", F4500 Face Shield Connector, Fibre-Metal Quick-lok, FBR4001, (female) Lifeline, Vertical, Safety, 5/8" x 150' 1 Flagging Tape Tag, White 100 Flagging Tape Tag, Red 100 Air Compressor, Electric, Portable, 8 Gallon 1 Annular Cutter, 13/16" x 1" 2 Arbor, Hole Saw, 1/2" Chuck 1 Bar, Aligning, 24" 1 Bar, Crow, 18" 16 Bar, Mechanic Pry, With Screwdriver Handle, 24" 1 Bar, Pry, 24" 1 Bar, Rolling Head Pry, 16" 2 Battery Charger, Cordless Tool, Dewalt, 20V 9 Battery Charger, Cordless Tool, Dewalt, 18V 1 Bolt Cutter, Heavy Duty, 18" 1 Bolt Cutter, Heavy Duty, 24" 1 Booster Cables, Vehicle Battery, 12', 1 Caliper, Digital, 0" - 6" 2 Caulking Gun, Manual, Adhesive Applicator, Hilti, MD1000		33
Metal,7",F4500 Face Shield Connector,Fibre-Metal Quicklok,FBR4001,(female) Lifeline,Vertical,Safety,5/8" x 150' Flagging Tape Tag,White Flagging Tape Tag,Red Air Compressor,Electric,Portable,8 Gallon Annular Cutter,13/16" x 1" Arbor,Hole Saw,1/2" Chuck Bar,Aligning,24" Bar,Crow,18" Bar,Mechanic Pry,With Screwdriver Handle,24" Bar,Rolling Head Pry,16" Bar,Rolling Head Pry,16" Battery Charger,Cordless Tool,Dewalt,20V Battery Charger,Cordless Tool,Dewalt,18V Bolt Cutter,Heavy Duty,18" Boster Cables,Vehicle Battery,12', Caliper,Digital,0" - 6" Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000		6
lok,FBR4001,(female) Lifeline, Vertical, Safety, 5/8" x 150' Flagging Tape Tag, White Flagging Tape Tag, Red Air Compressor, Electric, Portable, 8 Gallon Annular Cutter, 13/16" x 1" Anhular Cutter, 13/16" x 1" Arbor, Hole Saw, 1/2" Chuck 1 Bar, Aligning, 24" 1 Bar, Crow, 18" 16 Bar, Mechanic Pry, With Screwdriver Handle, 24" 1 Bar, Pry, 24" 1 Bar, Rolling Head Pry, 16" 2 Battery Charger, Cordless Tool, Dewalt, 20V 9 Battery Charger, Cordless Tool, Dewalt, 18V 1 Bolt Cutter, Heavy Duty, 18" 1 Booster Cables, Vehicle Battery, 12', Caliper, Digital, 0" - 6" 2 Caulking Gun, Manual, Adhesive Applicator, Hilti, MD1000		8
Lifeline, Vertical, Safety, 5/8" x 150' Flagging Tape Tag, White Flagging Tape Tag, Red Air Compressor, Electric, Portable, 8 Gallon Annular Cutter, 13/16" x 1" Arbor, Hole Saw, 1/2" Chuck Bar, Aligning, 24" Bar, Crow, 18" Bar, Mechanic Pry, With Screwdriver Handle, 24" Bar, Rolling Head Pry, 16" Bar, Rolling Head Pry, 16" Battery Charger, Cordless Tool, Dewalt, 20V Battery Charger, Cordless Tool, Dewalt, 18V Bolt Cutter, Heavy Duty, 18" Bolt Cutter, Heavy Duty, 24" Booster Cables, Vehicle Battery, 12', Caliper, Digital, 0" - 6" Caulking Gun, Manual, Adhesive Applicator, Hilti, MD1000		10
Flagging Tape Tag,White Flagging Tape Tag,Red Air Compressor,Electric,Portable,8 Gallon Annular Cutter,13/16" x 1" Arbor,Hole Saw,1/2" Chuck Bar,Aligning,24" Bar,Crow,18" Bar,Mechanic Pry,With Screwdriver Handle,24" Bar,Pry,24" Bar,Rolling Head Pry,16" Battery Charger,Cordless Tool,Dewalt,20V Battery Charger,Cordless Tool,Dewalt,18V Bolt Cutter,Heavy Duty,18" Booster Cables,Vehicle Battery,12', Caliper,Digital,0" - 6" 2 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000		1
Flagging Tape Tag,Red Air Compressor,Electric,Portable,8 Gallon Annular Cutter,13/16" x 1" Arbor,Hole Saw,1/2" Chuck 1 Bar,Aligning,24" 1 Bar,Crow,18" 16 Bar,Mechanic Pry,With Screwdriver Handle,24" 1 Bar,Rolling Head Pry,16" 2 Battery Charger,Cordless Tool,Dewalt,20V 9 Battery Charger,Cordless Tool,Dewalt,18V 1 Bolt Cutter,Heavy Duty,18" 1 Booster Cables,Vehicle Battery,12', Caliper,Digital,0" - 6" 2 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000	· · · · · · · · · · · · · · · · · · ·	100
Air Compressor, Electric, Portable, 8 Gallon Annular Cutter, 13/16" x 1" Arbor, Hole Saw, 1/2" Chuck Bar, Aligning, 24" Bar, Crow, 18" Bar, Mechanic Pry, With Screwdriver Handle, 24" Bar, Pry, 24" Bar, Rolling Head Pry, 16" Battery Charger, Cordless Tool, Dewalt, 20V Battery Charger, Cordless Tool, Dewalt, 18V Bolt Cutter, Heavy Duty, 18" Bolt Cutter, Heavy Duty, 24" Booster Cables, Vehicle Battery, 12', Caliper, Digital, 0" - 6" 2 Caulking Gun, Manual, Adhesive Applicator, Hilti, MD1000		
Annular Cutter,13/16" x 1" Arbor,Hole Saw,1/2" Chuck Bar,Aligning,24" Bar,Crow,18" Bar,Mechanic Pry,With Screwdriver Handle,24" Bar,Pry,24" Bar,Rolling Head Pry,16" Battery Charger,Cordless Tool,Dewalt,20V Battery Charger,Cordless Tool,Dewalt,18V Bolt Cutter,Heavy Duty,18" Bolt Cutter,Heavy Duty,24" Booster Cables,Vehicle Battery,12', Caliper,Digital,0" - 6" 2 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000		
Arbor, Hole Saw, 1/2" Chuck Bar, Aligning, 24" Bar, Crow, 18" Bar, Mechanic Pry, With Screwdriver Handle, 24" Bar, Pry, 24" Bar, Rolling Head Pry, 16" Battery Charger, Cordless Tool, Dewalt, 20V Battery Charger, Cordless Tool, Dewalt, 18V Bolt Cutter, Heavy Duty, 18" Bolt Cutter, Heavy Duty, 24" Booster Cables, Vehicle Battery, 12', Caliper, Digital, 0" - 6" 2 Caulking Gun, Manual, Adhesive Applicator, Hilti, MD 1000	•	2
Bar,Aligning,24" Bar,Crow,18" 16 Bar,Mechanic Pry,With Screwdriver Handle,24" 11 Bar,Pry,24" 12 Battery Charger,Cordless Tool,Dewalt,20V Battery Charger,Cordless Tool,Dewalt,18V 13 Bolt Cutter,Heavy Duty,18" 14 Booster Cables,Vehicle Battery,12', Caliper,Digital,0" - 6" 25 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000	·	1
Bar,Crow,18" 16 Bar,Mechanic Pry,With Screwdriver Handle,24" 1 Bar,Pry,24" 1 Bar,Rolling Head Pry,16" 2 Battery Charger,Cordless Tool,Dewalt,20V 9 Battery Charger,Cordless Tool,Dewalt,18V 1 Bolt Cutter,Heavy Duty,18" 1 Bolt Cutter,Heavy Duty,24" 1 Booster Cables,Vehicle Battery,12', 1 Caliper,Digital,0" - 6" 2 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000		1
Bar,Mechanic Pry,With Screwdriver Handle,24" Bar,Pry,24" 1 Bar,Rolling Head Pry,16" 2 Battery Charger,Cordless Tool,Dewalt,20V 9 Battery Charger,Cordless Tool,Dewalt,18V 1 Bolt Cutter,Heavy Duty,18" 1 Bolt Cutter,Heavy Duty,24" 1 Booster Cables,Vehicle Battery,12', Caliper,Digital,0" - 6" 2 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000		16
Bar,Pry,24" Bar,Rolling Head Pry,16" 2 Battery Charger,Cordless Tool,Dewalt,20V Battery Charger,Cordless Tool,Dewalt,18V 1 Bolt Cutter,Heavy Duty,18" 1 Bolt Cutter,Heavy Duty,24" 1 Booster Cables,Vehicle Battery,12', Caliper,Digital,0" - 6" 2 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000		
Bar,Rolling Head Pry,16" Battery Charger,Cordless Tool,Dewalt,20V Battery Charger,Cordless Tool,Dewalt,18V 1 Bolt Cutter,Heavy Duty,18" 1 Bolt Cutter,Heavy Duty,24" 1 Booster Cables,Vehicle Battery,12', Caliper,Digital,0" - 6" 2 Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000		1
Battery Charger, Cordless Tool, Dewalt, 20V Battery Charger, Cordless Tool, Dewalt, 18V 1 Bolt Cutter, Heavy Duty, 18" 1 Bolt Cutter, Heavy Duty, 24" 1 Booster Cables, Vehicle Battery, 12', Caliper, Digital, 0" - 6" 2 Caulking Gun, Manual, Adhesive Applicator, Hilti, MD 1000	Bar,Rolling Head Pry,16"	2
Bolt Cutter, Heavy Duty, 18" Bolt Cutter, Heavy Duty, 24" Booster Cables, Vehicle Battery, 12', Caliper, Digital, 0" - 6" Caulking Gun, Manual, Adhesive Applicator, Hilti, MD1000	-	9
Bolt Cutter, Heavy Duty, 18" Bolt Cutter, Heavy Duty, 24" Booster Cables, Vehicle Battery, 12', Caliper, Digital, 0" - 6" Caulking Gun, Manual, Adhesive Applicator, Hilti, MD1000		1
Bolt Cutter, Heavy Duty, 24" Booster Cables, Vehicle Battery, 12', Caliper, Digital, 0" - 6" Caulking Gun, Manual, Adhesive Applicator, Hilti, MD 1000		1
Booster Cables, Vehicle Battery, 12', 1 Caliper, Digital, 0" - 6" 2 Caulking Gun, Manual, Adhesive 1 Applicator, Hilti, MD 1000		1
Caulking Gun,Manual,Adhesive 1 Applicator,Hilti,MD1000	Booster Cables, Vehicle Battery, 12',	1
Caulking Gun,Manual,Adhesive 1 Applicator,Hilti,MD1000	-	2
	Caulking Gun,Manual,Adhesive	1
Caulking Guil, Mailuai, 500 IIIL	Caulking Gun,Manual,300 mL	1
Chalk Line,50'	Chalk Line,50'	1

Chisel,Flat	3
Chisel Set,Cold,6-piece,7-piece	1
Clamp,Bar "Bessey",12",SD	2
Clamp,Bar "Bessey",16",SD	1
Clamp,Bar "Bessey",20",HD	3
Clamp,Beam,2 Tonne	3
C-Clamp,C,6"	4
Drill,Corded,Pistol Grip,1/2" Chuck,Dewalt	1
Drill,Corded,Pistol Grip,1/2" Chuck,Milwauki	3
Drill Bit,Regular,SST,1/16"	4
Drill Bit,Regular,SST,5/64"	4
Drill Bit,Regular,SST,3/32"	4
Drill Bit,Regular,SST,7/64"	4
Drill Bit,Regular,SST,1/8"	4
Drill Bit,Regular,SST,9/64"	3
Drill Bit,Regular,SST,5/32"	4
Drill Bit,Regular,SST,11/64"	3
Drill Bit,Regular,SST,3/16"	2
Drill Bit,Regular,SST,13/64"	3
Drill Bit,Regular,SST,7/32"	2
Drill Bit,Regular,SST,15/64"	2
Drill Bit,Regular,SST,1/4"	1
Drill Bit,Regular,SST,17/64"	4
Drill Bit,Regular,SST,19/64"	2
Drill Bit,Regular,SST,5/16"	3
Drill Bit,Regular,SST,21/64"	4
Drill Bit,Regular,SST,11/32"	3
Drill Bit,Regular,SST,23/64"	2
Drill Bit,Regular,SST,3/8"	1
Drill Bit,Regular,SST,25/64"	1
Drill Bit,Regular,SST,13/32"	2
Drill Bit,Regular,SST,27/64"	3
Drill Bit,Regular,SST,7/16"	4
Drill Bit,Regular,SST,29/64"	4
Drill Bit,Regular,SST,15/32"	4
Drill Bit,Regular,SST,31/64"	4
Drill Bit,Regular,SST,17/32"	4
Drill Bit,Regular,SST,9/16"	1
Drill Bit,Regular,SST,5/8"	1
Drill Bit,Regular,SST,11/16"	1
Drill Bit,Regular,SST,3/4"	2

Drill Bit,Regular,SST,13/16"	5
Drill Bit,Regular,SST,7/8"	7
Drill Bit,Regular,SST,15/16"	4
Drill Bit,Regular,SST,1"	4
Drill Bit,Regular,SST,1 1/16"	1
Drill Bit,Regular,SST,1 1/4"	1
Drill Bit,Regular,SST,1 3/8"	1
Drill Bit,Rotary Hammer,SDS Plus,3/8" x 4" to 8" (2 and 4 cutter)	1
Drill Bit,Rotary Hammer,SDS Plus,3/8" x 9" to 12"	3
(2 and 4 cutter) Drill Bit,Rotary Hammer,SDS Plus,1/2" x 4" to 8"	1
(2 and 4 cutter)	
Drill Bit,Rotary Hammer,SDS Plus,1/2" x 9" to 12"(2 and 4 cutter)	1
Drill Bit,Rotary Hammer,SDS Plus,1/2" x 13" to 16" (2 and 4 cutter)	1
Drill Bit,Rotary Hammer,SDS Plus,5/8" x 4" to 8" (2 and 4 cutter)	1
Drill Bit,Rotary Hammer,SDS Plus,5/8" x 9" to 12"	1
(2 and 4 cutter) Drill Bit,Rotary Hammer,SDS Plus,5/8" x 13" to 16"	1
(2 and 4 cutter)	l
Drill Bit,Rotary Hammer,SDS Plus,5/8" x 17" to 24" (2 and 4 cutter)	1
Drill Bit,Rotary Hammer,SDS Plus,3/4" x 9" to 12" (2 and 4 cutter)	3
Drill Bit,Rotary Hammer,SDS Max,1" x 17" to 24" (2	4
and 4 cutter) Drill Bit,Rotary Hammer,SDS Max,1 1/8" x 17" to	1
24" (2 and 4 cutter)	'
Drill Bit,Ship Auger,5/8" x 18"	1
Drill Bit,Ship Auger,1" x 18"	2
Drill Bit Set,Index,SST Reg, 9/16" to 1" with 1/2" rd	
shank with 3 flats	•
Drill Press,Corded,JDP-22F	1
Drill Press,Electromagnetic,Mag Drill,Milwaukee	1
Funnel,Multi-Purpose,Polyethylene,Small	1
Funnel,Multi-Purpose,Polyethylene,Medium	1
Funnel,Multi-Purpose,Polyethylene,Large	1
Grease Gun,Lever Type,16 oz.	2
(Do Not Reorder) Grinder, Angle, Corded, 5", all	2
"Other" Models	۷
Grinder,Bench,6"	1
Grinder,Die,Corded,Dewalt	2
Hammer, Chipping, Welding	2
Hammer,Framer,Claw	2
Hammer,Deadblow,Long Handle	1

Hammer,Sledge,Long Handle (Various Styles)	3
Hammer, Sledge, Short Handle, 3 lbs.	2
Hammer, Sledge, Short Handle 4 lbs.	1
Heater,Space,110V	5
Impact,Corded,1/2" Drive,Dewalt	2
Impact,Corded,3/4" Drive,Dewalt	1
Interrupter,Ground Fault Circuit,Portable,GFCI	1
Jack,Bottle,Regular Profile,8 Tonne	1
Jack,Bottle,Regular Profile,5 Tonne	1
Jerry Can,Fuel,20 L	5
Knife,Putty,Steel	1
Ladder,Extension,Featherlite,24'	1
Ladder,Step,Fiberglass,Featherlite,6'	3
Ladder, Step, Fiberglass, Featherlite, 10'	1
	1
Level,Box Beam,Magnetic,48" Level,Box Beam,Magnetic,72"	1
	•
Level, Box Beam, Magnetic, 24"	3
Level,I-Beam,Non-Magnetic,48" Long	1
Level,Laser,Self Leveling,Rotary	1
Level, Torpedo, Magnetic	1
Light, Halogen, Task Lamp, With Handle, 500 Watt	1
Light, Hard Hat, Pelican 2610 or 2690	6
Pliers, Diagonal (Side Cutter), 7" - Medium	1
Pliers,Locking,C-Clamp,11" Long,Vise Grip,11R	2
Pliers,Locking,Curved Jaw,8" Long,Vise Grip	3
Pliers,Wire Stripper	1
Pliers,Slip Joint	3
Pliers,Tongue & Groove	3
Pop Riveter Gun,Standard,3/32" - 3/16"	1
Punch,Aligning	1
Punch,Pin	4
Punch,Roll Pin	2
Ratchet, Drive, 1/2"	2
Ratchet, Drive, 3/4"	1
Ratchet, Drive, Breaker, Flex, Bar, 1/2"	3
Ratchet, Drive, Sliding T-Handle, 3/4"	1
Ratchet,Extension,1/4" Drive,4" Long,Standard	1
Ratchet, Extension, 3/8" Drive, 3" Long, Standard	1
Ratchet, Extension, 3/8" Drive, 6" Long, Standard	1
Ratchet,Extension,3/8" Drive,10" Long,Standard	1
Ratchet,Extension,1/2" Drive,5" Long,Standard	1
<u> </u>	L

Ratchet, Extension, 1/2" Drive, 10" Long, Standard	4
	•
Ratchet, Swivel, A.K.A. U-Joint, 1/2" Drive, Standard	1
Rotation Laser Stand, Tripod	1
Saw,Band,Portable,4 3/4",Milwaukee Corded	1
Saw,Circular,Corded,7 1/4",Dewalt	1
Saw,Cut-off,Corded,14",All "Other" Models	1
Saw,Reciprocating,Corded,Milwaukee	2
Saw Blade,Hack,Bi-Metal,12" Long	2
Saw Blade, Hole, Bi-Metal, 7/8"	1
Saw Blade,Hole,Bi-Metal,1 1/8"	1
Saw Blade,Hole,Bi-Metal,1 3/8"	1
Saw Blade, Hole, Bi-Metal, 1 3/4"	1
Saw Blade,Hole,Bi-Metal,2"	1
Saw Blade,Reciprocating,Metal,6"x14 tpi	54
Saw Blade,Reciprocating,Metal,12"x18 tpi	7
Screw Extractor, Standard, 1/8"	1
Screw Extractor, Standard, 3/16"	1
Screw Extractor, Standard, 5/16"	1
Screw Extractor, Standard, 3/8"	1
Screw Extractor, Standard, 15/32"	1
Socket - 1/4" Drive,Metric,Deep,4 mm,Standard	1
Socket - 1/4" Drive, Metric, Deep, 5 mm, Standard	1
Socket - 1/4" Drive, Metric, Deep, 6 mm, Standard	1
Socket - 1/4" Drive, Metric, Deep, 8 mm, Standard	1
Socket - 1/4" Drive,Metric,Deep,9 mm,Standard	1
Socket - 1/4" Drive, Metric, Deep, 11 mm, Standard	1
Socket - 1/4" Drive, Metric, Shallow, 5 mm, Standard	1
Socket - 1/4" Drive, Metric, Shallow, 6 mm, Standard	1
Socket - 1/4" Drive, Metric, Shallow, 7 mm, Standard	1
Socket - 1/4" Drive, Metric, Shallow, 8 mm, Standard	1
Socket - 1/4" Drive, Metric, Shallow, 9 mm, Standard	1
Socket - 1/4" Drive, Metric, Shallow, 10 mm, Standard	1
Socket - 1/4" Drive, Metric, Shallow, 11 mm, Standard	1
Socket - 3/8" Drive,Metric,Allen (Short),5 mm,Standard	1
Socket - 3/8" Drive, Metric, Allen (Short), 6	1
mm,Standard	
Socket - 3/8" Drive, Metric, Allen (Short), 7	1
mm,Standard Socket - 3/8" Drive,Metric,Allen (Short),8	1
mm,Standard	
Socket - 3/8" Drive, Metric, Allen (Short), 10	1
mm,Standard	A
Socket - 3/8" Drive,Metric,Deep,8 mm,Standard	1

Socket - 3/8" Drive, Metric, Deep, 9 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 11 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 12 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 13 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 14 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 15 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 17 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 18 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 6 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 7 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 8 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 9 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 10 mm, Standard	2
Socket - 3/8" Drive, Metric, Shallow, 11 mm, Standard	2
Socket - 3/8" Drive, Metric, Shallow, 12 mm, Standard	2
Socket - 3/8" Drive, Metric, Shallow, 13 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 14 mm, Standard	2
Socket - 3/8" Drive, Metric, Shallow, 15 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 16 mm, Standard	2
Socket - 3/8" Drive, Metric, Shallow, 17 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 18 mm, Standard	2
Socket - 3/8" Drive, Metric, Shallow, 19 mm, Standard	2
Socket - 3/8" Drive, Metric, Shallow, 21 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 22 mm, Standard	1
Socket - 1/2" Drive,Metric,Deep,21 mm,Impact	1
Socket - 1/2" Drive,Metric,Deep,22 mm,Impact	1
Socket - 1/2" Drive, Metric, Shallow, 12 mm, Impact	1
Socket - 1/2" Drive, Metric, Shallow, 14 mm, Impact	1
Socket - 1/4" Drive,SAE,Deep,7/32",Standard	1
Socket - 1/4" Drive,SAE,Deep,1/4",Standard	1
Socket - 1/4" Drive,SAE,Deep,9/32",Standard	1
Socket - 1/4" Drive,SAE,Deep,11/32",Standard	1
Socket - 1/4" Drive,SAE,Deep,3/8",Standard	1
Socket - 1/4" Drive,SAE,Deep,7/16",Standard	1
Socket - 1/4" Drive,SAE,Deep,1/2",Standard	1
Socket - 1/4" Drive,SAE,Shallow,3/16",Standard	1
Socket - 1/4" Drive,SAE,Shallow,7/32",Standard	1
Socket - 1/4" Drive,SAE,Shallow,9/32",Standard	1
Socket - 1/4" Drive,SAE,Shallow,11/32",Standard	1
L	

Socket - 1/4" Drive,SAE,Shallow,7/16",Standard	1
Socket - 1/4" Drive,SAE,Shallow,1/2",Standard	1
Socket - 3/8" Drive, SAE, Allen (Short), 1/8", Standard	2
Socket - 3/8" Drive,SAE,Allen (Short),5/32",Standard	2
Socket - 3/8" Drive,SAE,Allen	2
(Short),3/16",Standard	
Socket - 3/8" Drive, SAE, Allen	1
(Short),7/32",Standard Socket - 3/8" Drive,SAE,Allen (Short),1/4",Standard	2
Socket - 3/8" Drive,SAE,Allen	2
(Short),5/16",Standard	_
Socket - 3/8" Drive, SAE, Allen (Short), 3/8", Standard	2
Socket - 3/8" Drive,SAE,Deep,7/16",Impact	1
Socket - 3/8" Drive,SAE,Deep,1/2",Impact	1
Socket - 3/8" Drive,SAE,Deep,9/16",Impact	1
Socket - 3/8" Drive,SAE,Deep,5/8",Impact	1
Socket - 3/8" Drive,SAE,Deep,5/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,7/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,1/2",Standard	1
Socket - 3/8" Drive,SAE,Deep,9/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,5/8",Standard	1
Socket - 3/8" Drive,SAE,Deep,11/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,3/4",Standard	1
Socket - 3/8" Drive,SAE,Deep,13/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,7/8",Standard	1
Socket - 3/8" Drive,SAE,Shallow,7/16",Standard	1
Socket - 3/8" Drive,SAE,Shallow,5/8",Standard	1
Socket - 3/8" Drive, SAE, Shallow, 11/16", Standard	1
Socket - 3/8" Drive,SAE,Shallow,3/4",Standard	1
Socket - 3/8" Drive,SAE,Shallow,13/16",Standard	1
Socket - 3/8" Drive,SAE,Shallow,7/8",Standard	1
Socket - 1/2" Drive,SAE,Allen	1
(Short),3/16",Standard	4
Socket - 1/2" Drive,SAE,Allen (Short),7/32",Standard	1
Socket - 1/2" Drive, SAE, Allen (Short), 1/4", Standard	1
Socket - 1/2" Drive,SAE,Allen	1
(Short),9/32",Standard	
Socket - 1/2" Drive,SAE,Allen (Short),5/16",Standard	1
Socket - 1/2" Drive,SAE,Allen (Short),3/8",Standard	1
Socket - 1/2" Drive,SAE,Allen (Short),1/2",Standard	1
Socket - 1/2" Drive,SAE,Allen	1
(Short),9/16",Standard	
Socket - 1/2" Drive, SAE, Allen (Short), 5/8", Standard	1

Socket - 1/2" Drive,SAE,Deep,7/16",Impact	3
Socket - 1/2" Drive,SAE,Deep,1/2",Impact	1
Socket - 1/2" Drive,SAE,Deep,9/16",Impact	2
Socket - 1/2" Drive,SAE,Deep,5/8",Impact	3
Socket - 1/2" Drive,SAE,Deep,11/16",Impact	3
Socket - 1/2" Drive,SAE,Deep,3/4",Impact	2
Socket - 1/2" Drive,SAE,Deep,13/16",Impact	4
Socket - 1/2" Drive,SAE,Deep,7/8",Impact	3
Socket - 1/2" Drive,SAE,Deep,15/16",Impact	3
Socket - 1/2" Drive,SAE,Deep,1",Impact	2
Socket - 1/2" Drive,SAE,Deep,1 1/16",Impact	3
Socket - 1/2" Drive,SAE,Deep,3/4",Standard	1
Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,3/8",Impact	1
Socket - 1/2" Drive,SAE,Shallow,9/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,5/8",Impact	2
Socket - 1/2" Drive,SAE,Shallow,11/16",Impact	2
Socket - 1/2" Drive,SAE,Shallow,15/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,1 1/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,1 1/8",Impact	2
Socket - 1/2" Drive,SAE,Shallow,1 3/16",Impact	4
Socket - 1/2" Drive,SAE,Shallow,1 1/4",Impact	3
Socket - 1/2" Drive,SAE,Shallow,3/8",Standard	1
Socket - 1/2" Drive,SAE,Shallow,7/16",Standard	2
Socket - 1/2" Drive,SAE,Shallow,1/2",Standard	3
Socket - 1/2" Drive,SAE,Shallow,9/16",Standard	3
Socket - 1/2" Drive,SAE,Shallow,5/8",Standard	3
Socket - 1/2" Drive,SAE,Shallow,11/16",Standard	6
Socket - 1/2" Drive,SAE,Shallow,3/4",Standard	1
Socket - 1/2" Drive,SAE,Shallow,13/16",Standard	4
Socket - 1/2" Drive,SAE,Shallow,7/8",Standard	4
Socket - 1/2" Drive, SAE, Shallow, 15/16", Standard	2
Socket - 1/2" Drive,SAE,Shallow,1",Standard	4
Socket - 1/2" Drive,SAE,Shallow,1 1/16",Standard	4
Socket - 1/2" Drive,SAE,Shallow,1 1/8",Standard	1
Socket - 1/2" Drive,SAE,Shallow,1 3/16",Standard	4
Socket - 1/2" Drive,SAE,Shallow,1 1/4",Standard	4
Socket - 3/4" Drive,SAE,Deep,3/4",Impact	1
Socket - 3/4" Drive,SAE,Deep,15/16",Impact	1
Socket - 3/4" Drive,SAE,Deep,1",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 1/8",Impact	1
<u> </u>	

Socket - 3/4" Drive,SAE,Deep,1 3/16",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 1/4",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 5/16",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 7/16",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 1/2",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 5/8",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 13/16",Impact	1
Socket - 3/4" Drive,SAE,Deep,1 7/8",Impact	1
Socket - 3/4" Drive,SAE,Deep,2",Impact	1
Socket - 3/4" Drive,SAE,Shallow,7/8",Standard	1
Socket - 3/4" Drive,SAE,Shallow,15/16",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 1/16",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 1/8",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 3/16",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 1/4",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 3/8",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 7/16",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 1/2",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 5/8",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 3/4",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 13/16",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 7/8",Standard	1
Socket - 3/4" Drive,SAE,Shallow,2",Standard	1
Square,Carpenter,Normal,12" x 8"	2
Square,Carpenter,Normal,24" x 16"	3
Square,Layout,6 3/4" (Speed Square)	4
Tap and Die Set,SAE/Metric,76 piece	1
Tap and Die Set,SAE,34 piece	1
Tape Measure,Manual Reel ,Metric / SAE,30 m /	1
100'	1
Tape Measure,Manual Reel,SAE,200',Lufkin	1
Tie Down Strap,Ratchet,Polyester,1" x 10',Heavy Duty	1
Tie Down Strap,Ratchet,Polyester,2" x 10',Heavy	1
Duty	
Tie Down Strap,Ratchet,Polyester,2" x 12',Heavy Duty	1
Tool Chest,Top,6 Drawer	1
Vacuum,12 Gallon,Shop-Vac,Wet/Dry	1
Wire Wheel Brush, Carbon, Knot Twisted or Stringer	4
Bead,5"	
Wire Wheel Brush,S.S.,Knot Twisted or Stringer Bead,5"	5
Measuring Gasket,Wrap-A-Round,Flexible,5" Wide x 7' Long	1

Wrench,Allen,SAE - Long,1/2"	1
Wrench,Allen,SAE - Long,9/16"	1
Wrench,Allen,SAE - Long,5/8"	1
Wrench,Allen,SAE - Long,3/4"	1
Wrench,Allen,SAE - Long,7/8"	1
Wrench,Allen,SAE - Regular,3/8"	1
Wrench, Crescent, 18"	2
Wrench, Crescent, 24"	2
Wrench,Flat (Combination),Metric - Regular,6 mm	1
Wrench,Flat (Combination),Metric - Regular,7 mm	2
Wrench,Flat (Combination),Metric - Regular,9 mm	2
Wrench,Flat (Combination),Metric - Regular,11mm	1
Wrench,Flat (Combination),Metric - Regular,12 mm	2
Wrench,Flat (Combination),Metric - Regular,15 mm	2
Wrench,Flat (Combination),Metric - Regular,16 mm	1
Wrench,Flat (Combination),Metric - Regular,18 mm	1
Wrench,Flat (Combination),Metric - Regular,19 mm	2
Wrench,Flat (Combination),Metric - Regular,20 mm	2
Wrench,Flat (Combination),Metric - Regular,21 mm	2
Wrench,Flat (Combination),Metric - Regular,22 mm	2
Wrench,Flat (Combination),Metric - Regular,23 mm	2
Wrench,Flat (Combination),Metric - Regular,24 mm	2
Wrench,Flat (Combination),SAE - Regular,1/4"	1
Wrench,Flat (Combination),SAE - Regular,7/16"	1
Wrench,Flat (Combination),SAE - Regular,1/2"	4
Wrench,Flat (Combination),SAE - Regular,9/16"	7
Wrench,Flat (Combination),SAE - Regular,5/8"	3
Wrench,Flat (Combination),SAE - Regular,11/16"	3
Wrench,Flat (Combination),SAE - Regular,3/4"	7
Wrench,Flat (Combination),SAE - Regular,13/16"	2
Wrench,Flat (Combination),SAE - Regular,15/16"	9
Wrench,Flat (Combination),SAE - Regular,1"	2
Wrench,Flat (Combination),SAE - Regular,1 1/4"	2
Wrench,Flat (Combination),SAE - Regular,1 3/8"	1
Wrench,Flat (Combination),SAE - Regular,1 7/16"	1
Wrench,Flat (Combination),SAE - Regular,1 1/2"	2
Wrench,Flat (Combination),SAE - Regular,1 5/8"	1
Wrench,Flat (Combination),SAE - Regular,1 13/16"	1
Wrench,Flat (Combination),SAE - Regular,1 7/8"	3
Wrench,Flat (Combination),SAE - Regular,2"	2
Wrench,Pipe,Aluminum,18"	1
L	

Wrench,Pipe,Aluminum,24"	1
Wrench,Pipe,Steel - SAE,18"	1
Wrench,Ratcheting,Combination - Metric,8mm	2
Wrench,Ratcheting,Combination - Metric,12mm	2
Wrench,Ratcheting,Combination - SAE -	1
Reversible,3/8" Wrench,Ratcheting,Combination - SAE -	2
Reversible,7/16"	2
Wrench,Spud,1-1/4" x 18"	5
Wrench,Torque,3/8" Drive	1
Wrench,Torque,1/2" Drive	1
Caulking Gun, Applicator, Hilti, HDM500, supersedes MD2500	1
Drill,Corded,Rotary Hammer,SDS+,Dewalt	2
Drill Bit,Rotary Hammer,SDS Plus,7/8" x 9" to 12" (2 and 4 cutter)	2
Pliers,Needle Nose	2
Socket - 3/8" Drive,SAE,Shallow,1/4",Standard	1
Utility Knife Replacement Blade,Olfa,EA Blade	12
Screw Driver, Hammer-on, Slotted, Large-5/16"x6"	1
Tool,Bag,Bucket,Canvas w/leather bottom,Kuny SW744	7
Paint Roller Frame for 4" Foam Rolller	2
Drill Bit,Rotary Hammer,SDS Max,1/2"x 9" to 12" (2 and 4 cutter)	1
Socket - 3/4" Drive,SAE,Deep,1 9/16",Impact	1
Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits	1
Tool Bag,Bull Pin	3
Hose,Air,Bulk,1/4"	50
Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits	2
Clamp,Bar "Bessey",12",HD	1
Laser Alignment Tool, Shaft, SKF TMEA2	1
Wrench, Spud, 1 1/8" x 18"	1
Punch,Bull Pin,Broad Head,13" x 1 1/4"	3
Coupler,Compressed Air,M Style,Plug,1/4" FNPT,Milton S711	3
Level,Box Beam,Magnetic,8'	1
Bar,Stripping,48" (Savage)	2
Hammer,Ball,Pein,Peen,32 oz.	2
Wrench,Spud,1-7/16" x 21"	1
Hose,Air,Bulk,3/8"	50
Socket - 1/2" Drive,SAE,Shallow,1 5/16",Impact	2
Reamer,Dual Cut,1"	2
Saw Blade,Band,Hand Held,Bi-Metal,Deep Cut,44-7/8" Length,Milwaukee 48-39-0511	10

Battery,Cordless Tool,Dewalt,20V	13
Saw Blade Reciprocating, AXE, 12", 5 PACK, 48-00-5027	2
Drill Bit,Rotary Hammer,SDS Plus,1" x 17" to 24" (2 and 4 cutter)	3
Hammer,Ball Pein,Peen,24 oz	2
Coupler,Compressed Air,M-Style,7 Piece Kit,Milton S212	1
Drill Bit, Cobalt, 1/2"	6
Arbor, Hole Saw, 7/16" Hex Shank, 1 1/4" - 6", Lenox, 1779805	1
Heater, Space, 240V	1
Impact, Cordless, Dewalt 20 V, 1/2" Drive	2
Bit, Impact Driver Accessory Set, 26 Pc Maximum	1
Tarp, Foam Insulated, 12' x 20'	7
Reamer,5/8"	1
Gas,Acetylene (C2H2),CWG,38" Tank	5
Fire Blanket,Leather, SQFT	32
Gauge,Pressure,Acetylene,15 PSI,For Regulator	2
Gauge,Pressure,Oxygen,200 PSI,For Regulator	1
Hose,Welding,Acetylene / Oxygen,1/4" x 25'	1
Hose,Welding,Acetylene / Oxygen,1/4" x 50'	2
Gas,Oxygen (O2),K,56" Tank	4
Plasma Cutter,40 Amp,Thermal Dynamics	1
Propane Torch, Tiger Torch	1
Regulator,Acetylene,Heavy Duty,Victor,CSR 460A	2
Regulator,Oxygen,Heavy Duty,Victor,CSR 450D	4
Soap Stone,Flat,1/2" x 5"	10
Spark Striker, Single Flint	8
Torch Handle,9/16" Hose Connection,9" Long,Heavy Duty,Victor	3
Torch Nozzle, Heating, 8", Heavy Duty, Victor, 8MFA	1
Welding Cable Connector, Single Ball Point, Female, 1 / 0 AWG	1
Welding Ground Clamp,500 Amp	2
Welding Rod,Low Hydrogen,7018,3/16" x 18",5KG box	18.3
Welding Rod, Stainless Steel, 316L, 3/32" x 12", 73 Rods KG	10.89
Welding Stinger,Twist Type,400 amp	2
Welding Rod, Stainless Steel, 316L, 1/8" x 14", 31.4 Rods per box	4
Welding Cable Connector, Set, Tweco, 2MPC, 9425-1210, (2) Male	1
Welder,Lincoln,Ranger 305G	1
Welding Cable Connector, Set, Tweco, 2MPC, 9425-1220, (2) Female	1

Welding Cable,Cord (Cable),Copper,2 / 0 AWG	122
Welding Rod, ESAB, 7018, 1/8", 20	42.3
Rods/Kg,4.7Kg/Box Disc,Cutting,Metal,5" x .045" x 7/8",Tyrolit	275
458870,Zip	213
Silicone,Multi Use,Clear,300 mL Tube,Dow	6
Corning,732	2
Accessory Pak,Maxi-lift,5/16",ZP,Pkg of 100-Nut, Flat & Lock	3
Tape,Teflon,White,1/2" x 480"	10
Shackle, Anchor, Screw Pin, 3/4" (4 3/4	13
Tonne),Crosby,G-209 Anchor Sling,Steel Cable,Fall Protection,4' x	4
1/4",Red,Dog leash	7
Dust Masks,8210,N95,20 / box,3M	2
Anchor,Structural Beam,AKA Flange bar,FB2, Beam Buddy	3
Battery,Cordless Tool,Dewalt,18V	2
Drill Bit,Regular,SST,9/32"	2
Drill Bit,Regular,SST,1/2"	7
Pail, Galvanized Steel, 12 Litre	4
Ratchet, Swivel, A.K.A. U-Joint, 3/8" Drive, Standard	1
Saw,Hack,12"	2
Socket - 1/4" Drive, Metric, Deep, 7 mm, Standard	1
Socket - 1/4" Drive,Metric,Deep,10 mm,Standard	1
Socket - 1/4" Drive, Metric, Shallow, 12 mm, Standard	1
Socket - 3/8" Drive,Metric,Deep,10 mm,Standard	1
Socket - 1/4" Drive,SAE,Deep,3/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,3/8",Standard	1
Socket - 1/2" Drive,SAE,Shallow,13/16",Impact	2
Socket - 1/2" Drive,SAE,Shallow,7/8",Impact	3
Socket - 1/2" Drive,SAE,Shallow,1",Impact	1
Wrench,Crescent,12"	2
Wrench,Flat (Combination),Metric - Regular,10 mm	2
Wrench,Flat (Combination),SAE - Regular,3/8"	1
Wrench,Flat (Combination),SAE - Regular,7/8"	1
Wrench,Flat (Combination),SAE - Regular,1 1/16"	1
Wrench,Flat (Combination),SAE - Regular,1 1/8"	2
(Do Not Reorder) Grinder, Angle, Corded, 6", all	2
"Other" Models	_
Drill,Cordless,20 Volt,1/2" Chuck,Dewalt	3
Plasma Electrode,MaximumLife,Thermal Dynamics,9-8215	6
Torch Cutting Tip,Drag Type Tip,Heavy	2
Duty, Victor, 1-110	_
Welding Cable,Cord (Cable),Copper,1 / 0 AWG	91.4

Welding Ground Clamp,300 Amp	2
Welding Rod,Low Hydrogen,7018,3/32" x 12",	10
2.5KG/ box, 183 RODS PER BOX	
Welding Rod,Low Hydrogen,7018,1/8" x 14",	49.8
5KG/box Fire Blanket,32 oz,Coated,39" x 50yd roll	15
Lockout,Lock Box	1
Punch,Center	3
Paint Roller Tray,Steel,9 1/2"	2
Bolt Cutter, Heavy Duty, 36"	1
Angle Meter, Magnetic Base, 0 - 90 Degrees	3
Puller,3 Jaw,Regular Jaw,6" Reach,Posi Lock,#	1
Level,I-Beam,Non-Magnetic,72" Long	1
Punch,Bull Pin,10" x 1 1/16"	2
Pliers,Snap Ring	6
Shackle,Anchor,Screw Pin,1" (8 1/2 Tonne),Crosby,G-209	3
Ratchet,Extension,3/4" Drive,8" Long,Standard	1
Hose,Welding,Acetylene / Oxygen,1/4" x 100'	1
Saw Blade,Hole,Bi-Metal,2 1/2"	1
Wrench,Ratcheting,Combination - SAE - Reversible,5/16"	1
Cloth,Emery,1" x 50 Yards,60 Grit	2
Ratchet, Adaptor, Female to Male, 1/2" to 3/8", Standard	1
Ratchet, Extension, 3/8" Drive, 4" Long, Standard	1
Air,Pop Riveter Gun,Pneumatic,3/32" - 3/16"	2
Ratchet, Extension, 3/4" Drive, 16" Long, Standard	1
Shim, Slotted Stainless Steel, B (3" x 3"),.002"	10
Flashback Arrestor,Regulator Adaptor Style,Oxygen	1
Cloth,Emery,1" x 50 Yards,100 Grit	1
Socket - 1/2" Drive,Metric,Deep,18 mm,Impact	2
Breaker,Plug-in,15A,1P,Square D,GFCI, QO115GFI	3
Nut Driver, Hand, 1/4"	1
Nut Driver, Hand, 5/16"	2
Nut Driver, Hand, 3/8"	4
Nut Driver, Hand, 7/16"	1
Nut Driver,Hand,1/2"	1
Socket - 3/4" Drive, SAE, Deep, 1 3/4", Impact	1
Drill Bit,Rotary Hammer,SDS Plus,1/4" x 4" to 8" (2 and 4 cutter)	2
Socket - 3/4" Drive,SAE,Deep,1 11/16",Impact	1
Bit, Impact Driver Robertson #2, Short(Short being	4

2" and shorter)	
Wrench,Ratcheting,Combination - Metric,10mm	1
Wrench,Ratcheting,Combination - Metric,13mm	1
Wrench,Ratcheting,Combination - Metric,15mm	2
Wrench,Ratcheting,Combination - Metric,16mm	2
Wrench,Ratcheting,Combination - Metric,18mm	2
Ratchet,Extension,1/4" Dr, 2' Long, Standard	1
	1
Socket- 1/4" drive, Metric, Deep, 12MM, Standard	
Socket- 1/2"Drive,Metric,Shallow,11mm,Impact	1
Impact,Cordless,1/4" Hex Drive,Screwdriver,Dewalt 20V	2
Impact,Cordless,1/2" Drive,Dewalt 20V	4
Adhesive, Acrylic, Dewalt AC200+, 10 oz Cartridge	6
Pop Rivet Gun,M12,Cordless,Milwaukee 2550-20	1
Screw Driver, Hand,Flat,Blade width 3/16" - 1/4"	1
Short (Short being 3" and shorter)	
Screw Driver, Hand, Flat, Blade width 3/16" - 1/4"	10
Long (Long being 4" and longer)	1
Screw Driver, Hand,Flat,Blade width 7/16" - 1/2" Long (long being 4" and longer)	!
Screw Driver, Hand, Philips #2 Short (Short being 3"	4
and shorter)	
Screw Driver, Hand, Philips #1 Long (Long being 4"	3
and longer)	
Screw Driver, Hand, Philips #2 Long (Long being 4" and longer)	3
Screw Driver, Hand,Philips #3 Long (Long being 4"	4
and longer)	'
Screw Driver, Hand,Robertson #1 Long (Long	3
being 4" and longer)	
Screw Driver, Hand,Robertson #2 Long (Long	1
being 4" and longer) Screw Driver, Hand,Robertson #3 Long (Long	3
being 4" and longer)	9
Socket - 3/4" Drive,SAE,Shallow,1 5/16",Standard	1
50' 1/0 AWG Extension welding cable	3
100' 1/0 AWG Extension welding cable	1
250' 1/0 AWG Extension welding cable	2
Welding Ground Whip	1
Welding Stinger Whip	1
	2
Drill Bit,Rotary Hammer,SDS Max,3/4" x 13" to 16" (2 and 4 cutter)	2
Drill Bit,Rotary Hammer,SDS Max,3/4" x 17" to 24"	1
(2 and 4 cutter)	
Drill Bit,Rotary Hammer,SDS Max,1" x 9" to 12" (2	1
and 4 cutter) Drill Bit,Rotary Hammer,SDS Max,1" x 13" to 16" (2	2
and 4 cutter)	2
Drill Bit,Rotary Hammer,Splined, 7/8" x 13" to 16"	1
, , , , , , , , , , , , , , , , , , , ,	-

(2 and 4 cutter)	
Spill Kit,Spillkleen,with suitcase	1
BATTERY,3.0 AH,12 V,LI-ION Milwaukee	1
Milwaukee Tool 12V Lithium-Ion Battery Charger	1
Drill,Cordless,Hammer,1/2" Chuck,Dewalt,20V	1
Extension Cord,250/110V,30A,Twist- Lock,100',Trailer Service(300V 4C 10AWG SJOW or SJOOW Minimum)	2
Wrench,Allen,SAE,Long,Up to 3/8" SET	1
Wrench,Allen,Metric,Regular,Up to 10mm SET	1
Wrench,Allen,Metric,Long,Up to 10mm SET	1
Drill Bit,Rotary Hammer,SDS Max,1" x 17" to 24" (2 and 4 cutter)	1
Saw Blade, Hole, Bi-Metal, 2 1/8"	1
Disc,Cutting,Metal,6" x 5/64" x 7/8",A-60 Combo Zip	25
Socket - 3/4" Drive, SAE, Deep, 1 1/16", Impact	1
Socket - 3/4" Drive,SAE,Deep,1 3/8",Impact	1

Unit 134:

Type: 2000 53' Reefer Van Serial Number: 1PTO1ANH2Y8002721 Inventory Listing:

Inventory Listing: Inventory Description	# of Units
Cloth,Emery,1" x 50 Yards,80 Grit	250
Cloth,Emery,1" x 50 Yards,120 Grit	55
Disc,Cutting,Tile,Diamond,Dry,7" x .065"Segmented	1
Disc,Cutting,Metal,6" x .045" x 7/8",Tyrolit 458871,Zip	458
Disc,Grinding,Metal,6" x 1/4" x 7/8"	24
Battery,AA	8
Battery,D	8
Extension Cord,110 V,10' (300V 3c 12AWG SJOOW Mininum)	1
Extension Cord,110 V,25' (300V 3c 12AWG SJOOW Mininum)	1
Extension Cord,110 V,30' (300V 3c 12AWG SJOOW Mininum)	2
Extension Cord,110 V,50' (300V 3c 12AWG SJOOW Mininum)	8
Extension Cord,110 V,75' (300V 3c 12AWG SJOOW Mininum)	1
Extension Cord,110 V,100' (300V 3c 12AWG SJOOW Mininum)	6
Extension Cord,220V,25' 30A Blade Conn (300V 3C 10AWG SJOW or SJOOW Minimum Heater Ext)	1
Extension Cord Conn (Female),2P3W,15A,125V,YELLOW,HBL5969VY	9
Extension Cord Conn (Male),2P3W,125V,15A,YELLOW,HBL5965VY	10
Extension Cord Conn(Male),2P3W,30A/50A,250V,(Welder),S42-SP	2
Tape,Electrical,Black,3/4" x 66'	42
Cable, Cabtire,300V,#12/3C, SJOOW 12/3C BLK	30.48
Broom,Magnetic,Wheeled	1
Broom, Upright, 12" Wide	1
Garbage Bag,100 / Box,35" x 50"	2
Glass Cleaner, Aerosol Spray, Ammonia, Napa, 510 g	7
Glass Cleaner, Aerosol Spray, CRC 539 g	6
Hose,Rubber,Water (Garden),1/2" x 50'	1
Shovel, Spade, Round Point, Various	5
Sidewalk Scraper,Long Handle,Blade, 5 1/2" x 7"	1
Shovel, Snow, Plastic	2
Squeegee,Floor	2
Brush,Counter,Hair/Fibre,	1
Wipes,Wypall,180/Box,Kimberly-Clark,White	17
Sweeping Compound, Dustbane, 22 Kg.	2

Adhesive,Epoxy,Hilti,HIT HY-200 ,330 mL,supersedes HY-150	3
All Thread,UNF,3/4",SS	6
Anchor, Expansion, Wedge, 3/8" x 3-3/4", Red Head	41
Anchor,Expansion,Wedge,1/2" x 5-1/2",Red Head	576
Anchor, Expansion, Wedge, 1/2" x 7", Red Head	1
Anchor, Expansion, Wedge, 3/4" x 6", Red Head	2
Bolt,Carriage,3/8" x 1",Gr. 5	24
Bolt,Lag,5/16" x 1 1/2",Gr. 5	20
Bolt,Lag,1/2" x 2 1/2",Gr. 5	34
Bolt,Lag,1/2" x 4",Gr. 5	22
Bolt,Lag,5/8" x 4",Gr. 5	5
Bolt,Shoulder Lock,3/8" x 1",Gr. 5	312
Bolt,Shoulder Lock,3/8" x 1 1/2",Gr. 5	237
Bolt,Shoulder Lock,3/8" x 2",Gr. 5	167
Bolt,Shoulder Lock,1/2" x 1 1/2",Gr. 5	1,112
Bolt,Shoulder Lock,1/2" x 2",Gr. 5	1,370
Nut,Hex,UNC,5/16",Gr 5	58
Nut,Hex,UNC,3/8",Gr 5	50
Nut,Hex,UNC,1/2",Gr 5	215
Nut,Hex,UNC,1/4",SS	32
Nut,Hex,UNC,1/2",SS	285
Nut,Nylon Lock,UNC,1/4",Gr 5	3
Nut,Nylon Lock,UNC,5/16",Gr 5	5
Nut,Nylon Lock,UNC,3/8",Gr. 5	181
Nut,Nylon Lock,UNC,1/2",Gr 5	37
Nut,Nylon Lock,UNC,1/2",SS	22
Nut,Shoulder Lock,5/16",Gr 5	5
Nut,Shoulder Lock,3/8",Gr 5	497
Nut,Shoulder Lock,1/2",Gr 5	1,447
Nut,Shoulder Lock,3/8",SS	1,123
Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5	129
Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5	5
Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5	38
Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5	21
Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5	41
Screw,Cap,UNC - Hex Head,3/8" x 1",SS	125
Screw,Cap,UNC - Hex Head,5/8" x 2",SS	151
Tape,Duct,Grey,2" x 180'	7
Washer,Flat,3/8",Gr. 5	210
Washer,Lock,5/16",Gr. 5	55
Washer,Lock,3/8",Gr. 5	156

Washer,Lock,1/2",Gr. 5	134
Washer,Lock,5/8",Gr. 5	24
Washer,Lock,1/4",SS	40
Washer,Lock,3/8",SS	1,038
Washer,Lock,1/2",SS	33
Anchor, Expansion, Wedge, 1/2" x 5-1/2", SS	15
Anchor, Hilti, HAS 5.8, Rod, 5/8" x 8"	5
Anchor, Expansion, Wedge, 3/8" x 3-3/4", SS	19
Bolt, Eye, 1/2" x 2 1/2" HD	1
Bolt, Structural, Assembly, 5/8"x 2", Galvanized, A325	27
Anchor, Hilti, HAS-E, Rod, 1/2" x 4 1/2"	40
Cable Clip,Wire Rope,Galvanized,3/16",Crosby,G-450	12
Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450	7
Cable Clip,Wire Rope,Galvanized,5/16",Crosby,G-450	10
Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450	8
Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450	2
Cable Clip,Wire Rope,Galvanized,3/4",Crosby,G-450	2
Cable Clip,Wire Rope,Galvanized,7/8",Crosby,G-450	1
Thimble,Wire Rope,Galvanized,3/16",HD,Crosby,G-414	11
Thimble,Wire Rope,Galvanized,5/16",HD,Crosby,G-414	4
Thimble, Wire Rope, Galvanized, 1/2", HD, Crosby, G-414	1
Thimble,Wire Rope,Galvanized,5/8",HD,Crosby,G-414	1
Thimble,Wire Rope,Galvanized,3/4",HD,Crosby,G-414	1
Thimble, Wire Rope, Galvanized, 7/8", HD, Crosby, G-414	1
Brake Cleaner, Aerosol Spray, CRC, Brakleen, 539 g	13
Cutting Fluid,Bessey,Rapid Tap,455 ml	2
Grease,All-Weather,Esso,Epic EP 102, 400 g Tube	7
Lubricant,Anti-Seize,Brush Top,275 g (9.7 oz)	2
Penetrating Fluid, Aerosol, WD-40,411g	12
HW1 Wrench,Hi Roller	2
Chain Hoist,Long Drop,Manual,1 Tonne	4
Chain Hoist,Long Drop,Manual,2 Tonne	4
Chain Hoist, Short Drop, Manual, 1 Tonne	5
Chain Hoist, Short Drop, Manual, 3 Tonne	1
Puller, Lever, Chain, Come Along, 3/4 Tonne	5
Puller,Lever,Chain,Come Along,3 Tonne	4
Puller,Lever,Chain,Come Along,6 Tonne	1

Rope,Lifting,25'	2
Rope,Lifting,50'	3
Rope,Lifting,100'	1
Safety Latch Kit,Chain Hoist,1	7
Tonne,Westward,Z740A1	
Safety Latch Kit, Chain Hoist, 2	4
Tonne,Westward,Z740A2 Safety Latch Kit,Lever Puller,1 1/2 Tonne,Westward	6
Shackle, Anchor, Screw Pin, 1/2" (2 Tonne), Crosby, G-	2
209	_
Shackle, Anchor, Screw Pin, 5/8" (3 1/4 Tonne), Crosby, G-209	6
Shackle, Anchor, Screw Pin, 1 1/2" (17 Tonne), Crosby, G-209	1
Sling,3 - Straight Eye and Eye,Nylon Double Ply,1" x	2
Sling,3 - Straight Eye and Eye,Nylon Double Ply,2" x	2
Sling,3 - Straight Eye and Eye,Nylon Double Ply,2" x	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,1" x	4
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x	2
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x	6
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x	12
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x	4
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 20'	15
Sling,5 - Endless,Nylon Double Ply,2" x 12'	1
Sling,Wire Rope,Permaloc,1/4" x 6'	8
Sling,Wire Rope,Permaloc,3/8" x 3'	1
Sling,Wire Rope,Permaloc,3/8" x 4'	4
Sling,Wire Rope,Permaloc,3/8" x 6'	4
Sling,Wire Rope,Permaloc,3/8" x 8'	5
Sling,Wire Rope,Permaloc,3/8" x 10'	5
Sling,Wire Rope,Permaloc,1/2" x 4'	4
Sling,Wire Rope,Permaloc,1/2" x 6'	4
Sling,Wire Rope,Permaloc,1/2" x 8'	6
Sling,Wire Rope,Permaloc,1/2" x 10'	4
Snatchblock,Hooked,2 tonne	3
Snatchblock, Hooked, Uses 1/2" Wire Rope, 4 tonne	6

Trolley,Beam,5 Tonne	1
Safety Latch/With Hook,1 1/2 T Come Along/Hoist	1
Belt Splice,Flexco,550J36SSC,Includes Pin,36"	1
Tape,Packing,Clear	2
Paint Brush,Bristle,2"	3
Paint Roller Sleeve,Multi-Use,4 1/2"	2
Paint Roller Sleeve,Multi-Use,9 1/2"	2
Paint Roller Sleeve,Super Fine Foam,4"	4
Paint Thinner,International,GTA 415/5, 18.92L Pail	20
Paint,Galvanizing,Rustoleum Brite Zinc,355g	12
Aerosol	
Paint,Gen Paint,16 Line Self Prime Urethane,White,18.92L	16
Shim,Slotted Stainless Steel,B (3" x 3"),.001"	42
Shim, Slotted Stainless Steel, B (3" x 3"), .003"	31
Shim,Slotted Stainless Steel,B (3" x 3"),.004"	28
Shim, Slotted Stainless Steel, B (3" x 3"), .005"	47
Shim, Slotted Stainless Steel, B (3" x 3"), .010"	16
Shim,Slotted Stainless Steel,B (3" x 3"),.015"	11
Shim, Slotted Stainless Steel, B (3" x 3"), .020"	8
Shim, Slotted Stainless Steel, B (3" x 3"), .025"	1
Carabiner,Auto Locking,1",MSA SRCC643,Large	6
Emergency Vehicle Warning Kit,Triangle Flare,Grote,71422	2
Face Shield Window,Clear,High Perf ,Fibre Metal,4178CLEAR	24
Face Shield Window,Dark Green,High Perf,Fibre Metal,4178DGR	18
One Way Clip,Trailing Rope Grab,Auto Stop,5/8",Tractel	1
Tape,Caution,Yellow,DO NOT ENTER	5
Tape,Danger,Red,DO NOT ENTER	16
Face Shield,Quick-lok,Crown Protector,Fibre- Metal,7",F4500	8
Tag,Aluminum,Inspection,Fire Extinguisher	10
Spill Kit,5 gal	1
Lifeline, Vertical, Safety, 5/8" x 50'	1
Air Blow,Gun	2
Air Blow,Wand,24" Long	1
Air Compressor,Electric,Portable,8 Gallon	1
Annular Cutter,13/16" x 1"	4
Arbor,Hole Saw,3/8" Chuck	1
Arbor,Hole Saw,1/2" Chuck	1
Bar,Crow,60"	2
Bar,Crow,36"	1

Bar,Pry,18"	2
Bar,Pry,24"	7
Bar,Pry,32"	1
Bar,Rolling Head Pry,12"	3
Bar,Rolling Head Pry,16"	1
Bar,Wonder Pry,15"	2
Battery Charger, Cordless Tool, Dewalt, 20V	4
Battery Charger,Cordless Tool,Dewalt,18V	4
Bevel,Sliding T,8" Long	1
Bolt Splice Template,90 Degree,36"	2
Wide,Flexco,140	
Booster Cables, Vehicle Battery, 12',	1
Burr,Carbide,Flat Top Cylindrical - Type SA,3/8" x 3/4"	1
Burr,Carbide,Flat Top Cylindrical - Type SA,5/8" x 1"	3
Burr,Carbide,Round Top Cylindrical - Type SC,3/8" x 3/4"	1
Burr,Carbide,Round Top Cylindrical - Type SC,5/8" x	1
Burr,Carbide,Pointed Tree - Type SG,3/8" x 3/4"	1
Burr,Carbide,Pointed Tree - Type SG,5/8" x 1"	1
Caulking Gun,Manual,Adhesive	1
Applicator, Hilti, MD1000	
Caulking Gun,Manual,300 mL	5
Caulking Gun,Manual,825 mL	1
Chical Flot	
Chisel,Flat Clamp,Bar "Bessey",12",SD	8
• • • • • • • • • • • • • • • • • • • •	7
Clamp,Bar "Bessey",16",SD	1
Clamp,Bar "Bessey",20",HD	1
Clamp,Beam,2 Tonne	8
Clamp,Beam,3 Tonne	2
Contour Marker,Regular,1 1/2" - 18",Curv-O-Matic	1
Drill,Corded,Pistol Grip,1/2" Chuck,Milwauki	2
Drill,Corded,Rotary Hammer,3/8" Chuck,Dewalt,D25650	1
Drill,Cordless,1/2" Chuck,Dewalt 18V	2
Annular Cutter,9/16" x 1"	3
Drill Bit,Hole Saw,Pilot,1/4"	2
Drill Bit,Regular,SST,11/16"	2
Drill Bit,Regular,SST,3/4"	2
Drill Bit,Regular,SST,13/16"	4
Drill Bit,Regular,SST,1 1/16"	1
Drill Bit,Regular,SST,1 1/4"	2

Drill Bit,Rotary Hammer,3/8" x 4" to 6" standard drill shank	1
Drill Bit,Rotary Hammer, 1/2" x 4" to 6" standard drill	1
shank Drill Bit,Rotary Hammer,SDS Plus,1/2" x 4" to 8" (2	6
and 4 cutter)	-
Drill Bit,Rotary Hammer,SDS Plus,7/8" x 13" to 16" (2 and 4 cutter)	2
Drill Bit,Rotary Hammer,SDS Max,1" x 17" to 24" (2	1
and 4 cutter)	
Drill Bit,Ship Auger,3/4" x 14"	2
Drill Bit,Ship Auger,7/8" x 8"	1
Drill Bit,Ship Auger,1" x 18"	1
Drill Bit Set,Index,Regular,29 Pc	2
Drill Press,3/4" Chuck,King Industrial	1
File,Flat,Bastard,12"	1
File,Flat,Smooth	1
File,Half Round,Bastard	1
File,Round,Bastard,10"	3
File Set,Nicholson,9 Pc	1
Grease Gun,Pistol Grip,Heavy Duty	3
Grinder,Angle,Corded,5",Dewalt	5
(Do Not Reorder) Grinder, Angle, Corded, 5", all "Other" Models	3
(Order in Special Circumstances only)	1
Grinder,Angle,Corded,7",Makita 5020 Y (Mosaic	
Spec) Grinder,Die,Corded,Dewalt	2
Hammer,Ball,Pein,Peen,16 oz.	2
Hammer, Chipping, Welding	4
Hammer,Framer,Claw	1
Hammer,Deadblow,Long Handle	2
Hammer,Deadblow,Short Handle	1
Hammer,Sledge,Long Handle (Various Styles)	3
Hammer,Sledge,Short Handle 4 lbs.	4
Heater,Space,110V	12
Heater,Space,220V	3
Heat Gun,Corded	1
Hose,Multi-Purpose (Air),Double Braid,3/8" x 50'	1
Impact,Corded,1/2" Drive,Dewalt	2
Impact,Corded,3/4" Drive,Dewalt	3
Impact,Cordless,1/2" Drive,Dewalt 18V	8
Jack,Bottle,Low Profile,12 Tonne	2
Jack,Bottle,Low Profile,20 Tonne	1
Jack,Bottle,Regular Profile,8 Tonne	1
Jaok, Dottie, Negulai Fiolile, O Tollile	ı

Jack,Bottle,Regular Profile,5 Tonne	3
Jerry Can,Fuel,20 L	1
Ladder,Step,Fiberglass,Featherlite,6'	4
Ladder,Step,Fiberglass,Featherlite,12'	1
Level,Box Beam,Magnetic,48"	1
Level,Box Beam,Magnetic,72"	2
Level,Box Beam,Magnetic,24"	2
Level,I-Beam,Non-Magnetic,48" Long	1
Level,Torpedo,Magnetic	4
Light,Flashlight,AA Battery	1
Light,Wobble Light/ Beacon 360,All Wattages	1
Mechanic Wire,3.125 lb Roll,Rebar Wire, 16.5 GA,	105.15
105Metres	
Micrometer Set,Outside,0" - 6"	1
Bit, Impact Driver, Nut SAE 5/16" (all lengths)	4
Bit, Impact Driver, Nut SAE 1/4" (all lengths)	3
Pliers,Diagonal (Side Cutter),6" - Small	1
Pliers, Diagonal (Side Cutter), 7" - Medium	1
Pliers,Linesman,7" Long	1
Pliers,Linesman,8" Long	2
Pliers,Locking,C-Clamp,6" Long	1
Pliers,Mig	1
Pliers,Wire Stripper	2
Pliers,Slip Joint	3
Puller,3 Jaw,Regular Jaw,10" Reach,Posi Lock,# 110	1
Puller,Nail,Cat Claw	2
Punch,Aligning	10
Punch,Belt,HP1	1
Punch,Roll Pin	2
Ratchet, Drive, 1/2"	7
Ratchet, Drive, 3/4"	2
Ratchet, Drive, Breaker, Flex, Bar, 1/2"	5
Ratchet, Drive, Sliding T-Handle, 3/4"	1
Ratchet,Extension,1/2" Drive,4" Long,Standard	4
Ratchet, Extension, 1/2" Drive, 8" Long, Standard	2
Ratchet, Swivel, A.K.A. U-Joint, 1/2" Drive, Standard	5
Reamer,Dual Cut,1/2"	1
Saw,Circular,Metal Cutting,8" Dia Blade,Milwaukee	1
Saw,Reciprocating,Corded,Milwaukee	1
Saw Blade,Cut-Off,Metal,14" x 3/32" x 1"	3
Saw Blade,Hack,Bi-Metal,12" Long	9

Saw Blade,Hole,Bi-Metal,1 1/8"	1
Saw Blade, Hole, Bi-Metal, 1 176	1
Saw Blade, Hole, Bi-Metal, 1 3/4"	1
Saw Blade, Hole, Bi-Metal, 1 3/4 Saw Blade, Hole, Bi-Metal, 2"	1
	-
Saw Blade, Reciprocating, Metal, 6"x14 tpi	39
Saw Blade, Reciprocating, Metal, 12"x18 tpi	1
Bit, Impact Driver Phillips #1, Short(Short being 2" and shorter)	9
Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter)	13
Screw Driver, Hand, Flat, Blade width 1/4" Short	9
(Short being 4" and shorter) Screw Extractor, Standard, 5/16"	1
Screw Extractor, Standard, 3/8"	1
Screw Extractor, Standard, 15/32"	1
Screw Extractor, Standard, 9/16"	1
Snips,Straight,Yellow Handle,10" Overall Length	2
Socket - 1/2" Drive, Metric, Deep, 14 mm, Impact	1
Socket - 1/4" Drive,SAE,Deep,1/2",Standard	4
Socket - 3/8" Drive,SAE,Deep,1/2",Standard	1
Socket - 3/8" Drive,SAE,Shallow,1/2",Standard	1
Socket - 1/2" Drive,SAE,Allen (Short),3/16",Standard	1
Socket - 1/2" Drive,SAE,Allen (Short),7/32",Standard	1
Socket - 1/2" Drive,SAE,Allen (Short),1/4",Standard	1
Socket - 1/2" Drive,SAE,Allen (Short),9/32",Standard	1
Socket - 1/2" Drive,SAE,Allen (Short),5/16",Standard	1
Socket - 1/2" Drive, SAE, Allen (Short), 3/8", Standard	1
Socket - 1/2" Drive,SAE,Allen (Short),1/2",Standard	1
Socket - 1/2" Drive,SAE,Allen (Short),9/16",Standard	1
Socket - 1/2" Drive,SAE,Allen (Short),5/8",Standard	1
Socket - 1/2" Drive,SAE,Deep,3/8",Impact	4
Socket - 1/2" Drive,SAE,Deep,7/16",Impact	2
Socket - 1/2" Drive,SAE,Deep,1/2",Impact	4
Socket - 1/2" Drive,SAE,Deep,9/16",Impact	4
Socket - 1/2" Drive,SAE,Deep,5/8",Impact	2
Socket - 1/2" Drive, SAE, Deep, 11/16", Impact	3
Socket - 1/2" Drive,SAE,Deep,3/4",Impact	4
Socket - 1/2" Drive,SAE,Deep,13/16",Impact	3
Socket - 1/2" Drive,SAE,Deep,7/8",Impact	3
Socket - 1/2 Drive, SAE, Deep, 1/6, Impact	2
<u> </u>	
Socket - 1/2" Drive, SAE, Deep, 1, 1, 16" Impact	3
Socket - 1/2" Drive, SAE, Deep, 1 1/16", Impact	
Socket - 1/2" Drive,SAE,Deep,1 1/8",Impact	1

Socket - 1/2" Drive,SAE,Deep,1 1/4",Impact	1
Socket - 1/2" Drive,SAE,Deep,9/16",Standard	2
Socket - 1/2" Drive,SAE,Deep,5/8",Standard	1
Socket - 1/2" Drive,SAE,Deep,11/16",Standard	1
Socket - 1/2" Drive,SAE,Deep,3/4",Standard	1
Socket - 1/2" Drive,SAE,Deep,13/16",Standard	1
Socket - 1/2" Drive,SAE,Deep,7/8",Standard	1
Socket - 1/2" Drive,SAE,Deep,15/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,3/8",Impact	1
Socket - 1/2" Drive,SAE,Shallow,9/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,3/4",Impact	1
Socket - 1/2" Drive,SAE,Shallow,1 3/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,7/16",Standard	2
Socket - 1/2" Drive,SAE,Shallow,1/2",Standard	3
Socket - 1/2" Drive,SAE,Shallow,9/16",Standard	5
Socket - 1/2" Drive,SAE,Shallow,5/8",Standard	3
Socket - 1/2" Drive,SAE,Shallow,11/16",Standard	3
Socket - 1/2" Drive,SAE,Shallow,3/4",Standard	5
Socket - 1/2" Drive,SAE,Shallow,13/16",Standard	3
Socket - 1/2" Drive,SAE,Shallow,7/8",Standard	3
Socket - 1/2" Drive,SAE,Shallow,15/16",Standard	3
Socket - 1/2" Drive,SAE,Shallow,1",Standard	3
Socket - 1/2" Drive,SAE,Shallow,1 1/16",Standard	3
Socket - 1/2" Drive,SAE,Shallow,1 1/8",Standard	2
Socket - 1/2" Drive,SAE,Shallow,1 3/16",Standard	2
Socket - 1/2" Drive,SAE,Shallow,1 1/4",Standard	3
Socket - 3/4" Drive,SAE,Deep,1 7/16",Impact	2
Socket - 3/4" Drive,SAE,Deep,1 5/8",Impact	2
Socket - 3/4" Drive,SAE,Shallow,1 1/8",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 1/4",Impact	2
Socket - 3/4" Drive,SAE,Shallow,1 3/4",Impact	2
Socket - 3/4" Drive,SAE,Shallow,2",Impact	1
Socket - 3/4" Drive,SAE,Shallow,7/8",Standard	1
Socket - 3/4" Drive,SAE,Shallow,15/16",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 1/16",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 1/8",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 3/16",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 1/4",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 3/8",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 1/2",Standard	1
<u> </u>	

Socket - 3/4" Drive,SAE,Shallow,1 5/8",Standard	2
Socket - 3/4" Drive,SAE,Shallow,1 3/4",Standard	2
Socket - 3/4" Drive,SAE,Shallow,1 13/16",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 7/8",Standard	1
Socket - 3/4" Drive,SAE,Shallow,2",Standard	1
(Order Only-Do not count)Socket Set - 3/8"	1
Drive,SAE,Allen,6 Pc	
Square,Carpenter,Normal,12" x 8"	1
Square,Carpenter,Normal,24" x 16"	6
Square,Combination,12"	1
Square,Layout,6 3/4" (Speed Square)	2
Stone Dresser,Huntington,Diameter",0" to 10"	1
Tap and Die Set,SAE,45 piece	1
Tape Measure, Manual Reel , Metric / SAE, 30 m / 100'	1
Tie Down Strap,Ratchet,Polyester,1"x 15',Heavy	1
Duty	
Tie Down Strap,Ratchet,Polyester,2" x 15',Heavy	1
Duty Tie Down Strap,Ratchet,Polyester,2"x 30',Heavy	3
Duty	· ·
Vacuum,12 Gallon,Shop-Vac,Wet/Dry	1
Wire Brush, Stainless Steel, Curved Handle, 13 3/4"	1
Wire Brush, Steel, Curved Handle, 13 3/4"	5
Wire Cup Brush, Carbon, Knot Twisted or Crimped, 5"	1
Wire Wheel Brush, Carbon, Bench Grinder, 6"	1
Wire Wheel Brush,Carbon,Knot Twisted or Stringer Bead,5"	2
Wire Wheel Brush,S.S.,Knot Twisted or Stringer Bead,5"	10
Measuring Gasket,Wrap-A-Round,Flexible,5" Wide x	2
7' Long Wrench,Allen,SAE - Long,3/8"	1
Wrench,Allen,SAE - Long,9/16"	<u>.</u>
Wrench,Allen,SAE - Long,3/4"	<u>.</u> 1
Wrench,Allen,SAE - Long,7/8"	<u>.</u> 1
Wrench, Crescent, 10"	1
Wrench, Crescent, 15"	2
Wrench, Crescent, 24"	1
Wrench,Flat (Combination),SAE - Regular,7/16"	2
Wrench,Flat (Combination),SAE - Regular,1/2"	4
Wrench,Flat (Combination),SAE - Regular,9/16"	7
Wrench,Flat (Combination),SAE - Regular,5/8"	7
Wrench,Flat (Combination),SAE - Regular,11/16"	2
Wrench,Flat (Combination),SAE - Regular,1776 Wrench,Flat (Combination),SAE - Regular,3/4"	10
vviendi,i-lat (Combination),SAE - Regular,3/4	10

Wrench,Flat (Combination),SAE - Regular,13/16"	2
Wrench,Flat (Combination),SAE - Regular,15/16"	4
Wrench,Flat (Combination),SAE - Regular,1"	3
Wrench,Flat (Combination),SAE - Regular,1 1/4"	2
Wrench,Flat (Combination),SAE - Regular,1 3/8"	2
Wrench,Flat (Combination),SAE - Regular,1 7/16"	2
Wrench,Flat (Combination),SAE - Regular,1 1/2"	1
Wrench,Flat (Combination),SAE - Regular,1 5/8"	4
Wrench,Flat (Combination),SAE - Regular,1 11/16"	2
Wrench,Flat (Combination),SAE - Regular,1 3/4"	2
Wrench,Flat (Combination),SAE - Regular,1 13/16"	2
Wrench,Flat (Combination),SAE - Regular,1 7/8"	2
Wrench,Flat (Combination),SAE - Regular,2"	2
Wrench,Flat (Combination),SAE - Regular,2 1/2"	2
Wrench,Pipe,Aluminum,24"	1
Wrench,Ratcheting,Combination - SAE - Reversible,7/16"	1
Wrench,Ratcheting,Combination - SAE - Reversible,11/16"	3
Wrench,Structural,SAE - Offset,1 1/4"	9
Wrench,Torque,3/8" Drive	1
Wrench,Torque,1/2" Drive	1
Wrench Set,Allen,9 piece - Metric - Fold up	1
Wrench Set,Allen,7 piece - SAE - Fold up	1
Wrench Set,Allen,9 piece - SAE - Fold up	1
Wrench Set,Allen,12 piece - SAE - Fold Up	1
Wrench Set,Allen,5 piece,SAE,Fold up	1
Wrench Set,Torx,8 piece - Fold up	1
Drill,Corded,Rotary Hammer,SDS+,Dewalt	1
Pail,Plastic,20L (5-1/4 US Gal) - w/o lid	6
Socket - 1/2" Drive,SAE,Deep,1 5/16",Impact	1
Utility Knife Replacement Blade,Olfa,EA Blade	18
Tool,Bag,Bucket,Canvas w/leather bottom,Kuny SW744	9
Drill Bit,Rotary Hammer,SDS Plus,7/8" x 4" to 8" (2 and 4 cutter)	3
Annular Cutter,7/16" x 1" depth	2
Annular Cutter,11/16" x 1" depth	4
Socket - 1/2" Drive,SAE,Deep,1 1/2",Impact	1
Drill Press,Electromagnetic,Mag Drill,Hougen	2
Pick Head,Clay	2
Rake,Bow	6
Cutter,Rebar,Rotary,SDS Plus,3/4" x 12" (Bit)	2
L	1

Punch,Bull Pin,Broad Head,13" x 1 1/4"	2
Annular Cutter, Ejector Pin, 3/16" x 3", for 1" Bits	1
Bar,Stripping,48" (Savage)	1
Hammer,Ball,Pein,Peen,32 oz.	3
Hose,Air,Bulk,3/8"	50
Impact,Cordless,1/4"Hex Drive,Screwdriver,Dewalt 18V	1
Annular Cutter,1-1/16" x 1"	2
Pliers,Locking,Sheet Metal,8" Long,Vise Grip,PTR8R	1
Driver,Screw,Corded,Drywall Screw Driver	1
Bit, Impact Driver, Nut SAE 3/8" (all lengths)	1
Pin Press, Chain,Breaker,Press,Drag,880815,WHX157XHD	1
Battery,Cordless Tool,Dewalt,20V	12
Impact,Cordless,3/4" Drive, Milwaukee	1
Hammer,Ball Pein,Peen,24 oz	1
Bolt Breaker,Flexco 110,Pair	1
Adaptor, Battery, 18V to 20V, Dewalt	1
Adapter, Socket Shank, 1/4" Hex to 1/4" Square, Shockwave, Milwaukee	2
Adapter, Socket Shank, 1/4" Hex to 1/2" Square, Shockwave, Milwaukee	2
Bit, Impact Driver Accessory Set, 26 Pc Maximum	1
Wrench, Structural, SAE - Offset, 1 1/16"	3
Hose,Welding,Acetylene / Oxygen,1/4" x 50'	4
Plasma Cutter,40 Amp,Thermal Dynamics	1
Plasma Cutter,60 Amp,Thermal Dynamics	1
Plasma Cutting Tip,40A,Thermal Dynamics,9-8207	10
Plasma Cutting Tip,Thermal Dynamics,9-8215	16
Plasma Cutting Tip,Thermal Dynamics,9-8218	6
Plasma Cutting Tip,Thermal Dynamics,9-8411	2
Plasma Gun Guide Tip,Thermal Dynamics,9-8251	1
Welding Oven,Rod Oven,Portable	1
Soap Stone Holder,Flat,5"	1
Spark Striker, Single Flint	5
Torch Cutting Tip,3-1-101, Capacity,2 1/2",3,Heavy Duty	2
Torch Cutting Tip,4-1-101,Capacity,3",4,Heavy Duty	2
Torch Handle,9/16" Hose Connection,9" Long,Heavy Duty,Victor	1
Torch Nozzle, Heating, 8", Heavy Duty, Victor, 8MFA	1
Torch Tip Cleaner,Spiral,Stainless Steel Wire,Standard	1
Welder,Inverter,Lincoln,V350-Pro	1
Welder,MIG,Wire	2

Feed,Portable,Suitcase,Lincoln,LN-25	
Welding Lens,2" x 4 1/4"Shade,9,10,11	7
Welding Rod,Low Hydrogen,7018,5/32" x 14",11 lb	25
Welding Rod,Low Hydrogen,7018,3/16" x 18",5KG	8
Welding Stinger,Twist Type,400 amp	1
Welding Rod, Stainless Steel, 316L, 1/8" x 14", 31.4 Rods per box	75
Plasma Start Cart,Cap,Thermal Dynamics,9-8213	2
Flashback Arrestor,Regulator Adaptor Style,Flamebuster,Set	1
Flashback Arrestor, Torch Adaptor Style, Set	1
Welding Lens,2" x 4 1/4",Clear	30
Welding Rod, Stainless Steel, ESAB, 316L-17, 3/32, 7.7 KG/Per Box	18.87
Plasma, Cutting Tip, 40A, Miller, 249928	6
Plasma, 40 AMP, Drag Tip, Thermal Dynamics, 9-0093	3
Plasma, Electrodes, Thermal Dynamics, 9-0096	1
Disc,Cutting,Metal,5" x .045" x 7/8",Tyrolit 458870,Zip	15
Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 5	2
Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 5	138
Screw,Cap,UNC - Hex Head,3/8" x 2 1/2",Gr. 5	108
Screw,Cap,UNC - Hex Head,3/8" x 4",Gr. 5	33
Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",SS	429
Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",SS	123
Screw,Cap,UNC - Hex Head,3/8" x 2",SS	145
Screw,Cap,UNC - Hex Head,1/2" x 1",SS	11
Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",SS	166
Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",SS	60
Screw,Cap,UNC - Hex Head,1/2" x 2",SS	63
Silicone,Multi Use,Clear,300 mL Tube,Dow Corning,732	39
Washer,Flat,3/8",SS	562
Washer,Flat,1/2",SS	611
Anchor,Hilti,HAS-E B,Rod,7/8" x 16"	2
Cable Clip,Wire Rope,Galvanized,3/8",Crosby,G-450	11
Cable Clip,Wire Rope,Galvanized,7/16",Crosby,G-450	2
Safety Latch Kit,Lever Puller,3/4 Tonne,Westward,VRL740-34	7
Shackle, Anchor, Screw Pin, 3/4" (4 3/4 Tonne), Crosby, G-209	15
Trolley,Beam,2 Tonne	2
Anchor Sling,Steel Cable,Fall Protection,6' x	10

1/4",Red,Dog leash	
Dust Masks,8210,N95,20 / box,3M	40
Ear Plugs,Expandable Foam with Cord,LL30,100 pair/box	4
Lock,Pad,Long Shackle- 2",Master,Laminated,Commercial,3210	2
Anchor,Structural Beam,AKA Flange bar,FB2, Beam Buddy	1
Lanyard, Self Retracting, 10', Latchways,63013-00E	4
Battery,Cordless Tool,Dewalt,18V	12
Ratchet,Swivel,A.K.A. U-Joint,3/8" Drive,Standard	1
Saw,Hack,12"	1
Bit, Impact Driver Robertson #3, Long(Long being 3" and longer)	2
Socket - 1/2" Drive, SAE, Deep, 1 3/16", Impact	1
Socket - 1/2" Drive,SAE,Deep,1/2",Standard	1
Socket - 1/2" Drive,SAE,Shallow,7/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,7/8",Impact	1
Wrench,Crescent,12"	3
Wrench,Flat (Combination),SAE - Regular,3/8"	4
Wrench,Flat (Combination),SAE - Regular,7/8"	5
Wrench,Flat (Combination),SAE - Regular,1 1/16"	3
Wrench,Flat (Combination),SAE - Regular,1 1/8"	5
Wrench,Flat (Combination),SAE - Regular,1 5/16"	2
Point Laser,Hilti PMP 45,Hilti # 411279	1
(Do Not Reorder) Grinder, Angle, Corded, 6", all "Other" Models	2
Drill,Cordless,20 Volt,1/2" Chuck,Dewalt	3
Plasma Electrode,MaximumLife,Thermal Dynamics,9-8215	8
Welding Cable,Cord (Cable),Copper,1 / 0 AWG	190
Welding Ground Clamp,300 Amp	2
Welding Rod,Low Hydrogen,7018,3/32" x 12", 2.5KG/ box, 183 RODS PER BOX	10
Welding Rod,Low Hydrogen,7018,1/8" x 14", 5KG/box	35
Fire Blanket,32 oz,Coated,39" x 50yd roll	638
Welding Cable Connector, Set, Tweco, 2MPC, 9425- 1200, (1) M(1) F	4
Lockout,Lock Box	1
Punch,Center	3
Battery, AAA, Alkaline, 4-Pack	34
Bolt Cutter,Heavy Duty,36"	1
Saw,Circular,Corded,7 1/4",All "Other" Models	1
Annular Cutter,15/16" x 1"	2
Gas,Propane (C3H8),20 lbs. Tank	2

Thimble,Wire Rope,Galvanized,3/8",HD,Crosby,G-414	4
Puller,3 Jaw,Regular Jaw,6" Reach,Posi Lock,# 106	1
Wipes, Lens, Cleaner, Anti-fog	4
Drill Bit,Ship Auger,5/8" x 17"	2
String Line,50'	1
Punch,Bull Pin,10" x 1 1/16"	6
Pliers Set,Snap Ring,Internal / External,8 piece	1
Shackle, Anchor, Screw Pin, 1" (8 1/2	8
Tonne),Crosby,G-209	
Shackle, Anchor, Screw Pin, 7/8" (6 1/2	2
Tonne),Crosby,G-209 Fireproof Storage Cabinet,20 Gal,44"x23 1/4"x18"	1
Belt Tension Tester,Goodyear,Six	1
Barrel,Lge,Goodyear,Eagle	
Pliers,Locking,C-Clamp,10" Long,Vise Grip,5R	5
Pliers,Locking,C-Clamp with Swivel Pads,10" Long,Vise Grip	4
Ratchet,Extension,3/4" Drive,4" Long,Standard	1
Ratchet,Extension,3/4" Drive,8" Long,Standard	1
Saw Blade,Hole,Bi-Metal,2 1/2"	1
Bar,Mechanic Pry,With Screwdriver Handle,21"	6
Battery,Cordless Tool,Milwaukee,18V,XC4.0	3
Pliers,Locking,Curved Jaw,9" Long,Vise Grip	9
Plasma,Electrode,Miller,40A,249926	7
Puller,2 Jaw,Regular Jaw,6" Reach,Posi Lock,# 206	1
Ratchet,Extension,3/4" Drive,16" Long,Standard	1
Welding Terminal,Female,45 Degree,2-MPC,4-MPC	2
Tap,Tapered,UNC,3/4" - 10	1
Shim, Slotted Stainless Steel, B (3" x 3"),.002"	45
Paint, Interlac, 789, RIL, Orange, 3.78L	20
Bit Holder, Extension Shaft, 6"	2
Floodlight,LED,Milwaukee,M18	1
Light,Tower+Charger,Floodlight,LED,Milwaukee,M18	1
Annular Cutter,3/4" x 2" Depth,HSS	1
Battery Charger, Cordless Tool, Milwaukee, 18 V,6- Ports, For M18	1
Nut Driver,Hand,3/16"	2
Nut Driver, Hand, 1/4"	1
Nut Driver, Hand, 5/16"	1
Nut Driver,Hand,11/32"	2
Nut Driver,Hand,3/8"	2
Nut Driver,Hand,7/16"	2
Nut Driver,Hand,1/2"	2
, , ,	-

Nut Driver,Hand,9/16"	1
Paint,Marking,Aerosol,16 oz,Orange,Krylon,S03403	4
Bar,Monster Pry,50"	1
Lighting String,Temporary Construction,50',5 Sockets	2

Unit 135:

Type: 53' Great Dane Van Trailer Serial Number: 1GRAA06292BO91406 Inventory Listing:

Inventory Description	# of Units
Cloth,Emery,1" x 50 Yards,80 Grit	1
Cloth,Emery,1" x 50 Yards,120 Grit	1
Grinder Stone,Bench,Fine,6" x 3/4" x 1",NRN37101	1
Disc,Cutting,Metal,6" x .045" x 7/8",Tyrolit 458871,Zip	290
Disc,Grinding,Metal,6" x 1/4" x 7/8"	101
Extension Cord,110 V,20' (300V 3c 12AWG SJOOW Mininum)	1
Extension Cord,110 V,25' (300V 3c 12AWG SJOOW Mininum)	5
Extension Cord,110 V,50' (300V 3c 12AWG SJOOW Mininum)	10
Extension Cord Conn (Female),2P3W,15A,125V,YELLOW,HBL5969VY	9
Extension Cord Conn (Male),2P3W,125V,15A,YELLOW,HBL5965VY	9
Power Bar,Surge Protection,Plastic,6 Outlet	1
Tape,Electrical,Black,3/4" x 66'	46
Extension Cord,250/110V,30A,Twist- Lock,50',Trailer Service(300V 4C 10AWG SJOW or SJOOW Minimum)	2
Elbow Segment,22.5 Degree,10 Gauge,12"	10
Broom,Push,18" Wide	1
Dust Pan,Steel	1
Garbage Bag,100 / Box,35" x 50"	100
Garbage Can,Plastic,20 Gallon	1
Garbage Can,Tin,20 Gallon	2
Shovel,Snow,Plastic	1
Brush,Counter,Hair/Fibre,	1
Tape,Fly	5
Wipes,Wypall,180/Box,Kimberly-Clark,White	18
Hose, Rubber, Water (Garden), 1/2" x 100'	2
Filter,Water Separator,Air Compressor,Eliminator,E405H10	1
Adhesive,Epoxy,Hilti,HIT HY-200 ,330	22
mL,supersedes HY-150	44.5
All Thread LINC 1" Cr. 2	11.5
All Thread,UNC,1",Gr. 2	8
Anchor, Expansion, Wedge, 3/8" x 5", Red Head	650
Anchor,Expansion,Wedge,1/2" x 4-1/2",Red Head	7
Anchor,Expansion,Wedge,1/2" x 5-1/2",Red	250

Head	
Anchor, Expansion, Wedge, 3/4" x 8-1/2", Red Head	70
Bolt,Carriage,3/8" x 1",Gr. 5	52
Bolt,Carriage,3/8" x 5",Gr. 5	87
Bolt, Carriage, 1/2" x 4", Gr. 5	118
Bolt,Carriage,3/8" x 1",SS	103
Bolt,Elevator,1/4" x 1 1/4",Gr. 5	69
Bolt,Elevator,5/16" x 1 1/4",SS	821
Bolt,Eye,Regular Nut,3/4" I.D. x 2" Long,Industrial	4
Bolt,Lag,1/4"x 2",Gr. 5	20
Bolt,Lag,5/16" x 2",Gr. 5	11
Bolt,Lag,5/16" x 2 1/2",Gr. 5	94
Bolt,Shoulder Lock,5/16" x 1",Gr. 5	31
Bolt,Shoulder Lock,5/16" x 1 1/4",Gr. 5	107
Bolt,Shoulder Lock,5/16" x 1 1/2",Gr. 5	130
Bolt,Shoulder Lock,3/8" x 1",Gr. 5	59
Bolt,Shoulder Lock,3/8" x 1 1/4",Gr. 5	230
Bolt,Shoulder Lock,3/8" x 1 1/2",Gr. 5	237
Bolt,Shoulder Lock,3/8" x 2",Gr. 5	99
Bolt,Shoulder Lock,3/8" x 2 1/2",Gr. 5	32
Bolt,Shoulder Lock,1/2" x 1",Gr. 5	92
Bolt,Shoulder Lock,1/2" x 1 1/4",Gr. 5	265
Bolt,Shoulder Lock,1/2" x 1 1/2",Gr. 5	333
Bolt,Shoulder Lock,1/2" x 2",Gr. 5	139
Bolt,Shoulder Lock,1/2" x 2 1/2",Gr. 5	177
Cable Tie,Nylon,Natural,8",Heavy Duty	40
Nail,Common,2"	1
Nut,Hex,UNC,1/4",Gr 5	100
Nut,Hex,UNC,5/16",Gr 5	178
Nut,Hex,UNC,3/8",Gr 5	776
Nut,Hex,UNC,1/2",Gr 5	388
Nut,Hex,UNC,5/8",Gr 5	89
Nut,Hex,UNC,3/4",Gr 5	136
Nut,Hex,UNC,7/8",Gr 5	12
Nut,Hex,UNC,1",Gr 8	7
Nut,Hex,UNC,1/4",SS	46
Nut,Hex,UNC,5/16",SS	409
Nut,Hex,UNC,3/8",SS	2,659
Nut,Hex,UNC,1/2",SS	157
Nut,Hex,UNC,5/8",SS	69
Nut,Nylon Lock,UNC,1/4",Gr 5	73

Nut, Nylon Lock, UNC, 3/8", Gr. 5 Nut, Shoulder Lock, 5/16", Gr 5 Nut, Shoulder Lock, 1/2", Gr 5 Saddle Clip, Bar Grating, 1" x 3/16", Milid Saddle Clip, Bar Grating, 1" x 3/16", Milid Screw, Cap, UNC - Hex Head, 1/4" x 2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/4" x 2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/4" x 2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/4" x 5", Gr. 5 Screw, Cap, UNC - Hex Head, 5/16" x 1", Gr. 5 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 5/16" x 1 3/4", Gr. 5 Screw, Cap, UNC - Hex Head, 5/16" x 3", Gr. 5 Screw, Cap, UNC - Hex Head, 5/16" x 3", Gr. 5 Screw, Cap, UNC - Hex Head, 3/8" x 3", Gr. 5 Screw, Cap, UNC - Hex Head, 3/8" x 3", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 Screw, Cap, UNC - Hex Head, 1/4" x 1", Gr. 8 Screw, Cap, UNC - Hex Head, 1/4" x 1", Gr. 8 Screw, Cap, UNC - Hex Head,	Nut, Nylon Lock, UNC, 5/16", Gr 5	45
Nut, Nylon Lock, UNC, 1/2", Gr 5 90 Nut, Shoulder Lock, 5/16", Gr 5 1,201 Nut, Shoulder Lock, 3/8", Gr 5 1,201 Nut, Shoulder Lock, 1/2", Gr 5 480 Saddle Clip, Bar Grating, 1" x 3/16", Mild 180 Screw, Cap, UNC - Hex Head, 1/4" x 1 1/2", Gr. 5 34 Screw, Cap, UNC - Hex Head, 1/4" x 2", Gr. 5 159 Screw, Cap, UNC - Hex Head, 1/4" x 3", Gr. 5 144 Screw, Cap, UNC - Hex Head, 1/4" x 4", Gr. 5 24 Screw, Cap, UNC - Hex Head, 1/4" x 5", Gr. 5 144 Screw, Cap, UNC - Hex Head, 1/4" x 5", Gr. 5 144 Screw, Cap, UNC - Hex Head, 1/4" x 5", Gr. 5 144 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", Gr. 5 24 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", Gr. 5 209 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", Gr. 5 209 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", Gr. 5 119 Screw, Cap, UNC - Hex Head, 5/16" x 3", Gr. 5 169 Screw, Cap, UNC - Hex Head, 5/16" x 3", Gr. 5 169 Screw, Cap, UNC - Hex Head, 3/8" x 3", Gr. 5 169 Screw, Cap, UNC - Hex Head, 3/8" x 3", Gr. 5 169 Screw, Cap, UNC - Hex Head, 3/8" x 3", Gr. 5 169 Screw, Cap, UNC - Hex Head, 3/8" x 3", Gr. 5 169 Screw, Cap, UNC - Hex Head, 3/8" x 3", Gr. 5 160 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/4", Gr. 5 105 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/4", Gr. 5 114 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/4", Gr. 5 114 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/4", Gr. 5 114 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 114 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 114 Screw, Cap, UNC - Hex Head, 1/2" x 2", Gr. 5 114 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 115 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 115 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 115 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 115 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 115 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 115 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 115 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 115 Screw, Cap, UNC - Hex Head, 1/4" x 1", Gr. 8 159 Screw, Cap, UNC - Hex Head, 1/4" x 1", Gr. 8 159 Screw, Cap, UNC - H		
Nut,Shoulder Lock,5/16",Gr 5 Nut,Shoulder Lock,3/8",Gr 5 1,201 Nut,Shoulder Lock,1/2",Gr 5 Saddle Clip,Bar Grating,1" x 3/16",Mild Screw,Cap,UNC - Hex Head,1/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 5",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 5",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 5",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 114 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 1 1/3",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 Screw,Cap,UN		
Nut, Shoulder Lock, 3/8", Gr 5 1,201 Nut, Shoulder Lock, 1/2", Gr 5 480 Saddle Clip, Bar Grating, 1" x 3/16", Mild 180 Screw, Cap, UNC - Hex Head, 1/4" x 1 1/2", Gr. 5 34 Screw, Cap, UNC - Hex Head, 1/4" x 2", Gr. 5 159 Screw, Cap, UNC - Hex Head, 1/4" x 3", Gr. 5 144 Screw, Cap, UNC - Hex Head, 1/4" x 4", Gr. 5 24 Screw, Cap, UNC - Hex Head, 1/4" x 5", Gr. 5 144 Screw, Cap, UNC - Hex Head, 1/4" x 5", Gr. 5 144 Screw, Cap, UNC - Hex Head, 1/4" x 5", Gr. 5 144 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", Gr. 5 145 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", Gr. 5 169 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", Gr. 5 169 Screw, Cap, UNC - Hex Head, 5/16" x 1 3/4", Gr. 5 169 Screw, Cap, UNC - Hex Head, 5/16" x 3", Gr. 5 169 Screw, Cap, UNC - Hex Head, 5/16" x 3", Gr. 5 169 Screw, Cap, UNC - Hex Head, 5/16" x 3", Gr. 5 169 Screw, Cap, UNC - Hex Head, 3/8" x 3", Gr. 5 169 Screw, Cap, UNC - Hex Head, 1/2" x 1", Gr. 5 105 Screw, Cap, UNC - Hex Head, 1/2" x 1", Gr. 5 105 Screw, Cap, UNC - Hex Head, 1/2" x 1", Gr. 5 105 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/4", Gr. 5 114 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 114 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 114 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 114 Screw, Cap, UNC - Hex Head, 1/2" x 2", Gr. 5 115 Screw, Cap, UNC - Hex Head, 1/2" x 2", Gr. 5 116 Screw, Cap, UNC - Hex Head, 1/2" x 2", Gr. 5 116 Screw, Cap, UNC - Hex Head, 1/2" x 2", Gr. 5 116 Screw, Cap, UNC - Hex Head, 1/2" x 2", Gr. 5 116 Screw, Cap, UNC - Hex Head, 1/2" x 2", Gr. 5 117 Screw, Cap, UNC - Hex Head, 1/2" x 2", Gr. 5 117 Screw, Cap, UNC - Hex Head, 1/4" x 2", Gr. 5 117 Screw, Cap, UNC - Hex Head, 1/4" x 2", Gr. 5 117 Screw, Cap, UNC - Hex Head, 1/4" x 2", Gr. 5 117 Screw, Cap, UNC - Hex Head, 1/4" x 2", Gr. 5 117 Screw, Cap, UNC - Hex Head, 1/4" x 2", Gr. 5 117 Screw, Cap, UNC - Hex Head, 1/4" x 2", Gr. 8 117 Screw, Cap, UNC - Hex Head, 1/4" x 2", Gr. 8 117 Screw, Cap, UNC - Hex Head, 1/4" x 1", Gr. 8 149 Screw, Cap, UNC - Hex Head, 1/4"		
Nut,Shoulder Lock,1/2",Gr 5 Saddle Clip,Bar Grating,1" x 3/16",Mild Screw,Cap,UNC - Hex Head,1/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 5",Gr. 5 14 Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3 3,Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3 3,Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3 3,Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3 3,Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,5/16"		
Saddle Clip,Bar Grating,1" x 3/16",Mild Screw,Cap,UNC - Hex Head,1/4" x 1 1/2",Gr. 5 34 Screw,Cap,UNC - Hex Head,1/4" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 3",Gr. 5 14 Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 24 Screw,Cap,UNC - Hex Head,1/4" x 5",Gr. 5 14 Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 311 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 312 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 11/2",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 11/2",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 11/4",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 11/4",Gr. 8 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,5/16" x 2 1		
Screw,Cap,UNC - Hex Head,1/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 5",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 5",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",SS		
Screw,Cap,UNC - Hex Head,1/4" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 5",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",SS Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",SS		34
Screw, Cap, UNC - Hex Head, 1/4" x 3", Gr. 5 14 Screw, Cap, UNC - Hex Head, 1/4" x 4", Gr. 5 24 Screw, Cap, UNC - Hex Head, 1/4" x 5", Gr. 5 14 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", Gr. 5 450 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", Gr. 5 209 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/2", Gr. 5 119 Screw, Cap, UNC - Hex Head, 5/16" x 1 3/4", Gr. 5 169 Screw, Cap, UNC - Hex Head, 3/8" x 3", Gr. 5 53 Screw, Cap, UNC - Hex Head, 3/8" x 3 1/2", Gr. 5 32 Screw, Cap, UNC - Hex Head, 3/8" x 3 1/2", Gr. 5 32 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/4", Gr. 5 105 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/4", Gr. 5 114 Screw, Cap, UNC - Hex Head, 1/2" x 1 1/2", Gr. 5 310 Screw, Cap, UNC - Hex Head, 1/2" x 2", Gr. 5 21 Screw, Cap, UNC - Hex Head, 1/2" x 3 1/2", Gr. 5 21 Screw, Cap, UNC - Hex Head, 3/8" x 4 1/2", Gr. 5 10 Screw, Cap, UNC - Hex Head, 3/4" x 2", Gr. 5 13 Screw, Cap, UNC - Hex Head, 3/4" x 2", Gr. 5 5 Screw, Cap, UNC - Hex Head, 3/4" x 2", Gr. 5 5 Screw, Cap, UNC - Hex Head, 3/4" x 2", Gr. 5 5 Screw, Cap, UNC - Hex H	• • • • • • • • • • • • • • • • • • • •	159
Screw,Cap,UNC - Hex Head,1/4" x 5",Gr. 5 14 Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 450 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 209 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 119 Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5 169 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 53 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 45 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 32 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 105 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 105 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 114 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 5 Screw,Cap,UNC - He		
Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 450 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 209 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 119 Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5 169 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 53 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 45 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 32 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 105 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 114 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 46 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2	Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5	24
Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 450 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 209 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 119 Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5 169 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 53 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 45 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 32 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 105 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 114 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 46 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2	Screw,Cap,UNC - Hex Head,1/4" x 5",Gr. 5	14
Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 119 Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5 169 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 53 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 45 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 32 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 105 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 114 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 46 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1,Gr. 8 620 Screw,Cap,UNC - Hex Head,5/16" x 1 1,4",SS 338		450
Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 119 Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5 169 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 53 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 45 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 32 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 105 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 114 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 46 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1,Gr. 8 620 Screw,Cap,UNC - Hex Head,5/16" x 1 1,4",SS 338	Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5	209
Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 53 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 45 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 32 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 105 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 114 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 46 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4 ",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2 ",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Ss 10 Screw,Cap,UNC - Hex Head,5/8" x 1 1/4",SS 338 Sc		119
Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 45 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 32 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 105 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 114 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 46 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111	Screw,Cap,UNC - Hex Head,5/16" x 1 3/4",Gr. 5	169
Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 32 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 105 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 114 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 46 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Ss 10 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Ss 11 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Ss 111 Sc	Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5	53
Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 105 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 114 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 46 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 5 Screw,Cap,UNC - Hex Head,3/6" x 2 1/2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 10 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 117 <td>Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5</td> <td>45</td>	Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5	45
Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 114 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 46 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 5 Screw,Cap,UNC - Hex Head,3/6" x 2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 38 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 38 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - He	Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5	32
Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 310 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 46 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,5/8" x 1 1/4",SS 46 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 1,793	Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5	105
Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 46 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 2 ",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5	114
Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 21 Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5	310
Screw, Cap, UNC - Hex Head, 5/8" x 4", Gr. 5 23 Screw, Cap, UNC - Hex Head, 5/8" x 4 1/2", Gr. 5 10 Screw, Cap, UNC - Hex Head, 3/4" x 1 1/2", Gr. 5 13 Screw, Cap, UNC - Hex Head, 3/4" x 2", Gr. 5 57 Screw, Cap, UNC - Hex Head, 3/4" x 2 1/2", Gr. 5 9 Screw, Cap, UNC - Hex Head, 3/4" x 4", Gr. 5 5 Screw, Cap, UNC - Hex Head, 5/16" x 2", Gr. 8 52 Screw, Cap, UNC - Hex Head, 5/16" x 2 1/2", Gr. 8 59 Screw, Cap, UNC - Hex Head, 3/8" x 1", Gr. 8 340 Screw, Cap, UNC - Hex Head, 3/8" x 1 1/4", Gr. 8 490 Screw, Cap, UNC - Hex Head, 3/8" x 1 1/2", Gr. 8 620 Screw, Cap, UNC - Hex Head, 5/8" x 2", Gr. 8 10 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", SS 338 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", SS 338 Screw, Cap, UNC - Hex Head, 5/16" x 2 1/2", SS 111 Screw, Cap, UNC - Hex Head, 5/16" x 2 1/2", SS 111 Screw, Cap, UNC - Hex Head, 5/16" x 2 1/2", SS 1,793	Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5	46
Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,5/8" x 1",SS 46 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5	21
Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 13 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,5/8" x 4",Gr. 5	23
Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 57 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5	10
Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 9 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5	13
Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 46 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5	57
Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 52 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 46 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5	9
Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 59 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 46 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5	5
Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 340 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 46 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8	52
Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 490 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 46 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8	59
Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 620 Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 46 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8	340
Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8 10 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 46 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8	490
Screw,Cap,UNC - Hex Head,1/4" x 1",SS 46 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8	620
Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 338 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,5/8" x 2",Gr. 8	10
Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",SS 111 Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,1/4" x 1",SS	46
Screw,Cap,UNC - Hex Head,3/8" x 1",SS 1,793	Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS	338
	•	111
Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",SS	Screw,Cap,UNC - Hex Head,3/8" x 1",SS	1,793
	Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",SS	13

Screw,Self Drilling,Hex Washer Head,#14,1/4" x 2"	20
Screw,Thread Cutting,Hex Washer Head - Slotted,3/8" x 1"	71
Washer,Fender,1/4",Gr. 5	1,195
Washer,Fender,5/16",Gr. 5	199
Washer,Flat,1/4",Gr. 5	59
Washer,Flat,5/16",Gr. 5	131
Washer,Flat,3/8",Gr. 5	659
Washer,Flat,3/4",Gr. 5	380
Washer,Flat,7/8",Gr. 5	23
Washer,Flat,1",Gr. 5	6
Washer,Flat,1/2",Gr. 8	441
Washer,Flat,5/8",Gr. 8	404
Washer,Lock,#14,1/4",Gr. 5	394
Washer,Lock,5/16",Gr. 5	910
Washer,Lock,3/8",Gr. 5	418
Washer,Lock,1/2",Gr. 5	350
Washer,Lock,5/8",Gr. 5	198
Washer,Lock,3/4",Gr. 5	59
Washer,Lock,5/16",SS	812
Washer,Lock,3/8",SS	906
Washer,Lock,1/2",SS	14
Washer,Lock,3/4",SS	90
Clamp,Hose,Regular,#04 (7/32"-5/8"),Plated	10
Screw,Machine,Pan Head,Robertson,#14,1/4"-20 x 1"	200
Sealant,Pipe Thread,High Temp,Slow	1
Cure,Loctite,567,350ml	6
Cable Clip,Wire Rope,Galvanized,3/16",Crosby,G-450	6
Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-	13
450	10
Cable Clip,Wire Rope,Galvanized,5/16",Crosby,G-450	10
Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-	19
450	40
Cable Clip,Wire Rope,Galvanized,9/16",Crosby,G-450	16
Cable Clip, Wire Rope, Galvanized, 5/8", Crosby, G-	22
450	
Cable Clip,Wire Rope,Galvanized,3/4",Crosby,G-450	15
Cable Clip,Wire Rope,Stainless	13
Steel,1/4,Crosby,SS-450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby	5
Thimble, Wire Rope, Galvanized, 1/4", LD, Crosby	11
112.3,11.10 1 topo, Sartarii 200, 1/4 , LD, 0103by	''

Thimble,Wire Rope,Galvanized,5/16",LD,Crosby	6
Thimble,Wire Rope,Galvanized,1/2",LD,Crosby	1
Thimble,Wire Rope,Galvanized,3/4",LD,Crosby	2
Thimble,Wire	3
Rope,Galvanized,1/2",HD,Crosby,G-414	6
Thimble,Wire Rope,Galvanized,3/4",HD,Crosby,G-414	6
Weather Stripping, Self Sticking, 1 1/2" x 3/16"	40
Wire Rope,Standard,Black,5/8"	400
Wire Rope,Stainless Steel,3/8"	125
Anti-gel,Diesel,DE-GEL,946 mL	2
Brake Cleaner, Aerosol Spray, CRC, Brakleen, 539	12
g	
Cutting Fluid,Bessey,Rapid Tap,455 ml	3
Fuel Additive,Diesel,Lubricity,16 oz,Standayne	2
Grease,All-Weather,Esso,Epic EP 102, 400 g Tube	15
Lubricant,Anti-Seize,Brush Top,275 g (9.7 oz)	2
Lubricant,Anti-Seize,Copper-Based,225 ml	1
Oil,Air Tool,1 L	1
Oil,Gear,Mobil,SHC 629,Synthetic,18.9 L Pail	18.9
Oil,Air Tool,Porter Cable,237 ml	1
Diesel Fuel Conditioner,Anti-gel,Bio-armor,Polar mix,946ml	1
Oil,Diesel Motor,Esso,XD3 15W-40,1 Litre	4
Penetrating Fluid, Aerosol, WD-40,411g	13
Chain Hoist,Long Drop,Manual,1 Tonne	6
Chain Hoist,Long Drop,Manual,2 Tonne	3
Chain Hoist,Short Drop,Manual,1 Tonne	1
Chain Hoist,Short Drop,Manual,2 Tonne	2
Puller,Lever,Chain,Come Along,3/4 Tonne	7
Puller,Lever,Chain,Come Along,1 1/2 Tonne	2
Rope,Polypropylene,Yellow Rope,3/8",	60
Safety Latch Kit,Chain Hoist,1	6
Tonne,Westward,Z740A1	44
Shackle, Anchor, Screw Pin, 1/2" (2 Tonne), Crosby, G-209	11
Shackle, Anchor, Screw Pin, 1 1/4" (12	1
Tonne),Crosby,G-209	
Sling,3 - Straight Eye and Eye,Nylon Double Ply,2" x 4'	1
Sling,3 - Straight Eye and Eye,Nylon Double Ply,2" x 6'	1
Sling,3 - Straight Eye and Eye,Nylon Double Ply,2" x 8'	3
Sling,3 - Straight Eye and Eye,Nylon Double Ply,2" x 10'	2
the state of the s	1

Sling, 3 - Straight Eye and Eye,Nylon Double 2 Ply,2" x 12' 1 1 1 1 1 1 1 1 1		
Sling,3 - Straight Eye and Eye,Nylon Double 1 1 1 1 1 1 1 1 1		2
Sling.4 - Twisted Eye and Eye,Nylon Double 1 1 1 1 1 1 1 1 1	Sling,3 - Straight Eye and Eye,Nylon Double	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 4' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 6' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 8' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 8' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 10' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 12' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 12' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16' Sling,Wire Rope,Permaloc,3/8" x 6' 4 Sling,Wire Rope,Permaloc,1/2" x 6' Sling,Wire Rope,Permaloc,1/2" x 10' Sling,Wire Rope,Permaloc,1/2" x 10' Sling,Wire Rope,Permaloc,1/2" x 10' Sling,Wire Rope,Permaloc,1/2" x 12' Sling,Wire Rope,Permaloc,3/8" x 12' Sling,Wire Rope,Permaloc,3/8" x 12' Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward Z740A12 Puller,Lever,Chain,Come Along,1/2 Tonne Sling,Wire Rope,Permaloc,1/2" x 16' Clipboard,Wood 1 Coffee Maker,Various 1 Cooler,Water,Stand Up 11 File Cabinet,Vertical,Steel,2 Drawer 11 Marker,Wet/Dry Erase 12 Microwave 13 Printer,Multifunction,Laser,Brother,MFC-8460N 14 Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol Paint Brush,Bristle,2" 152 Paint Roller Frame,5 Wire Frame,9 1/2" 18 Paint,Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle	Sling,4 - Twisted Eye and Eye,Nylon Double	1
Sling,4 - Twisted Eye and Eye,Nylon Double	Sling,4 - Twisted Eye and Eye,Nylon Double	11
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 8' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 10' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 12' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 12' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 20' Sling,Wire Rope,Permaloc,3/8" x 6' 4 Sling,Wire Rope,Permaloc,1/2" x 6' 2 Sling,Wire Rope,Permaloc,1/2" x 8' 5 Sling,Wire Rope,Permaloc,1/2" x 10' 2 Sling,Wire Rope,Permaloc,1/2" x 12' 1 Snatchblock,Hooked,2 tonne 1 Sling,Wire Rope,Permaloc,3/8" x 12' Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward 2740A12 Puller,Lever,Chain,Come Along,1/2 Tonne 3 Sling,Wire Rope,Permaloc,1/2" x 16' 1 Clipboard,Wood Coffee Maker,Various 1 Cooler,Water,Stand Up File Cabinet,Vertical,Steel,2 Drawer 1 Marker,Wet/Dry Erase 9 Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N 1 Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol Paint Roller Frame,5 Wire Frame,9 1/2" 2 Paint Roller Frame,5 Wire Frame,9 1/2" 18 Paint, Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle 1		4
Sling,4 - Twisted Eye and Eye,Nylon Double 13		3
Ply,2" x 10' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 12' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 20' Sling,Wire Rope,Permaloc,3/8" x 6' 4 Sling,Wire Rope,Permaloc,1/2" x 6' 2 Sling,Wire Rope,Permaloc,1/2" x 8' 5 Sling,Wire Rope,Permaloc,1/2" x 10' 2 Sling,Wire Rope,Permaloc,1/2" x 10' 2 Sling,Wire Rope,Permaloc,1/2" x 12' 1 Snatchblock,Hooked,2 tonne 1 Sling,Wire Rope,Permaloc,3/8" x 12' 2 Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward Z740A12 Z16 Sling,Wire Rope,Permaloc,3/8" x 12' 2 Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward Z740A12 Sling,Wire Rope,Permaloc,1/2" x 16' 1 Clipboard,Wood 1 Clipboard,Wood 1 Clipboard,Wood 1 Clipboard,Wood 1 Clipboard,Wood 1 Sling,Wire Rope,Permaloc,1/2" x 16' 1 Clipboard,Wotjone 1 File Cabinet,Vertical,Steel,2 Drawer 1 Marker,Wet/Dry Erase 9 Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N 1 Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 1 co.2. Aerosol Paint Brush,Bristle,2" 152 Paint Roller Frame,5 Wire Frame,9 1/2" 2 Paint Roller Frame,5 Wire Frame,9 1/2" 18 Paint,Galvanizing,Rustoleum Brite Zinc,355g 11 Aerosol Shim Set,Slotted Stainless Steel,B (3" x 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle 1	Ply,2" x 8'	
Ply, 2" x 12' 2 Sling, 4 - Twisted Eye and Eye,Nylon Double 2 Ply, 2" x 16' 9 Sling, 4 - Twisted Eye and Eye,Nylon Double 9 Ply, 2" x 20' 4 Sling,Wire Rope,Permaloc,3/8" x 6' 4 Sling,Wire Rope,Permaloc,1/2" x 6' 2 Sling,Wire Rope,Permaloc,1/2" x 8' 5 Sling,Wire Rope,Permaloc,1/2" x 10' 2 Sling,Wire Rope,Permaloc,1/2" x 12' 1 Snatchblock,Hooked,2 tonne 1 Sling,Wire Rope,Permaloc,3/8" x 12' 2 Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward Z740A12 2 Puller,Lever,Chain,Come Along,1/2 Tonne 3 Sling,Wire Rope,Permaloc,1/2" x 16' 1 Clipboard,Wood 1 Coffee Maker,Various 1 Cooler,Water,Stand Up 1 File Cabinet, Vertical,Steel, 2 Drawer 1 Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N 1 Paint, Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol 1 Paint Roller Frame,5 Wire Frame,9 1/2" 2 Paint R	Ply,2" x 10'	13
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 20' Ply,2" x 20' Sling,Wire Rope,Permaloc,3/8" x 6' 4 Sling,Wire Rope,Permaloc,1/2" x 8' 5 Sling,Wire Rope,Permaloc,1/2" x 10' 2 Sling,Wire Rope,Permaloc,1/2" x 10' 2 Sling,Wire Rope,Permaloc,1/2" x 12' 1 Snatchblock,Hooked,2 tonne 1 Sling,Wire Rope,Permaloc,3/8" x 12' 2 Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward 2 Z740A12 Z16 Sling,Wire Rope,Permaloc,3/8" x 12' 2 Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward 2 Z740A12 Sling,Wire Rope,Permaloc,1/2" x 16' 1 Sling,Wire Rope,Permaloc,1/2" x 16' Sling,Wire Rope,Permaloc,1/2" x 16' Sling,Wire Rope,Permaloc,1/2"		13
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 20' Sling,Wire Rope,Permaloc,3/8" x 6' Sling,Wire Rope,Permaloc,1/2" x 6' Sling,Wire Rope,Permaloc,1/2" x 8' Sling,Wire Rope,Permaloc,1/2" x 10' Sling,Wire Rope,Permaloc,1/2" x 10' Sling,Wire Rope,Permaloc,1/2" x 12' Inatchblock,Hooked,2 tonne Sling,Wire Rope,Permaloc,3/8" x 12' Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward Z740A12 Puller,Lever,Chain,Come Along,1/2 Tonne Sling,Wire Rope,Permaloc,1/2" x 16' Clipboard,Wood Coffee Maker,Various 1 Cooler,Water,Stand Up File Cabinet,Vertical,Steel,2 Drawer Marker,Wet/Dry Erase Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N 1 Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol Paint Brush,Bristle,2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" 18 Paint,Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle	Sling,4 - Twisted Eye and Eye,Nylon Double	2
Sling,Wire Rope,Permaloc, 3/8" x 6' 4 Sling,Wire Rope,Permaloc, 1/2" x 6' 2 Sling,Wire Rope,Permaloc, 1/2" x 10' 2 Sling,Wire Rope,Permaloc, 1/2" x 10' 2 Sling,Wire Rope,Permaloc, 1/2" x 12' 1 Snatchblock,Hooked,2 tonne 1 Sling,Wire Rope,Permaloc, 3/8" x 12' 2 Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward Z740A12 2 Puller,Lever,Chain,Come Along,1/2 Tonne 3 Sling,Wire Rope,Permaloc,1/2" x 16' 1 Clipboard,Wood 1 Coffee Maker,Various 1 Cooler,Water,Stand Up 1 File Cabinet,Vertical,Steel,2 Drawer 1 Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N 1 Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol 1 Paint Brush,Bristle,2" 152 Paint Roller Frame,5 Wire Frame,9 1/2" 2 Paint Roller Sleeve,Multi-Use,9 1/2" 18 Paint,Galvanizing,Rustoleum Brite Zinc,355g 11 Aerosol 1 Paint Roller Sleeve,Multi-Use,9 1/2" 18 Paint,GBK20 1	Sling,4 - Twisted Eye and Eye,Nylon Double	9
Sling,Wire Rope,Permaloc,1/2" x 8' 5 Sling,Wire Rope,Permaloc,1/2" x 10' 2 Sling,Wire Rope,Permaloc,1/2" x 12' 1 Snatchblock,Hooked,2 tonne 1 Sling,Wire Rope,Permaloc,3/8" x 12' 2 Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward Z740A12 2 Puller,Lever,Chain,Come Along,1/2 Tonne 3 Sling,Wire Rope,Permaloc,1/2" x 16' 1 Clipboard,Wood 1 Coffee Maker,Various 1 Cooler,Water,Stand Up 1 File Cabinet,Vertical,Steel,2 Drawer 1 Marker,Wet/Dry Erase 9 Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N 1 Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 1 oz. Aerosol 1 Paint Roller Frame,5 Wire Frame,9 1/2" 2 Paint Roller Frame,5 Wire Frame,9 1/2" 2 Paint Roller Sleeve,Multi-Use,9 1/2" 18 Paint, Galvanizing,Rustoleum Brite Zinc,355g 11 Aerosol 2 Shim Set, Slotted Stainless Steel,B (3" x 3"),CMGBK20 2 Emer		4
Sling,Wire Rope,Permaloc,1/2" x 10' 2 Sling,Wire Rope,Permaloc,1/2" x 12' 1 Snatchblock,Hooked,2 tonne 1 Sling,Wire Rope,Permaloc,3/8" x 12' 2 Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward Z740A12 2 Puller,Lever,Chain,Come Along,1/2 Tonne 3 Sling,Wire Rope,Permaloc,1/2" x 16' 1 Clipboard,Wood 1 Coffee Maker,Various 1 Cooler,Water,Stand Up 1 File Cabinet,Vertical,Steel,2 Drawer 1 Marker,Wet/Dry Erase 9 Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N 1 Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 1 oz. Aerosol 1 Paint Roller Frame,5 Wire Frame,9 1/2" 2 Paint Roller Sleeve,Multi-Use,9 1/2" 18 Paint,Galvanizing,Rustoleum Brite Zinc,355g 11 Aerosol 1 Shim Set,Slotted Stainless Steel,B (3" x 2 3"),CMGBK20 2 Emergency Vehicle Warning Kit,Triangle 1	Sling,Wire Rope,Permaloc,1/2" x 6'	2
Sling, Wire Rope, Permaloc, 1/2" x 12' 1 Snatchblock, Hooked, 2 tonne 1 Sling, Wire Rope, Permaloc, 3/8" x 12' 2 Safety Latch Kit, Chain Hoist, 1/2 Tonne, Westward Z740A12 2 Puller, Lever, Chain, Come Along, 1/2 Tonne 3 Sling, Wire Rope, Permaloc, 1/2" x 16' 1 Clipboard, Wood 1 Coffee Maker, Various 1 Cooler, Water, Stand Up 1 File Cabinet, Vertical, Steel, 2 Drawer 1 Marker, Wet/Dry Erase 9 Microwave 1 Printer, Multifunction, Laser, Brother, MFC-8460N 1 Paint, Primer, FD Enamel, Rustoleum HP, Grey, 15 oz. Aerosol 1 Paint Roller Frame, 5 Wire Frame, 9 1/2" 2 Paint Roller Frame, 5 Wire Frame, 9 1/2" 2 Paint, Galvanizing, Rustoleum Brite Zinc, 355g Aerosol 11 Shim Set, Slotted Stainless Steel, B (3" x 3"), CMGBK20 2 Emergency Vehicle Warning Kit, Triangle 1	Sling,Wire Rope,Permaloc,1/2" x 8'	5
Snatchblock,Hooked,2 tonne Sling,Wire Rope,Permaloc,3/8" x 12' Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward Z740A12 Puller,Lever,Chain,Come Along,1/2 Tonne 3 Sling,Wire Rope,Permaloc,1/2" x 16' Clipboard,Wood 1 Coffee Maker,Various 1 Cooler,Water,Stand Up File Cabinet,Vertical,Steel,2 Drawer Marker,Wet/Dry Erase Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N 1 Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint,Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 2 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle 1	Sling,Wire Rope,Permaloc,1/2" x 10'	2
Snatchblock,Hooked,2 tonne Sling,Wire Rope,Permaloc,3/8" x 12' Safety Latch Kit,Chain Hoist,1/2 Tonne,Westward Z740A12 Puller,Lever,Chain,Come Along,1/2 Tonne 3 Sling,Wire Rope,Permaloc,1/2" x 16' Clipboard,Wood 1 Coffee Maker,Various 1 Cooler,Water,Stand Up File Cabinet,Vertical,Steel,2 Drawer Marker,Wet/Dry Erase Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N 1 Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint,Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 2 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle 1	Sling,Wire Rope,Permaloc,1/2" x 12'	1
Safety Latch Kit, Chain Hoist, 1/2 Tonne, Westward Z740A12 Puller, Lever, Chain, Come Along, 1/2 Tonne 3 Sling, Wire Rope, Permaloc, 1/2" x 16' 1 Clipboard, Wood 1 Coffee Maker, Various 1 Cooler, Water, Stand Up 1 File Cabinet, Vertical, Steel, 2 Drawer 1 Marker, Wet/Dry Erase 9 Microwave 1 Printer, Multifunction, Laser, Brother, MFC-8460N 1 Paint, Primer, FD Enamel, Rustoleum HP, Grey, 15 oz. Aerosol Paint Brush, Bristle, 2" 152 Paint Roller Frame, 5 Wire Frame, 9 1/2" 2 Paint Roller Sleeve, Multi-Use, 9 1/2" 18 Paint, Galvanizing, Rustoleum Brite Zinc, 355g 11 Aerosol Shim Set, Slotted Stainless Steel, B (3" x 2"), CMGBK20 Emergency Vehicle Warning Kit, Triangle 1	Snatchblock,Hooked,2 tonne	1
Z740A12 Puller, Lever, Chain, Come Along, 1/2 Tonne 3 Sling, Wire Rope, Permaloc, 1/2" x 16' 1 Clipboard, Wood 1 Coffee Maker, Various 1 Cooler, Water, Stand Up 1 File Cabinet, Vertical, Steel, 2 Drawer 1 Marker, Wet/Dry Erase 9 Microwave 1 Printer, Multifunction, Laser, Brother, MFC-8460N 1 Paint, Primer, FD Enamel, Rustoleum HP, Grey, 15 oz. Aerosol 1 Paint Brush, Bristle, 2" 152 Paint Roller Frame, 5 Wire Frame, 9 1/2" 2 Paint Roller Sleeve, Multi-Use, 9 1/2" 18 Paint, Galvanizing, Rustoleum Brite Zinc, 355g 11 Aerosol 1 Shim Set, Slotted Stainless Steel, B (3" x 2 3"), CMGBK20 2 Emergency Vehicle Warning Kit, Triangle 1	Sling,Wire Rope,Permaloc,3/8" x 12'	2
Puller, Lever, Chain, Come Along, 1/2 Tonne Sling, Wire Rope, Permaloc, 1/2" x 16' Clipboard, Wood 1 Coffee Maker, Various 1 Cooler, Water, Stand Up File Cabinet, Vertical, Steel, 2 Drawer Marker, Wet/Dry Erase 9 Microwave 1 Printer, Multifunction, Laser, Brother, MFC-8460N Paint, Primer, FD Enamel, Rustoleum HP, Grey, 15 oz. Aerosol Paint Brush, Bristle, 2" Paint Roller Frame, 5 Wire Frame, 9 1/2" Paint, Galvanizing, Rustoleum Brite Zinc, 355g Aerosol Shim Set, Slotted Stainless Steel, B (3" x 3"), CMGBK20 Emergency Vehicle Warning Kit, Triangle 1		2
Clipboard,Wood 1 Coffee Maker,Various 1 Cooler,Water,Stand Up 1 File Cabinet,Vertical,Steel,2 Drawer 1 Marker,Wet/Dry Erase 9 Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N 1 Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol Paint Brush,Bristle,2" 152 Paint Roller Frame,5 Wire Frame,9 1/2" 2 Paint Roller Sleeve,Multi-Use,9 1/2" 2 Paint,Galvanizing,Rustoleum Brite Zinc,355g 11 Aerosol Shim Set,Slotted Stainless Steel,B (3" x 2 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle 1		3
Coffee Maker, Various Cooler, Water, Stand Up File Cabinet, Vertical, Steel, 2 Drawer Marker, Wet/Dry Erase Microwave Printer, Multifunction, Laser, Brother, MFC-8460N Paint, Primer, FD Enamel, Rustoleum HP, Grey, 15 oz. Aerosol Paint Brush, Bristle, 2" Paint Roller Frame, 5 Wire Frame, 9 1/2" Paint Roller Sleeve, Multi-Use, 9 1/2" Paint, Galvanizing, Rustoleum Brite Zinc, 355g Aerosol Shim Set, Slotted Stainless Steel, B (3" x 3"), CMGBK20 Emergency Vehicle Warning Kit, Triangle	Sling,Wire Rope,Permaloc,1/2" x 16'	1
Cooler,Water,Stand Up File Cabinet,Vertical,Steel,2 Drawer Marker,Wet/Dry Erase Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol Paint Brush,Bristle,2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint,Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 2 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle	Clipboard,Wood	1
File Cabinet, Vertical, Steel, 2 Drawer Marker, Wet/Dry Erase 9 Microwave 1 Printer, Multifunction, Laser, Brother, MFC-8460N 1 Paint, Primer, FD Enamel, Rustoleum HP, Grey, 15 oz. Aerosol Paint Brush, Bristle, 2" Paint Roller Frame, 5 Wire Frame, 9 1/2" Paint Roller Sleeve, Multi-Use, 9 1/2" Paint, Galvanizing, Rustoleum Brite Zinc, 355g Aerosol Shim Set, Slotted Stainless Steel, B (3" x 3"), CMGBK20 Emergency Vehicle Warning Kit, Triangle 1	Coffee Maker, Various	1
Marker,Wet/Dry Erase Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N 1 Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol Paint Brush,Bristle,2" 152 Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint,Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle	Cooler,Water,Stand Up	1
Microwave 1 Printer,Multifunction,Laser,Brother,MFC-8460N 1 Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol Paint Brush,Bristle,2" 152 Paint Roller Frame,5 Wire Frame,9 1/2" 2 Paint Roller Sleeve,Multi-Use,9 1/2" 18 Paint,Galvanizing,Rustoleum Brite Zinc,355g 11 Aerosol Shim Set,Slotted Stainless Steel,B (3" x 2 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle 1	File Cabinet, Vertical, Steel, 2 Drawer	1
Printer,Multifunction,Laser,Brother,MFC-8460N Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol Paint Brush,Bristle,2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint,Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 2 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle	Marker,Wet/Dry Erase	9
Paint,Primer,FD Enamel,Rustoleum HP,Grey,15 oz. Aerosol Paint Brush,Bristle,2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint,Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle	Microwave	1
oz. Aerosol Paint Brush,Bristle,2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint,Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 2 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle	Printer,Multifunction,Laser,Brother,MFC-8460N	1
Paint Brush,Bristle,2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint,Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 2 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle		1
Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint,Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 2 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle		152
Paint Roller Sleeve, Multi-Use, 9 1/2" Paint, Galvanizing, Rustoleum Brite Zinc, 355g Aerosol Shim Set, Slotted Stainless Steel, B (3" x 2 3"), CMGBK20 Emergency Vehicle Warning Kit, Triangle		
Paint,Galvanizing,Rustoleum Brite Zinc,355g Aerosol Shim Set,Slotted Stainless Steel,B (3" x 2 3"),CMGBK20 Emergency Vehicle Warning Kit,Triangle 1	,	
Shim Set, Slotted Stainless Steel, B (3" x 2 3"), CMGBK20 Emergency Vehicle Warning Kit, Triangle 1	Paint,Galvanizing,Rustoleum Brite Zinc,355g	11
Emergency Vehicle Warning Kit, Triangle	Shim Set,Slotted Stainless Steel,B (3" x	2
riale,Gl0le,7 1422		1

Face Shield Window,Clear,High Perf ,Fibre Metal,4178CLEAR	38
Face Shield Window, Dark Green, High Perf, Fibre Metal, 4178DGR	38
Fire Extinguisher,ABC,Multi-Purpose,5 lbs	3
Lockout Tag,25/Pkg	75
Tape,Caution,Yellow,DO NOT ENTER	7
Tape,Danger,Red,DO NOT ENTER	2
Face Shield,Quick-lok,Crown Protector,Fibre-Metal,7",F4500	7
Tag,Aluminum,Inspection,Fire Extinguisher	3
Lifeline, Vertical, Safety, 5/8" x 150'	1
Keystock,Rectangle,1018,1/2" x 3/4"	12
Keystock,Square,1018,1/4"	7
Keystock,Square,1018,3/8"	6
Keystock,Square,1018,1/2"	4
Keystock,Square,1018,5/8"	2
Keystock,Square,1018,3/4"	6
Air Blow,Gun	2
Air Pressure Gauge, Tire	1
Annular Cutter,13/16" x 1"	7
Bar,Aligning,12"	4
Bar,Aligning,15"	1
Bar,Aligning,18"	2
Bar,Crow,18"	2
Bar,Crow,54"	2
Bar,Pry,8"	1
Bar,Pry,18"	10
Bar,Pry,24"	4
Bar,Pry,32"	2
Bar,Pry,48"	5
Battery Charger, Cordless Tool, Dewalt, 20V	4
Battery Charger, Cordless Tool, Dewalt, 18V	2
Belt Tension Tester,Gates,Pencil Type,30 lb.,Gates,7401007	3
Bevel,Sliding T,8" Long	3
Burr,Carbide,Flat Top Cylindrical - Type SA,1/4" x 5/8"	1
Caliper,Digital,0" - 6"	2
Caulking Gun, Manual, Adhesive Applicator, Hilti, MD1000	1
Caulking Gun,Manual,300 mL	6
Chain Breaker,# 60 - # 80,CB-2	1
Chalk Line,100'	3

Chalk Line Refill, Assorted Colours, 8 oz Bottle	2
Chalk Line Refill, Assorted Colours, 5 lb. Bottle	1
Chisel,Cape	10
Chisel,Flat	1
Chisel,Rotary Hammer Drill,Flat - 1" x 18"	1
Rotary Hammer Drill,Ground Rod	1
Driver,3/4"Splined	
Chisel,Wood,1"	2
Clamp,Bar "Bessey",18",HD	6
Clamp,Bar "Bessey",30",HD	5
Clamp,Beam,2 Tonne	2
Clamp,Beam,3 Tonne	1
C-Clamp,C,6"	2
Ram,Hydraulic,Enerpac,ENPRCS101	1
Die,Ridgid,Set,11 piece	1
(Do not	2
Reorder)Drill,Corded,Rotary,Hammer,SDS	
MAX,Makita	
Drill, Corded, Pistol Grip, 1/2" Chuck, Dewalt	1
Drill,Corded,Pistol Grip,1/2" Chuck,Milwauki	1
Drill,Cordless,1/2" Chuck,Dewalt 18V	1
Annular Cutter,9/16" x 1"	1
Drill Bit,Regular,SST,3/16"	3
Drill Bit,Regular,SST,1/4"	2
Drill Bit,Regular,SST,5/16"	36
Drill Bit,Regular,SST,21/64"	1
Drill Bit,Regular,SST,23/64"	1
Drill Bit,Regular,SST,7/16"	39
Drill Bit,Regular,SST,15/32"	1
Drill Bit,Regular,SST,31/64"	3
Drill Bit,Regular,SST,7/8"	2
Drill Bit,Regular,SST,1 1/16"	1
Drill Bit,Regular,SST,1 1/8"	2
Drill Bit,Regular,SST,1 3/8"	1
Drill Bit,Rotary Hammer,3/16" x 4" to 6" standard	1
drill shank	·
Drill Bit,Rotary Hammer,1/4" x 4" to 6" standard	6
drill shank Drill Bit,Rotary Hammer,SDS Plus,3/8" x 9" to 12"	1
(2 and 4 cutter)	'
Drill Bit,Rotary Hammer,SDS Plus,9/16" x 9" to	1
12" (2 and 4 cutter)	
Drill Bit,Rotary Hammer, 1/2" x 4" to 6" standard	1
drill shank Drill Bit,Rotary Hammer,SDS Plus,1/2" x 4" to 8"	7
Dilli Dit, Notary Hamilier, SDS Fius, 1/2 X 4 10 0	1

(2 and 4 cutter)	
Drill Bit,Rotary Hammer,SDS Plus,5/8" x 4" to 8"	1
(2 and 4 cutter)	'
Drill Bit,Rotary Hammer,SDS Plus,5/8" x 9" to 12"	3
(2 and 4 cutter)	
Drill Bit,Rotary Hammer,SDS Plus,3/4" x 4" to 8"	3
(2 and 4 cutter) Drill Bit,Rotary Hammer,SDS Plus,3/4" x 9" to 12"	10
(2 and 4 cutter)	10
Drill Bit,Rotary Hammer,SDS Plus,3/4" x 17" to	4
24" (2 and 4 cutter)	4
Drill Bit,Rotary Hammer,SDS Plus,7/8" x 13" to 16" (2 and 4 cutter)	4
Drill Bit,Rotary Hammer,SDS Max,1 1/8" x 17" to	1
24" (2 and 4 cutter)	
Drill Bit,Ship Auger,1/2" x 14"	1
Drill Bit,Ship Auger,3/4" x 8"	1
Drill Press,Corded,JDP-22F	1
Drill Press,Electromagnetic,Mag Drill,Milwaukee	1
File,Flat,Bastard,12"	6
File,Flat,Smooth	6
File,Half Round,Bastard	3
File,Round,Bastard,10"	1
Funnel,Multi-Purpose,Polyethylene,Medium	1
Grease Gun,Pistol Grip,Heavy Duty	1
(Do Not Reorder) Grinder, Angle, Corded, 5", all "Other" Models	2
Grinder, Bench, 6"	1
Grinder,Die,Corded,Dewalt	1
Hammer,Chipping,Welding	5
Hammer,Framer,Claw	2
Hammer,Deadblow,Long Handle	1
Hammer,Deadblow,Short Handle	4
Hammer,Mallet,Rubber	4
Hammer,Sledge,Short Handle,3 lbs.	1
Hammer, Sledge, Short Handle 4 lbs.	4
Hammer, Sledge, Short Handle, 5 lbs.	2
Hammer, Sledge, Post Mall	2
Heater, Space, 110V	5
<u> </u>	
Heater, Space, 220V	5
Hose,Multi-Purpose (Air),Double Braid,3/8" x 50'	1
Impact,Corded,1/2" Drive,Dewalt	3
Impact,Corded,3/4" Drive,All "Other" Models	2
Impact,Cordless,1/2" Drive,Dewalt 18V	6
Jack,Bottle,Low Profile,20 Tonne	2

Jack,Bottle,Regular Profile,12 Tonne	2
	3
Jerry Can,Fuel,20 L Knife,Putty,Steel	3
Knife,Utility,Heavy Duty,Olfa,L2	8
Ladder,Extension,Aluminum,20'	1
Ladder,Step,Fiberglass,Featherlite,6'	3
Level,Box Beam,Magnetic,48"	4
Level,Box Beam,Magnetic,24"	3
Level,I-Beam,Non-Magnetic,24" Long	1
Level,I-Beam,Non-Magnetic,48" Long	2
Level,Laser,Self Leveling,Rotary	1
Level,Torpedo,Magnetic	8
Light,Hard Hat,Pelican 2610 or 2690	6
Measure,Tin,Rigid Funnel,1 Gallon	2
Mechanic Wire,3.125 lb Roll,Rebar Wire, 16.5 GA, 105Metres	3
Nut, Grinder, 5/8", Use W/Grinding/Cutting Disc&TOO-014715	8
Nut Driver Set,SAE,7 Pc (Purchase Only)	1
Bit, Impact Driver, Nut SAE 5/16" (all lengths)	2
Bit, Impact Driver, Nut SAE 1/4" (all lengths)	2
Pliers,Pipe Crimper,5 Blade,9 1/2" Long	2
Pliers,Diagonal (Side Cutter),7" - Medium	2
Pliers,Linesman,8" Long	1
Pliers,Locking,C-Clamp,8" Long	8
Pliers,Locking,Curved Jaw,10" Long,Vise Grip,10CR	8
Pliers,Wire Stripper	1
Pliers,Slip Joint	3
Plumb Bob,Brass,8 oz.	1
Pop Riveter Gun,Standard,3/32" - 3/16"	1
Punch, Aligning	12
Punch,Brass,Tapered,5/8"	1
Punch,Brass,Drift,1/2"	1
Punch,Roll Pin	1
Ratchet,Adaptor,Female to Male,1/2" to 3/4",Impact	1
Ratchet, Adaptor, Female to Male, 3/8" to 1/4", Standard	1
Ratchet,Adaptor,Female to Male,3/8" to 1/2",Standard	2
Ratchet,Adaptor,Female to Male,1/2" to 3/4",Standard	3
Ratchet, Drive, 3/8"	3
Ratchet, Drive, 1/2"	5

Ratchet, Drive, 3/4"	2
Ratchet,Drive,1"	1
Ratchet,Drive,Breaker,Flex,Bar,3/8"	1
Ratchet, Drive, Breaker, Flex, Bar, 1/2"	1
Ratchet,Extension,1/4" Drive,4" Long,Standard	1
Ratchet, Extension, 3/8" Drive, 1 3/4"	5
Long,Standard	
Ratchet,Extension,3/8" Drive,3" Long,Standard	4
Ratchet,Extension,3/8" Drive,10" Long,Standard	3
Ratchet,Extension,1/2" Drive,2" Long,Standard	3
Ratchet, Extension, 1/2" Drive, 4" Long, Standard	5
Ratchet,Extension,1/2" Drive,8" Long,Standard	1
Ratchet,Extension,1/2" Drive,10" Long,Standard	3
Ratchet, Swivel, A.K.A. U-Joint, 1/2" Drive, Impact	2
Ratchet, Swivel, A.K.A. U-Joint, 1/2"	2
Drive,Standard	0
Reamer, Dual Cut, 1/2"	8
Saw,Circular,Corded,7 1/4",Dewalt	1
Saw,Cut-off,Corded,14",All "Other" Models	1
Saw,Reciprocating,Corded,Milwaukee	1
Saw Blade,Cut-Off,Metal,14" x 3/32" x 1"	13
Saw Blade,Reciprocating,Metal,6"x14 tpi	37
Saw Blade,Reciprocating,Metal,12"x18 tpi	5
Bit, Impact Driver Phillips #1, Short(Short being 2" and shorter)	18
Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter)	15
Screw Driver, Hand,Flat,Blade width 1/4" Short (Short being 4" and shorter)	13
Bit, Impact Driver, Torx T10, All Lengths	2
Bit, Impact Driver Phillips #1, Long(Long being 3" and longer)	1
Bit, Impact Driver Phillips #3, Short(Short being 2" and shorter)	7
Screw Extractor, Standard, 3/4"	1
Screw Extractor, Standard, 15/64"	1
Snips,Straight,Yellow Handle,10" Overall Length	3
Socket - 3/8" Drive,Metric,Allen (Short),4	2
mm,Standard Socket - 3/8" Drive,Metric,Allen (Short),6	1
mm,Standard	
Socket - 3/8" Drive,Metric,Allen (Short),10 mm,Standard	3
Socket - 3/8" Drive,Metric,Deep,8 mm,Standard	1
Socket - 3/8" Drive, Metric, Deep, 9 mm, Standard	1
Socket - 3/8" Drive,Metric,Deep,12 mm,Standard	1

Socket - 3/8" Drive,Metric,Deep,13 mm,Standard	1
Socket - 3/8" Drive, Metric, Deep, 14 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 15 mm, Standard	1
Socket - 3/8" Drive, Metric, Deep, 16 mm, Standard	1
Socket - 3/8" Drive,Metric,Deep,17 mm,Standard	1
Socket - 3/8" Drive,Metric,Deep,18 mm,Standard	1
Socket - 3/8" Drive, Metric, Deep, 19 mm, Standard	1
Socket - 3/8" Drive, Metric, Shallow, 8	1
mm,Standard	
Socket - 3/8" Drive,Metric,Shallow,9	1
mm,Standard	4
Socket - 3/8" Drive, Metric, Shallow, 12	1
mm,Standard Socket - 3/8" Drive,Metric,Shallow,14	1
mm,Standard	'
Socket - 3/8" Drive, Metric, Shallow, 15	1
mm,Standard	
Socket - 3/8" Drive, Metric, Shallow, 16	1
mm,Standard	
Socket - 3/8" Drive,Metric,Shallow,17	1
mm,Standard Socket - 3/8" Drive,Metric,Shallow,18	1
mm,Standard	I I
Socket - 3/8" Drive, Metric, Shallow, 19	1
mm,Standard	
Socket - 1/2" Drive, Metric, Allen (Short), 14	1
mm,Impact	
Socket - 1/2" Drive, Metric, Allen (Short), 6	1
mm,Standard	4
Socket - 3/8" Drive,SAE,Allen (Short),7/64",Standard	1
Socket - 3/8" Drive,SAE,Allen	1
(Short),1/4",Standard	'
Socket - 3/8" Drive,SAE,Allen	2
(Short),5/16",Standard	
Socket - 3/8" Drive, SAE, Allen	2
(Short),3/8",Standard	4
Socket - 3/8" Drive,SAE,Deep,1/4",Standard	4
Socket - 3/8" Drive,SAE,Deep,5/16",Standard	1
Socket - 3/8" Drive,SAE,Deep,7/16",Standard	7
Socket - 3/8" Drive,SAE,Deep,1/2",Standard	6
Socket - 3/8" Drive, SAE, Deep, 9/16", Standard	8
Socket - 3/8" Drive,SAE,Deep,5/8",Standard	5
Socket - 3/8" Drive,SAE,Deep,11/16",Standard	4
·	
Socket - 3/8" Drive,SAE,Deep,3/4",Standard	3
Socket - 3/8" Drive,SAE,Deep,13/16",Standard	5
Socket - 3/8" Drive,SAE,Deep,7/8",Standard	4
Socket - 3/8" Drive, SAE, Shallow, 5/16", Standard	2
Socket - 3/8" Drive,SAE,Shallow,3/8",Standard	1
, , , , , , , ,	· .

Socket - 3/8" Drive, SAE, Shallow, 1/2", Standard	2
Socket - 3/8" Drive,SAE,Shallow,5/8",Standard	2
Socket - 3/8" Drive, SAE, Shallow, 11/16", Standard	3
Socket - 3/8" Drive,SAE,Shallow,3/4",Standard	2
Socket - 3/8" Drive, SAE, Shallow, 13/16", Standard	2
Socket - 3/8" Drive,SAE,Shallow,7/8",Standard	2
Socket - 1/2" Drive,SAE,Deep,3/8",Impact	1
Socket - 1/2" Drive,SAE,Deep,7/16",Impact	4
Socket - 1/2" Drive,SAE,Deep,1/2",Impact	2
Socket - 1/2" Drive,SAE,Deep,9/16",Impact	8
Socket - 1/2" Drive,SAE,Deep,5/8",Impact	3
Socket - 1/2" Drive,SAE,Deep,11/16",Impact	2
Socket - 1/2" Drive,SAE,Deep,3/4",Impact	5
Socket - 1/2" Drive,SAE,Deep,13/16",Impact	1
Socket - 1/2" Drive,SAE,Deep,7/8",Impact	1
Socket - 1/2" Drive,SAE,Deep,1",Impact	1
Socket - 1/2" Drive,SAE,Deep,1 1/8",Impact	2
Socket - 1/2" Drive,SAE,Deep,1 1/4",Impact	2
Socket - 1/2" Drive,SAE,Deep,9/16",Standard	2
Socket - 1/2" Drive,SAE,Deep,5/8",Standard	1
Socket - 1/2" Drive,SAE,Deep,7/8",Standard	1
Socket - 1/2" Drive,SAE,Deep,1",Standard	1
Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard	1
Socket - 1/2" Drive,SAE,Deep,1 1/4",Standard	1
Socket - 1/2" Drive,SAE,Shallow,3/8",Impact	1
Socket - 1/2" Drive,SAE,Shallow,9/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,15/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,1 1/16",Impact	1
Socket - 1/2" Drive,SAE,Shallow,3/8",Standard	2
Socket - 1/2" Drive,SAE,Shallow,7/16",Standard	6
Socket - 1/2" Drive,SAE,Shallow,1/2",Standard	1
Socket - 1/2" Drive,SAE,Shallow,9/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,5/8",Standard	2
Socket - 1/2" Drive,SAE,Shallow,11/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,3/4",Standard	4
Socket - 1/2" Drive,SAE,Shallow,13/16",Standard	3
Socket - 1/2" Drive,SAE,Shallow,7/8",Standard	3
Socket - 1/2" Drive,SAE,Shallow,15/16",Standard	2
Socket - 1/2" Drive,SAE,Shallow,1",Standard	2
Socket - 1/2" Drive,SAE,Shallow,1	3
1/16",Standard Socket - 1/2" Drive,SAE,Shallow,1 1/8",Standard	3
Journel - 1/2 Dilve, JAL, Stiallow, 1 1/0 , Statidate	3

Socket - 1/2" Drive,SAE,Shallow,1 3/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,1 1/4",Standard	1
Socket - 3/4" Drive,SAE,Deep,1 5/8",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 1/16",Impact	2
Socket - 3/4" Drive,SAE,Shallow,1 3/16",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 1/4",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 7/16",Impact	1
Socket - 3/4" Drive,SAE,Shallow,1 3/4",Impact	1
Socket - 3/4" Drive, SAE, Shallow, 1 1/8", Standard	1
Socket - 3/4" Drive, SAE, Shallow, 1 1/4", Standard	1
	1
(Order Only-Do not count)Socket Set - 3/8" Drive,SAE,Allen,10 Pc	ı
(Order Only-Do not count)Socket Set - 3/8"	1
Drive, Metric, Deep, 10 Pc	
(Order Only-Do not count)Socket Set - 3/8" Drive,SAE,11 Pc	1
(Order Only-Do not count)Socket Set - 3/8"	1
Drive,SAE,20 Pc	
(Order Only-Do not count)Socket Set - 3/4"	1
Drive,SAE,21 Pc Square,Carpenter,Normal,12" x 8"	1
Square, Carpenter, Normal, 12 x 16"	9
Square,Layout,6 3/4" (Speed Square)	
	6
Stethoscope, Mechanic	1
Stone Dresser, Huntington, Diameter", 0" to 10"	1
Straight Edge, Steel, 12"	4
Tag,SNG,# 5 Yellow	20
Tag,SNG,# 5 Red	15
Tag,SNG,# 5 Green	60
Tap,Bottoming,UNC,3/8"	1
Tap,NPT,1/2"-14	1
Tap and Die Set,SAE/Metric,110 piece	1
Tape Measure, Manual Reel , Metric / SAE, 30 m / 100'	9
Tape Measure,Manual Reel,SAE,100'	3
Tape Measure, Manual Reel, SAE, 200', Lufkin	1
Tie Down Strap,Ratchet,Polyester,2"x 27',Heavy Duty	3
Tie Down Strap,Bungee,Rubber,9" Long	3
Tool Chest, Top, 8 Drawer	1
Tube Cutter,1/8" - 1 1/4" O.D., aka Pipe Cutter	3
Vise,Bench,Max Jaw Width",6"	1
Vise,Drill Press,Max Jaw Width",5"	1
Wire Cup Brush,Carbon,Knot Twisted or	1
Crimped,4"	

Wire Wheel Brush,Carbon,Knot Twisted or Stringer Bead,5"	3
Measuring Gasket,Wrap-A-Round,Flexible,4"	1
Wide x 6' Long	·
Measuring Gasket,Wrap-A-Round,Flexible,5" Wide x 7' Long	4
Wrench,Allen,SAE - Long,9/16"	1
Wrench,Allen,SAE - Long,5/8"	1
Wrench,Allen,SAE - Long,1"	1
Wrench,Crescent,8"	1
Wrench,Crescent,10"	1
Wrench, Crescent, 18"	2
Wrench,Crescent,24"	1
Wrench,Flat (Combination),SAE - Regular,1/4"	2
Wrench,Flat (Combination),SAE - Regular,7/16"	4
Wrench,Flat (Combination),SAE - Regular,1/2"	7
Wrench,Flat (Combination),SAE - Regular,9/16"	13
Wrench,Flat (Combination),SAE - Regular,5/8"	5
Wrench,Flat (Combination),SAE - Regular,11/16"	7
Wrench,Flat (Combination),SAE - Regular,3/4"	15
Wrench,Flat (Combination),SAE - Regular,13/16"	5
Wrench,Flat (Combination),SAE - Regular,15/16"	2
Wrench,Flat (Combination),SAE - Regular,1"	4
Wrench,Flat (Combination),SAE - Regular,1 3/16"	2
Wrench,Flat (Combination),SAE - Regular,1 1/4"	5
Wrench,Flat (Combination),SAE - Regular,1 3/8"	2
Wrench,Flat (Combination),SAE - Regular,1 7/16"	3
Wrench,Flat (Combination),SAE - Regular,1 1/2"	3
Wrench,Flat (Combination),SAE - Regular,1 5/8"	2
Wrench,Flat (Combination),SAE - Regular,1	2
11/16" Wrench,Flat (Combination),SAE - Regular,1 3/4"	3
Wrench,Flat (Combination),SAE - Regular,1 3/4	2
13/16"	2
Wrench,Flat (Combination),SAE - Regular,1 7/8"	2
Wrench, Grinder, Sander	22
Wrench,Pipe,Aluminum,14"	1
Wrench,Pipe,Aluminum,24"	1
Wrench,Pipe,Steel - SAE,18"	2
Wrench,Ratcheting,Combination - SAE,5/16"	2
Wrench,Ratcheting,Combination - SAE,3/8"	1
Wrench,Ratcheting,Combination - SAE,11/16"	1
Wrench,Spanner,3/4" - 2"	2

Wrench, Torque, 1/2" Drive 1 Wrench Set, Flat (Combination), 18 pc - Metric , 7mm - 24mm 1 Wrench Set, Torx, 8 piece - Fold up 1 Burr, Set, Die Grinder, 8 piece, 1/4" shank 1 Caulking 1 Gun, Applicator, Hilti, HDM500, supersedes MD2500 1 Drill, Corded, Rotary Hammer, SDS+, Dewalt 3 Pail, Plastic, 20L (5-1/4 US Gal) - w/o lid 4 Rebar Wire Pistol Twister 1 Pliers, Needle Nose 1 Ratchet, Extension, 1/2" Drive, 3" Long, Standard 3 (Do Not Reorder) 1 Saw, Reciprocating, Corded, Makita 2 Socket - 3/8" Drive, SAE, Shallow, 1/4", Standard 2 (Order Only-Do not count) Socket Set - 1/2" 1 Drive, SAE, Allen, 10 Pc 1 Wrench Set, Allen, 13 piece - SAE - Short 3 Utility Knife Replacement Blade, Olfa, EA Blade 20 Chisel, Wood, 1 1/4" 1 Tool, Bag, Bucket, Canvas w/leather bottom, Kuny 2 SW744 1 Drill, Bit, Rotary Hammer, SDS Max, 1/2"x 9" to 12" 2 2 and 4 cutter	Wrench,Spud,1-1/4" x 18"	6
Wrench Set, Flat (Combination), 18 pc - Metric	Wrench,Torque,1/2" Drive	1
Wrench Set,Torx,8 piece - Fold up 1 Burr,Set,Die Grinder,8 piece,1/4" shank 1 Caulking 1 Gun,Applicator,Hilti,HDM500,supersedes 1 MD2500 3 Drill,Corded,Rotary Hammer,SDS+,Dewalt 3 Pail,Plastic,20L (5-1/4 US Gal) - w/o lid 4 Rebar Wire Pistol Twister 1 Pliers,Needle Nose 1 Ratchet,Extension,1/2" Drive,3" Long,Standard 3 (Do Not Reorder) 1 Saw,Reciprocating,Corded,Makita 2 Socket - 3/8" Drive,SAE,Shallow,1/4",Standard 2 (Order Only-Do not count)Socket Set - 1/2" 1 Drive,SAE,Allen,10 Pc 1 Wrench Set,Allen,13 piece - SAE - Short 3 Utility Knife Replacement Blade,Olfa,EA Blade 20 Chisel,Wood,1 1/4" 1 Tool,Bag,Bucket,Canvas w/leather bottom,Kuny 2 WY744 1 Drill Bit,Rotary Hammer,SDS Max,1/2"x 9" to 12" 2 (2 and 4 cutter) 2 Annular Cutter,1/2" x 1" depth 1 Punch,Starter,Long Taper,7/32" dia. tip		1
Burr,Set,Die Grinder,8 piece,1/4" shank		
Caulking 1 Gun,Applicator,Hilti,HDM500,supersedes MD2500 Drill,Corded,Rotary Hammer,SDS+,Dewalt 3 Pail,Plastic,20L (5-1/4 US Gal) - w/o lid 4 Rebar Wire Pistol Twister 1 Pliers,Needle Nose 1 Ratchet,Extension,1/2" Drive,3" Long,Standard 3 (Do Not Reorder) 3 Saw,Reciprocating,Corded,Makita 1 Socket - 3/8" Drive,SAE,Shallow,1/4",Standard 2 (Order Only-Do not count)Socket Set - 1/2" 1 Drive,SAE,Allen,10 Pc 1 Wrench Set,Allen,13 piece - SAE - Short 3 Utility Knife Replacement Blade,Olfa,EA Blade 20 Chisel,Wood,1 1/4" 1 Tool,Bag,Bucket,Canvas w/leather bottom,Kuny 2 SW744 2 Drill Bit,Rotary Hammer,SDS Max,1/2"x 9" to 12" 2 (2 and 4 cutter) 1 Annular Cutter,1/2" x 1" depth 1 Punch,Starter,Long Taper,7/32" dia. tip 3 Die,Round,UNC,3/4" 1 Belt,Tool,Leather,W/Pockets 5 Annular Cutter,13/16" x 2" Depth<		•
Gun,Applicator,Hilti,HDM500,supersedes MD2500 Drill,Corded,Rotary Hammer,SDS+,Dewalt 3 Pail,Plastic,20L (5-1/4 US Gal) - w/o lid 4 Rebar Wire Pistol Twister 1 Pliers,Needle Nose 1 Ratchet,Extension,1/2" Drive,3" Long,Standard 3 (Do Not Reorder) 3 Saw,Reciprocating,Corded,Makita 1 Socket - 3/8" Drive,SAE,Shallow,1/4",Standard 2 (Order Only-Do not count)Socket Set - 1/2" 1 Drive,SAE,Allen,10 Pc 1 Wrench Set,Allen,13 piece - SAE - Short 3 Utility Knife Replacement Blade,Olfa,EA Blade 20 Chisel,Wood,1 1/4" 1 Tool,Bag,Bucket,Canvas w/leather bottom,Kuny 2 SW744 2 Drill Bit,Rotary Hammer,SDS Max,1/2"x 9" to 12" 2 (2 and 4 cutter) 1 Annular Cutter,1/2" x 1" depth 1 Punch,Starter,Long Taper,7/32" dia. tip 3 Die,Round,UNC,3/4" 5 Belt,Tool,Leather,W/Pockets 5 Annular Cutter,13/16" x 2" Depth 1 Radio,2-W		•
Pail, Plastic, 20L (5-1/4 US Gal) - w/o lid 4 Rebar Wire Pistol Twister 1 Pliers, Needle Nose 1 Ratchet, Extension, 1/2" Drive, 3" Long, Standard 3 (Do Not Reorder) 1 Saw, Reciprocating, Corded, Makita 2 Socket - 3/8" Drive, SAE, Shallow, 1/4", Standard 2 (Order Only-Do not count) Socket Set - 1/2" 1 Drive, SAE, Allen, 10 Pc 1 Wrench Set, Allen, 13 piece - SAE - Short 3 Utility Knife Replacement Blade, Olfa, EA Blade 20 Chisel, Wood, 1 1/4" 1 Tool, Bag, Bucket, Canvas w/leather bottom, Kuny SW744 2 WY744 2 Drill Bit, Rotary Hammer, SDS Max, 1/2"x 9" to 12" 2 (2 and 4 cutter) 2 Annular Cutter, 1/2" x 1" depth 1 Punch, Starter, Long Taper, 7/32" dia. tip 3 Die, Round, UNC, 3/4" 1 Belt, Tool, Leather, W/Pockets 5 Annular Cutter, 13/16" x 2" Depth 1 Radio, 2-Way, UHF, Vertex Standard, c/w Charger 2 & Corded Mic 4	Gun,Applicator,Hilti,HDM500,supersedes	1
Rebar Wire Pistol Twister	Drill,Corded,Rotary Hammer,SDS+,Dewalt	3
Pliers,Needle Nose	Pail,Plastic,20L (5-1/4 US Gal) - w/o lid	4
Ratchet,Extension,1/2" Drive,3" Long,Standard 3	Rebar Wire Pistol Twister	1
(Do Not Reorder)	Pliers,Needle Nose	1
Saw,Reciprocating,Corded,Makita Socket - 3/8" Drive,SAE,Shallow,1/4",Standard 2 (Order Only-Do not count)Socket Set - 1/2" 1 Drive,SAE,Allen,10 Pc 3 Wrench Set,Allen,13 piece - SAE - Short 3 Utility Knife Replacement Blade,Olfa,EA Blade 20 Chisel,Wood,1 1/4" 1 Tool,Bag,Bucket,Canvas w/leather bottom,Kuny SW744 2 Drill Bit,Rotary Hammer,SDS Max,1/2"x 9" to 12" 2 (2 and 4 cutter) 2 Annular Cutter,1/2" x 1" depth 1 Punch,Starter,Long Taper,7/32" dia. tip 3 Die,Round,UNC,3/4" 1 Belt,Tool,Leather,W/Pockets 5 Annular Cutter,13/16" x 2" Depth 1 Radio,2-Way,UHF,Vertex Standard,c/w Charger 2 & Corded Mic 1 Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits 4 Pliers,Locking,Chain Clamp,Extension 1 Chain,18",Vise Grip 1 Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) 1 Saw,Cut-off,Corded,14",Milwaukee 1 Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits <td< td=""><td>Ratchet, Extension, 1/2" Drive, 3" Long, Standard</td><td>3</td></td<>	Ratchet, Extension, 1/2" Drive, 3" Long, Standard	3
Socket - 3/8" Drive, SAE, Shallow, 1/4", Standard 2 (Order Only-Do not count) Socket Set - 1/2" 1 Drive, SAE, Allen, 10 Pc 3 Wrench Set, Allen, 13 piece - SAE - Short 3 Utility Knife Replacement Blade, Olfa, EA Blade 20 Chisel, Wood, 1 1/4" 1 Tool, Bag, Bucket, Canvas w/leather bottom, Kuny SW744 2 Drill Bit, Rotary Hammer, SDS Max, 1/2"x 9" to 12" 2 (2 and 4 cutter) 2 Annular Cutter, 1/2" x 1" depth 1 Punch, Starter, Long Taper, 7/32" dia. tip 3 Die, Round, UNC, 3/4" 1 Belt, Tool, Leather, W/Pockets 5 Annular Cutter, 13/16" x 2" Depth 1 Radio, 2-Way, UHF, Vertex Standard, c/w Charger 2 & Corded Mic 4 Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits 4 Pliers, Locking, Chain Clamp, Extension 1 Chain, 18", Vise Grip 1 Grinder, Angle, Cordless, 5", DeWalt 20V (18V count only) 1 Saw, Cut-off, Corded, 14", Milwaukee 1 Annular Cutter Ejector Pin, 1/4" x 3" for 1" Bits 4	(Do Not Reorder)	1
Order Only-Do not count)Socket Set - 1/2"		
Drive,SAE,Allen,10 Pc Wrench Set,Allen,13 piece - SAE - Short 3 Utility Knife Replacement Blade,Olfa,EA Blade 20 Chisel,Wood,1 1/4" 1 Tool,Bag,Bucket,Canvas w/leather bottom,Kuny SW744 2 Drill Bit,Rotary Hammer,SDS Max,1/2"x 9" to 12" (2 and 4 cutter) 2 Annular Cutter,1/2" x 1" depth 1 Punch,Starter,Long Taper,7/32" dia. tip 3 Die,Round,UNC,3/4" 1 Belt,Tool,Leather,W/Pockets 5 Annular Cutter,13/16" x 2" Depth 1 Radio,2-Way,UHF,Vertex Standard,c/w Charger 2 & Corded Mic 2 Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits 4 Pliers,Locking,Chain Clamp,Extension 1 Chain,18",Vise Grip 1 Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) 1 Saw,Cut-off,Corded,14",Milwaukee 1 Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits 4 Mason's Line,250 feet w/ holder 1 Reamer,Taper Shank Bridge,13/16" 4		2
Utility Knife Replacement Blade,Olfa,EA Blade Chisel,Wood,1 1/4" Tool,Bag,Bucket,Canvas w/leather bottom,Kuny SW744 Drill Bit,Rotary Hammer,SDS Max,1/2"x 9" to 12" (2 and 4 cutter) Annular Cutter,1/2" x 1" depth Punch,Starter,Long Taper,7/32" dia. tip 3 Die,Round,UNC,3/4" Belt,Tool,Leather,W/Pockets Annular Cutter,13/16" x 2" Depth Radio,2-Way,UHF,Vertex Standard,c/w Charger & Corded Mic Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits 4 Pliers,Locking,Chain Clamp,Extension Chain,18",Vise Grip Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) Saw,Cut-off,Corded,14",Milwaukee 1 Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits 4 Mason's Line,250 feet w/ holder Reamer,Taper Shank Bridge,13/16"	Drive,SAE,Allen,10 Pc	1
Chisel,Wood,1 1/4" Tool,Bag,Bucket,Canvas w/leather bottom,Kuny SW744 Drill Bit,Rotary Hammer,SDS Max,1/2"x 9" to 12" (2 and 4 cutter) Annular Cutter,1/2" x 1" depth Punch,Starter,Long Taper,7/32" dia. tip 3 Die,Round,UNC,3/4" Belt,Tool,Leather,W/Pockets Annular Cutter,13/16" x 2" Depth Radio,2-Way,UHF,Vertex Standard,c/w Charger & Corded Mic Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits 4 Pliers,Locking,Chain Clamp,Extension Chain,18",Vise Grip Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) Saw,Cut-off,Corded,14",Milwaukee 1 Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits 4 Mason's Line,250 feet w/ holder Reamer,Taper Shank Bridge,13/16"	Wrench Set,Allen,13 piece - SAE - Short	3
Tool,Bag,Bucket,Canvas w/leather bottom,Kuny SW744 Drill Bit,Rotary Hammer,SDS Max,1/2"x 9" to 12" (2 and 4 cutter) Annular Cutter,1/2" x 1" depth Punch,Starter,Long Taper,7/32" dia. tip 3 Die,Round,UNC,3/4" Belt,Tool,Leather,W/Pockets Annular Cutter,13/16" x 2" Depth Radio,2-Way,UHF,Vertex Standard,c/w Charger & Corded Mic Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits 4 Pliers,Locking,Chain Clamp,Extension Chain,18",Vise Grip Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) Saw,Cut-off,Corded,14",Milwaukee 1 Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits Mason's Line,250 feet w/ holder 1 Reamer,Taper Shank Bridge,13/16"	Utility Knife Replacement Blade,Olfa,EA Blade	20
SW744 Drill Bit,Rotary Hammer,SDS Max,1/2"x 9" to 12" (2 and 4 cutter) Annular Cutter,1/2" x 1" depth Punch,Starter,Long Taper,7/32" dia. tip 3 Die,Round,UNC,3/4" Belt,Tool,Leather,W/Pockets 5 Annular Cutter,13/16" x 2" Depth 1 Radio,2-Way,UHF,Vertex Standard,c/w Charger & Corded Mic Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits 4 Pliers,Locking,Chain Clamp,Extension Chain,18",Vise Grip Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) Saw,Cut-off,Corded,14",Milwaukee 1 Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits 4 Mason's Line,250 feet w/ holder 1 Reamer,Taper Shank Bridge,13/16"	Chisel,Wood,1 1/4"	1
(2 and 4 cutter) Annular Cutter, 1/2" x 1" depth 1 Punch, Starter, Long Taper, 7/32" dia. tip 3 Die, Round, UNC, 3/4" 1 Belt, Tool, Leather, W/Pockets 5 Annular Cutter, 13/16" x 2" Depth 1 Radio, 2-Way, UHF, Vertex Standard, c/w Charger & Corded Mic 2 Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits 4 Pliers, Locking, Chain Clamp, Extension Chain, 18", Vise Grip 1 Grinder, Angle, Cordless, 5", DeWalt 20V (18V count only) 1 Saw, Cut-off, Corded, 14", Milwaukee 1 Annular Cutter Ejector Pin, 1/4" x 3" for 1" Bits 4 Mason's Line, 250 feet w/ holder 1 Reamer, Taper Shank Bridge, 13/16" 4	SW744	2
Punch, Starter, Long Taper, 7/32" dia. tip Die, Round, UNC, 3/4" Belt, Tool, Leather, W/Pockets Annular Cutter, 13/16" x 2" Depth Radio, 2-Way, UHF, Vertex Standard, c/w Charger & Corded Mic Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits Pliers, Locking, Chain Clamp, Extension Chain, 18", Vise Grip Grinder, Angle, Cordless, 5", DeWalt 20V (18V count only) Saw, Cut-off, Corded, 14", Milwaukee 1 Annular Cutter Ejector Pin, 1/4" x 3" for 1" Bits 4 Mason's Line, 250 feet w/ holder 1 Reamer, Taper Shank Bridge, 13/16"		2
Die,Round,UNC,3/4" Belt,Tool,Leather,W/Pockets Annular Cutter,13/16" x 2" Depth Radio,2-Way,UHF,Vertex Standard,c/w Charger & Corded Mic Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits Pliers,Locking,Chain Clamp,Extension Chain,18",Vise Grip Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) Saw,Cut-off,Corded,14",Milwaukee Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits Mason's Line,250 feet w/ holder Reamer,Taper Shank Bridge,13/16"	Annular Cutter,1/2" x 1" depth	1
Belt,Tool,Leather,W/Pockets Annular Cutter,13/16" x 2" Depth Radio,2-Way,UHF,Vertex Standard,c/w Charger & Corded Mic Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits Pliers,Locking,Chain Clamp,Extension Chain,18",Vise Grip Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) Saw,Cut-off,Corded,14",Milwaukee 1 Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits 4 Mason's Line,250 feet w/ holder 1 Reamer,Taper Shank Bridge,13/16"	Punch,Starter,Long Taper,7/32" dia. tip	3
Annular Cutter,13/16" x 2" Depth Radio,2-Way,UHF,Vertex Standard,c/w Charger & Corded Mic Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits 4 Pliers,Locking,Chain Clamp,Extension Chain,18",Vise Grip Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) Saw,Cut-off,Corded,14",Milwaukee Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits 4 Mason's Line,250 feet w/ holder Reamer,Taper Shank Bridge,13/16"	Die,Round,UNC,3/4"	1
Radio,2-Way,UHF,Vertex Standard,c/w Charger & Corded Mic Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits Pliers,Locking,Chain Clamp,Extension Chain,18",Vise Grip Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) Saw,Cut-off,Corded,14",Milwaukee 1 Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits 4 Mason's Line,250 feet w/ holder 1 Reamer,Taper Shank Bridge,13/16"	Belt,Tool,Leather,W/Pockets	5
& Corded Mic Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits Pliers,Locking,Chain Clamp,Extension Chain,18",Vise Grip Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) Saw,Cut-off,Corded,14",Milwaukee Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits Mason's Line,250 feet w/ holder Reamer,Taper Shank Bridge,13/16" 4	Annular Cutter,13/16" x 2" Depth	1
Pliers,Locking,Chain Clamp,Extension Chain,18",Vise Grip Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) Saw,Cut-off,Corded,14",Milwaukee 1 Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits 4 Mason's Line,250 feet w/ holder 1 Reamer,Taper Shank Bridge,13/16" 4		2
Chain,18",Vise Grip Grinder,Angle,Cordless,5",DeWalt 20V (18V count only) Saw,Cut-off,Corded,14",Milwaukee 1 Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits 4 Mason's Line,250 feet w/ holder 1 Reamer,Taper Shank Bridge,13/16" 4	Annular Cutter Ejector Pin, 1/4" x 4" for 2" Bits	4
count only) Saw,Cut-off,Corded,14",Milwaukee 1 Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits 4 Mason's Line,250 feet w/ holder 1 Reamer,Taper Shank Bridge,13/16" 4		1
Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits Mason's Line,250 feet w/ holder Reamer,Taper Shank Bridge,13/16" 4	Grinder, Angle, Cordless, 5", DeWalt 20V (18V count only)	1
Mason's Line,250 feet w/ holder 1 Reamer,Taper Shank Bridge,13/16" 4	Saw,Cut-off,Corded,14",Milwaukee	1
Reamer, Taper Shank Bridge, 13/16" 4	Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits	4
3 1	Mason's Line,250 feet w/ holder	1
	Reamer, Taper Shank Bridge, 13/16"	4
Drill Press, Electromagnetic, Mag Drill, Hougen 1	Drill Press,Electromagnetic,Mag Drill,Hougen	1
Drill Bit,Rotary Hammer,SDS Plus,1" x 9" to 12" (2 and 4 cutter)		4
Clamp,Bar "Bessey",12",HD		6

Drill,Corded,Rotary,Hammer,SDS MAX,Dewalt	
	2
Lanyard,Tool,2 Caribiner,42" - 54"	3
Cutter,Rebar,Rotary,SDS Plus,3/4" x 12" (Bit)	12
Punch,Bull Pin,Broad Head,13" x 1 1/4"	6
Bar,Stripping,48" (Savage)	2
Chisel Set,Cold,5 piece	1
Hammer,Ball,Pein,Peen,32 oz.	4
Threader,Pipe,Manual,Ratcheting,1/2"- 2",NPT,Ridgid 36475	1
Die,Ridgid,Fits manual threader,1/2" NPT,Alloy	1
Die,Ridgid,Fits manual threader,3/4" NPT,Alloy	1
Die,Ridgid,Fits manual threader,1" NPT,Alloy	2
Adhesive,Epoxy,Mixer,Hilti,HIT RE-500	1
Guard Assembly,Grinder,Makita,6",180 Degree,# 165486-6	6
Drill Bit,Rotary Hammer,SDS Max,1/2"x 13" to 16" (2 and 4 cutter)	3
Impact,Cordless,1/4"Hex	2
Drive,Screwdriver,Dewalt 18V Cutter,Rebar,Rotary,SDS Plus,7/8" x 12" (Bit)	6
Cutter,Rebar,Rotary,SDS Plus,176 X 12 (Bit) Cutter,Rebar,Rotary,SDS Plus,1" x 12" (Bit)	5
Drill, Step, 1-1/8", (3/4" K.o), GLE 30008,	2
KTSB11	2
Guard Assembly,Grinder,Makita,5",180 Degree	1
Level,Torpedo,Digital,Magnetic	8
Battery,Cordless Tool,Dewalt,20V	8
Hammer,Ball Pein,Peen,24 oz	9
Hammer,Ball Pein,Peen,8 oz	2
Chisel,Wood,1/2"	1
Chisel,Wood,3/4"	1
Drill Bit, Cobalt, 9/16"	1
Heater, Space, 240V	1
Impact, Cordless, Dewalt 20 V, 1/2" Drive	5
Cutter, Rebar, Rotary, SDS Plus, 1 1/8" X 12" (Bit)	1
Adaptor, Battery, 18V to 20V, Dewalt	1
(Order Only-Do not count)Saw Kit, 4 or more Pce. Set, Carbide Tipped Ideal or other brand	1
Cutter, Rebar, Rotary, SDS Plus, 5/8" x 12" (Bit)	1
Annular Cutter,7/8" x 2"	5
Drill Press, Electromagnetic, Mag, Drill, Cordless, Milwaukee, MTL2787-22	1
Gas,Acetylene (C2H2),CWS,41" Tank	2
Fire Blanket,Leather, SQFT	264

Flashback Arrestor,Regulator Adaptor Style,Acetylene	6
Hose,Welding,Acetylene / Oxygen,1/4" x 50'	1
Plasma Cutting Tip,60A,Thermal Dynamics,9-8210	8
Plasma Cutting Tip,Thermal Dynamics,9-8215	4
Propane Torch, Tiger Torch	1
Regulator,Acetylene,Heavy Duty,Victor,CSR 460A	2
Regulator,Oxygen,Heavy Duty,Victor,CSR 450D	2
Soap Stone,Flat,1/2" x 5"	60
Spark Striker,Single Flint	7
Spatter Release, Nozzle Kleen, No. 2,16 oz.	1
Torch,Butane,Micro Torch,Bernzomatic	1
Torch Refill,Butane,60 g ,Bernzomatic	1
Torch Cutting Assembly, Oxygen/Acetylene, Victor	2
Torch Cutting Attachment,90 Degree,Tip Series 1,10 1/2" Long	1
Torch Handle,9/16" Hose Connection,9" Long,Heavy Duty,Victor	1
Torch Nozzle, Welding, 1W, Heavy Duty, Victor, 1W	1
Torch Tip Cleaner, Spiral, Stainless Steel Wire, Standard	2
Welding Cable Connector, Single Ball Point, Female, 1 / 0 AWG	6
Welding Cable Connector, Single Ball Point, Male, 1 / 0 AWG	2
Welding Helmet	3
Welding Lens,2" x 4 1/4"Shade,9,10,11	8
Welding Kuny Rod Pouch,One Size Fits All	2
Welding Stinger,Twist Type,400 amp	5
Marker,Paint,Yellow	6
Welding Stinger,Clamp Style	1
Replacement Protection Lense,Outer,Std,3M 9000 series helmet	8
Welding Cable Connector,Set,Tweco,2MPC,9425- 1220,(2)Female	2
Welding Ground Clamp,400 Amp,Rotary	1
Welding Lens,2" x 4 1/4",Clear	16
Welding Rod, Stainless Steel, ESAB, 316L-17, 1/8", 5KG Per Box	2.85
Disc,Cutting,Metal,5" x .045" x 7/8",Tyrolit 458870,Zip	61
Screw,Cap,UNC - Hex Head,5/16" x 3/4",Gr. 5	296
Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 5	200
Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 5	205

Screw,Cap,UNC - Hex Head,5/16" x 3 1/2",Gr. 5	35
Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 5	1,700
Screw,Cap,UNC - Hex Head,1/2" x 3",Gr. 5	18
Screw,Cap,UNC - Hex Head,1/2" x 4",Gr. 5	17
Screw,Cap,UNC - Hex Head,1/2" x 5",Gr. 5	30
Screw,Cap,UNC - Hex Head,5/8" x 3",Gr. 5	25
Screw,Cap,UNC - Hex Head,5/8" x 3 1/2",Gr. 5	9
Screw,Cap,UNC - Hex Head,5/8" x 5",Gr. 5	1
Screw,Cap,UNC - Hex Head,3/8" x 2",SS	129
Screw,Cap,UNC - Hex Head,1/2" x 1",SS	67
Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",SS	10
Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",SS	74
Screw,Cap,UNC - Hex Head,1/2" x 2",SS	88
Screw,Cap,UNC - Hex Head,1/2" x 3",SS	30
Screw,Cap,UNC - Hex Head,5/8" x 1 1/4",SS	10
Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",SS	10
Silicone,Multi Use,Clear,300 mL Tube,Dow Corning,732	90
Strapping,Steel,5/8" x 0.020" (Banding)	10
Washer,Flat,1/2",Gr. 5	661
Washer,Flat,5/8",Gr. 5	21
Washer,Flat,3/8",SS	44
Washer,Flat,3/4",SS	100
Washer,Flat,1",SS	16
Cable Clip,Wire Rope,Galvanized,3/8",Crosby,G-450	116
Tape,Teflon,White,1/2" x 480"	5
Safety Latch Kit,Lever Puller,3/4 Tonne,Westward,VRL740-34	6
Shackle, Anchor, Screw Pin, 3/4" (4 3/4	22
Anchor Sling, Steel Cable, Fall Protection, 6' x	10
1/4",Red,Dog leash Bug Repellant,Aerosol,Deep	1
Woods,230g,CB719447	
Dust Masks,8210,N95,20 / box,3M	32
Ear Plugs,Expandable Foam with Cord,LL30,100 pair/box	3
Fire Extinguisher,ABC,Multi-Purpose,10 lbs	5
First Aid Kit,Large,FAKSKT2UP	1
Hand Cleaner, Pumice, Fast Orange, 3.78 L	1
Hard Hat,Fibre Metal,Roughneck Series,Quick-Loc,Grey	1
Hard Hat,Comfort Band,Sweatband,Liner,Terry Cloth,Pkg of 2	7
Lockout Hasp,Steel,6 Hole	6

Anchor,Structural Beam,AKA Flange bar,FB2, Beam Buddy	2
Face Shield Connector, Fibre-Metal Quick-	11
Lok,4002,(male) Battery,Cordless Tool,Dewalt,18V	7
Drill Bit,Regular,SST,1/2"	32
Pail,Galvanized Steel,12 Litre	14
Saw,Hack,12"	2
Saw Blade, Circular, All-Purpose, 7 1/4" Wood	1
Saw Blade, Circular, Metal, 8", Milwaukee	1
Socket - 3/8" Drive,SAE,Deep,3/8",Standard	1
Socket - 1/2" Drive,SAE,Deep,1 3/16",Standard	2
Wrench,Flat (Combination),SAE - Regular,3/8"	3
Wrench,Flat (Combination),SAE - Regular,7/8"	4
Wrench,Flat (Combination),SAE - Regular,1 1/16"	2
Wrench,Flat (Combination),SAE - Regular,1 1/8"	5
Wrench,Ratcheting,Combination - SAE,7/16"	2
(Do Not Reorder) Grinder, Angle, Corded, 6", all "Other" Models	12
Flange,Grinder,5/8",Use W/Grinding/Cutting Disc&TOO-003560	1
Drill,Cordless,20 Volt,1/2" Chuck,Dewalt	2
Spark Striker Replacement Flint, Single, Standard	9
Torch Cutting Tip,0-1-101,Capacity,3/8" x 1/2",0,Heavy Duty	3
Welding Cable,Cord (Cable),Copper,1 / 0 AWG	260
Welding Ground Clamp,300 Amp	5
Welding Rod,Low Hydrogen,7018,3/32" x 12", 2.5KG/ box, 183 RODS PER BOX	7.5
Welding Rod,Low Hydrogen,7018,1/8" x 14", 5KG/box	65
Welding Cable Connector,Set,Tweco,2MPC,9425-1200,(1)M(1)F	2
Receptacle,Smoking,Cease Fire,JRT 26800	1
Lanyard,Self Retracting,REW-23 Safewaze	2
Eye Wash Station, with Bottle and Solution, 500 ml	2
Punch,Center	3
Disc,Cutting,Metal,7" x .045" x 7/8",Zip	80
Disc,Sanding Roll,6",Stikit,80 Grit,125/Roll	1
Respirator,Air Purifying,Half Mask,Medium,NORTH,7700	1
Bolt Cutter, Heavy Duty, 36"	1
Bit, Impact Driver, Torx T20 (All Lengths)	5
Antifreeze,Gas Line,150 ml	15
Anti-gel,Diesel,Kleenflo,1 L	1

Thimble,Wire	23
Rope,Galvanized,3/8",HD,Crosby,G-414	
Lanyard,Fall Restraint,5/8" Rope,50'	1
Angle Meter, Magnetic Base, 0 - 90 Degrees	3
Cutter,Rebar,Rotary,SDS Plus,1/2" x 12" (Bit)	5
Grinder Stone,Bench,Coarse,6" x 3/4" x 1/2"	1
Cloth,Emery,2" x 50 Yards,120 Grit	1
Cutting Fluid,Bessey,Rapid Tap,4L	1
Pop Rivet,Aluminum/Aluminum,3/16" dia,1/4"-3/8",.625 head	50
Pliers Set,Snap Ring,Internal / External,8 piece	1
Pliers,Snap Ring	2
Saw Blade,Jigsaw,Wood,4"x6 tpi (2 / pkg)	12
Shackle, Anchor, Screw Pin, 7/8" (6 1/2 Tonne), Crosby, G-209	10
Grinder Stone,Bench,Fine,8" x 1" x 1 1/4",NRN44447	1
One Way Clip,Trailing Rope Grab,Auto Sliding,Miller,8175	2
Belt Tension Tester,Goodyear,Six Barrel,Lge,Goodyear,Eagle	1
Pliers,Locking,C-Clamp with Swivel Pads,10" Long,Vise Grip	6
Welding Rod,5P+ (Pipe),6010,1/8" x 14",Lincoln,5 KG Box	5
Staples,Office,Standard	1
Eye Wash Station,with Bottle and Solution,1000 ml	1
Knee Pads,Hard Shell	2
Screw Driver Hand Set,Torx,9 Pc (Purchase Only)	1
Bar,Aligning,14"	1
Steel,Angle Iron,3/16" x 2" x 2",Mild	6
Ratchet,Adaptor,Female to Male,3/4" to 1/2",Standard	1
Screw,Wood,Countersunk,3 1/2"	44
Oil,Regular Motor,Mobil,Super 1000,10W-30,1 Litre	2
Sealant,Roofing,946 ml,Rapid Patch	9
Chain,Drag,Pin	4
Drill Bit,Rotary Hammer,SDS Max,1" x 8"	4

Unit 136:

Type: 53' Dorsey Van Trailer Serial Number: 1DTV61530YA277192 Inventory Listing:

Inventory Description	# of Units
Cloth,Emery,1" x 50 Yards,80 Grit	150
Cloth,Emery,2" x 50 Yards,100 Grit	23
Cloth,Emery,1" x 50 Yards,120 Grit	25
Disc,Grinding,Metal,7" x 1/4" x 7/8"	6
Disc,Cutting,Metal,6" x .045" x 7/8",Tyrolit 458871,Zip	460
Disc,Grinding,Metal,6" x 1/4" x 7/8"	137
Cloth,Emery,1" x 50 Yards,180 Grit	20
Grease Fitting,Nipple,Kit,SAE,Asstd,100 Pc	1
Battery,AA	40
Battery,AAA	21
Battery,D	2
Extension Cord,110 V,10' (300V 3c 12AWG SJOOW Mininum)	1
Extension Cord,110 V,15' (300V 3c 12AWG SJOOW Mininum)	2
Extension Cord,110 V,20' (300V 3c 12AWG SJOOW Mininum)	2
Extension Cord,110 V,50' (300V 3c 12AWG SJOOW Mininum)	3
Extension Cord,110 V,100' (300V 3c 12AWG SJOOW Mininum)	6
Extension Cord Conn(Male),110V,2 Pole,2 Wire,YEL,HBL5865VY (obsolete -use 3 prong)	4
Extension Cord Conn(Female),110V,2 Pole,2 Wire,Yel,HBL5869VY (obsolete -use 3 prong)	11
Extension Cord Conn (Female),2P3W,15A,125V,YELLOW,HBL5969VY	6
Extension Cord Conn (Male),2P3W,125V,15A,YELLOW,HBL5965VY	6
Power Bar,Surge Protection,Plastic,6 Outlet	2
Tape,Electrical,Black,3/4" x 66'	55
Extension Cord,250/110V,30A,Twist- Lock,50',Trailer Service(300V 4C 10AWG SJOW or SJOOW Minimum)	1
Fuse,ATO Assortment,In Plastic Bin	2
Light Bulb,Halogen,500 W,2/pk,WSWTLB500	4
Trailer Hitch Insert,Ball Mount,2",3 1/4" Drop,5000 lbs	1
Wheel Chock,Steel	4
Saw Horse Assembly, Shop Made	1
Broom,Push,18" Wide	1
Garbage Bag,100 / Box,35" x 50"	400

Garbage Can,Tin,20 Gallon	2
Shovel,Scoop,Steel,Various	2
Shovel, Spade, Round Point, Various	1
Sidewalk Scraper,Long Handle,Blade, 5 1/2" x 7"	2
Tape,Fly	12
Wipes,Wypall,180/Box,Kimberly-Clark,White	9
Filter,Oil,Kohler V twin,Napa,1348	2
Adhesive,Epoxy,Hilti,HIT HY-200 ,330 mL,supersedes HY-150	9
All Thread,UNC,3/4",Gr. 8	3
Anchor,Drive Nail,1/4" x 1-1/4"	662
Anchor, Expansion, Wedge, 1/4" x 2-1/4", Hilti	67
Anchor,Expansion,Wedge,3/8" x 5",Red Head	130
Anchor,Expansion,Wedge,1/2" x 4-1/2",Red Head	100
Anchor,Expansion,Wedge,3/4" x 8-1/2",Red Head	220
Anchor,Expansion,Wedge,3/4" x 10",Red Head	40
Bolt, Carriage, 3/8" x 3 1/2", Gr. 5	292
Bolt, Carriage, 3/8" x 4", Gr. 5	200
Bolt,Carriage,1/2" x 4",Gr. 5	49
Bolt, Carriage, 1/2" x 5", Gr. 5	9
Bolt,Elevator,1/4" x 1 1/4",Gr. 5	173
Bolt,Elevator,5/16" x 1 1/4",Gr. 5	116
Bolt,Elevator,3/8" x 1 1/2",Gr. 5	96
Bolt, Elevator, 5/16" x 1 1/4", SS	1,206
Bolt,Elevator,5/16" x 1 1/2",SS	180
Bolt,Lag,1/4" x 1 1/2",Gr. 5	3
Bolt,Lag,1/4"x 2",Gr. 5	8
Bolt,Lag,1/4" x 4,Gr. 5	4
Bolt,Lag,5/16" x 3",Gr. 5	16
Bolt,Lag,5/16" x 4",Gr. 5	50
Bolt,Lag,3/8" x 2",Gr. 5	36
Bolt,Lag,1/2" x 2',Gr. 5	13
Bolt,Lag,1/2" x 2 1/2",Gr. 5	53
Bolt,Lag,1/2" x 3",Gr. 5	36
Bolt,Lag,1/2" x 4",Gr. 5	21
Bolt,Lag,1/2" x 5",Gr. 5	9
Bolt,Lag,1/2" x 6",Gr. 5	10
Bolt,Lag,5/8" x 5",Gr. 5	49
Bolt,Shoulder Lock,5/16" x 1 1/2",Gr. 5	50
Bolt,Shoulder Lock,3/8" x 3/4",Gr. 5	38
Bolt,Shoulder Lock,3/8" x 1",Gr. 5	110

Bolt,Shoulder Lock,3/8" x 1 1/4",Gr. 5	420
Bolt,Shoulder Lock,3/8" x 1 1/2",Gr. 5	217
Bolt,Shoulder Lock,3/8" x 2",Gr. 5	52
Bolt,Shoulder Lock,3/8" x 2 1/2",Gr. 5	41
Bolt,Shoulder Lock,1/2" x 1",Gr. 5	96
Bolt,Shoulder Lock,1/2" x 1 1/4",Gr. 5	300
Bolt,Shoulder Lock,1/2" x 1 1/2",Gr. 5	24
Bolt,Shoulder Lock,1/2" x 2",Gr. 5	39
Bolt,Shoulder Lock,1/2" x 3",Gr. 5	31
Bolt,U,Clamp,Muffler,5/16"x1 1/2",Standard Duty	50
Clamp Band,Galvanized,16",Heavy Duty	18
Nail,Common,2"	50
Nut,Hex,UNC,1/4",Gr 5	22
Nut,Hex,UNC,3/8",Gr 5	127
Nut,Hex,UNC,1/2",Gr 5	406
Nut,Hex,UNC,5/8",Gr 5	42
Nut,Hex,UNC,3/4",Gr 5	28
Nut,Hex,UNC,7/8",Gr 5	36
Nut,Hex,UNC,1/4",SS	210
Nut,Hex,UNC,5/16",SS	540
Nut,Hex,UNC,3/8",SS	3,256
Nut,Hex,UNC,1/2",SS	104
Nut,Hex,UNC,5/8",SS	174
Nut,Hex,UNC,3/4",SS	52
Nut,Nylon Lock,UNC,1/2",Gr 5	50
Nut,Nylon Lock,UNC,5/8",Gr 5	100
Nut,Nylon Lock,UNC,3/4",Gr 5	42
Nut,Nylon Lock,UNC,1/4",SS	280
Nut,Nylon Lock,UNC,5/16",SS	149
Nut,Nylon Lock,UNC,3/8",SS	63
Nut,Shoulder Lock,1/4",Gr 5	36
Nut,Shoulder Lock,5/16",Gr 5	55
Nut,Shoulder Lock,3/8",Gr 5	372
Nut,Shoulder Lock,1/2",Gr 5	154
Nut,Wing,UNC,3/8",SS	55
Pin,Cotter,Assortment,560 piece set,fastenall,#990106	1
Pin,Cotter,Set,215 piece - 9 sizes - small,160	1
Screw,Cap,Socket Head,3/8" x 1",Alloy Steel	200
Screw,Cap,UNC - Countersunk Socket,5/16"x1 1/4",Alloy Steel	49
Screw,Cap,UNC - Hex Head,1/4" x 1",Gr. 5	140

Screw,Cap,UNC - Hex Head,1/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 6",Gr. 5 Screw,Cap,UNC - Hex Head,1/14" x 6",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 Screw,Cap,UNC - Hex Head,3/8"	Screw,Cap,UNC - Hex Head,1/4" x 1 1/4",Gr. 5	14
Screw,Cap,UNC - Hex Head,1/4" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 6",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 11/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 11/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 8 Screw,Cap,UNC - Hex		
Screw,Cap,UNC - Hex Head,1/4" x 3",Gr. 5 26 Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 37 Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 9 Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 29 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 33 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 14 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5 16 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 19 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 19 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 90 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 90 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 90 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 50 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 256 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 97 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5	• • • • • • • • • • • • • • • • • • • •	
Screw,Cap,UNC - Hex Head,1/4" x 4",Gr. 5 Screw,Cap,UNC - Hex Head,1/4" x 6",Gr. 5 9 Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 9 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 33 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 33 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 4 Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5 5 Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5 16 Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5 17 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 8 Screw,Cap,UNC - Hex	-	
Screw,Cap,UNC - Hex Head,1/4" x 6",Gr. 5 9 Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 29 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 33 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 14 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5 16 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 19 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 90 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 4 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 50 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 50 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 11 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 256 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 256 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 97 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 8 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5 <td>• • • • • • • • • • • • • • • • • • • •</td> <td></td>	• • • • • • • • • • • • • • • • • • • •	
Screw,Cap,UNC - Hex Head,5/16" x 1",Gr. 5 29 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5 33 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 14 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5 16 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 19 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 90 Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5 4 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 50 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 256 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 97 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5 7 Screw,Cap,UNC - Hex Head,3/4"	• • • • • • • • • • • • • • • • • • • •	
Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 11/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 4 1/2",Gr. 8 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS Scre		29
Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5 16 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 19 Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5 90 Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5 4 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 50 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 11 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 256 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 97 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 8 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2	Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 5	33
Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5 16 Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 19 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 90 Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5 4 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 50 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 256 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 97 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 8 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 8 2 Screw,Cap,UNC - Hex Head,3	Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 5	14
Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5 19 Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 90 Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5 4 Screw,Cap,UNC - Hex Head,1/2" x 1 1",Gr. 5 50 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 11 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 256 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 97 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 8 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 15 Screw,Cap,UNC -	Screw,Cap,UNC - Hex Head,5/16" x 3",Gr. 5	22
Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5 90 Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5 4 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 50 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 11 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 256 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 97 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 8 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 1",Gr. 8 2 Screw,Cap,UNC - Hex Head,3/4" x 1 1/4",Gr. 8 30 Screw,Cap,UNC - Hex	Screw,Cap,UNC - Hex Head,5/16" x 5",Gr. 5	16
Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5 4 Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 50 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 11 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 256 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 97 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 8 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2 ",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 8 48 <td< td=""><td>Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5</td><td>19</td></td<>	Screw,Cap,UNC - Hex Head,3/8" x 3",Gr. 5	19
Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5 50 Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 11 Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 256 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 97 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 8 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",Gr. 8 37	Screw,Cap,UNC - Hex Head,3/8" x 3 1/2",Gr. 5	90
Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5 11 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 256 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 97 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 8 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5 7 Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 2 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 8 2 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 48 Screw,Cap,UNC - Hex Head	Screw,Cap,UNC - Hex Head,3/8" x 6",Gr. 5	4
Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5 256 Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5 95 Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5 97 Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 8 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 7 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 8 2 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5	Screw,Cap,UNC - Hex Head,1/2" x 1",Gr. 5	50
Screw, Cap, UNC - Hex Head, 1/2" x 2", Gr. 5 95 Screw, Cap, UNC - Hex Head, 1/2" x 2 1/2", Gr. 5 97 Screw, Cap, UNC - Hex Head, 1/2" x 3 1/2", Gr. 5 22 Screw, Cap, UNC - Hex Head, 5/8" x 1 1/2", Gr. 5 50 Screw, Cap, UNC - Hex Head, 5/8" x 2 1/2", Gr. 5 8 Screw, Cap, UNC - Hex Head, 5/8" x 4 1/2", Gr. 5 23 Screw, Cap, UNC - Hex Head, 3/4" x 1 1/2", Gr. 5 22 Screw, Cap, UNC - Hex Head, 3/4" x 2", Gr. 5 162 Screw, Cap, UNC - Hex Head, 3/4" x 2 1/2", Gr. 5 75 Screw, Cap, UNC - Hex Head, 3/4" x 3", Gr. 5 7 Screw, Cap, UNC - Hex Head, 3/4" x 4", Gr. 5 11 Screw, Cap, UNC - Hex Head, 3/4" x 5", Gr. 5 10 Screw, Cap, UNC - Hex Head, 3/4" x 5", Gr. 5 10 Screw, Cap, UNC - Hex Head, 5/16" x 2", Gr. 8 2 Screw, Cap, UNC - Hex Head, 5/16" x 2 1/2", Gr. 8 30 Screw, Cap, UNC - Hex Head, 3/8" x 1 1/4", Gr. 8 48 Screw, Cap, UNC - Hex Head, 3/8" x 1 1/2", Gr. 8 37 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/2", SS 19 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", SS 134 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", SS 5 Screw, Cap, UNC - Hex Head, 5	Screw,Cap,UNC - Hex Head,1/2" x 1 1/4",Gr. 5	11
Screw, Cap, UNC - Hex Head, 1/2" x 2 1/2", Gr. 5 97 Screw, Cap, UNC - Hex Head, 1/2" x 3 1/2", Gr. 5 22 Screw, Cap, UNC - Hex Head, 5/8" x 1 1/2", Gr. 5 50 Screw, Cap, UNC - Hex Head, 5/8" x 2 1/2", Gr. 5 8 Screw, Cap, UNC - Hex Head, 5/8" x 4 1/2", Gr. 5 23 Screw, Cap, UNC - Hex Head, 3/4" x 1 1/2", Gr. 5 22 Screw, Cap, UNC - Hex Head, 3/4" x 2", Gr. 5 162 Screw, Cap, UNC - Hex Head, 3/4" x 3", Gr. 5 7 Screw, Cap, UNC - Hex Head, 3/4" x 3 1/2", Gr. 5 11 Screw, Cap, UNC - Hex Head, 3/4" x 4", Gr. 5 15 Screw, Cap, UNC - Hex Head, 3/4" x 5", Gr. 5 10 Screw, Cap, UNC - Hex Head, 5/16" x 2", Gr. 8 2 Screw, Cap, UNC - Hex Head, 5/16" x 2 1/2", Gr. 8 30 Screw, Cap, UNC - Hex Head, 5/16" x 2 1/2", Gr. 8 99 Screw, Cap, UNC - Hex Head, 3/8" x 1 1/4", Gr. 8 48 Screw, Cap, UNC - Hex Head, 3/8" x 1 1/2", Gr. 8 37 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/2", SS 19 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", SS 84 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", SS 5 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", SS 5 Screw, Cap, UNC - Hex He	Screw,Cap,UNC - Hex Head,1/2" x 1 1/2",Gr. 5	256
Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 8 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 7 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 48 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5	Screw,Cap,UNC - Hex Head,1/2" x 2",Gr. 5	95
Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5 50 Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 8 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 7 Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5 7 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - H	Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",Gr. 5	97
Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5 8 Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5 7 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UN	Screw,Cap,UNC - Hex Head,1/2" x 3 1/2",Gr. 5	22
Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5 23 Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5 7 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,5/16" x 2 ",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex H	Screw,Cap,UNC - Hex Head,5/8" x 1 1/2",Gr. 5	50
Screw,Cap,UNC - Hex Head,3/4" x 1 1/2",Gr. 5 22 Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5 162 Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5 7 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",Gr. 5	8
Screw, Cap, UNC - Hex Head, 3/4" x 2", Gr. 5 162 Screw, Cap, UNC - Hex Head, 3/4" x 2 1/2", Gr. 5 75 Screw, Cap, UNC - Hex Head, 3/4" x 3", Gr. 5 7 Screw, Cap, UNC - Hex Head, 3/4" x 3 1/2", Gr. 5 11 Screw, Cap, UNC - Hex Head, 3/4" x 4", Gr. 5 15 Screw, Cap, UNC - Hex Head, 3/4" x 5", Gr. 5 10 Screw, Cap, UNC - Hex Head, 5/16" x 2", Gr. 8 2 Screw, Cap, UNC - Hex Head, 5/16" x 2 1/2", Gr. 8 30 Screw, Cap, UNC - Hex Head, 3/8" x 1", Gr. 8 99 Screw, Cap, UNC - Hex Head, 3/8" x 1 1/4", Gr. 8 48 Screw, Cap, UNC - Hex Head, 3/8" x 1 1/2", Gr. 8 37 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/2", SS 19 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", SS 84 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/4", SS 134 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/2", SS 5 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/2", SS 5 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/2", SS 5 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/2", SS 5 Screw, Cap, UNC - Hex Head, 5/16" x 1 1/2", SS 5	Screw,Cap,UNC - Hex Head,5/8" x 4 1/2",Gr. 5	23
Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5 75 Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5 7 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	1	22
Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5 7 Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,5/16" x 1",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,3/4" x 2",Gr. 5	162
Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5 11 Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,3/4" x 2 1/2",Gr. 5	75
Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5 15 Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,3/4" x 3",Gr. 5	7
Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5 10 Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,3/4" x 3 1/2",Gr. 5	11
Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8 2 Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,3/4" x 4",Gr. 5	15
Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8 30 Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,3/4" x 5",Gr. 5	10
Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8 99 Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,5/16" x 2",Gr. 8	2
Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8 48 Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,5/16" x 2 1/2",Gr. 8	30
Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8 37 Screw,Cap,UNC - Hex Head,1/4" x 1",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 8	99
Screw,Cap,UNC - Hex Head,1/4" x 1",SS 19 Screw,Cap,UNC - Hex Head,5/16" x 1",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",Gr. 8	48
Screw,Cap,UNC - Hex Head,5/16" x 1",SS 84 Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 8	37
Screw,Cap,UNC - Hex Head,5/16" x 1 1/4",SS 134 Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	Screw,Cap,UNC - Hex Head,1/4" x 1",SS	19
Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS 5 Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	1	84
Screw,Cap,UNC - Hex Head,3/8" x 3/4",SS 74	-	134
·	Screw,Cap,UNC - Hex Head,5/16" x 1 1/2",SS	5
Screw,Cap,UNC - Hex Head,3/8" x 1",SS 2,485	Screw, Cap, UNC - Hex Head, 3/8" x 3/4", SS	74
	Screw,Cap,UNC - Hex Head,3/8" x 1",SS	2,485

Screw,Self Tapping,Hex Washer Head with Washer,#14 x 1" 80	Screw,Cap,UNC - Hex Head,5/8" x 2 1/2",SS	37
Washer,#14 x 1" 80 Screw,Self Tappin,Hex Washer Head with Washer,#14 x 1 1/2" 80 Screw,Set,Headless,3/8" - 16 x 3/8",Alloy Steel 178 Screw,Thread Cutting,Hex Washer Head - Slotted,3/8" x 1" 112 Slotted,3/8" x 1" 129 Washer,Fender,1/4",Gr. 5 75 Washer,Fender,5/16",Gr. 5 38 Washer,Flat,1/4",Gr. 5 30 Washer,Flat,3/8",Gr. 5 288 Washer,Flat,3/4",Gr. 5 61 Washer,Lock,76",Gr. 5 570 Washer,Lock,5/16",Gr. 5 570 Washer,Lock,5/16",Gr. 5 570 Washer,Lock,5/16",Gr. 5 394 Washer,Lock,3/4",Gr. 5 48 Washer,Lock,3/4",Gr. 5 48 Washer,Lock,3/4",Gr. 5 394 Washer,Lock,3/4",Gr. 5 131 Washer,Lock,3/4",Gr. 5 394 Washer,Lock,3/4",SS 16 Hasp,Lock,Large 5 Anchor,Expansion,Wedge,1/2" x 5-1/2",SS 36 Anchor,Expansion,Wedge,1/2" x 8-1/2",Hilti 10 Anchor,Expansion,Wedge,1/2" x 8-1/2",Hilti 10		
Washer,#14 x 1 1/2" Screw,Set,Headless,3/8" - 16 x 3/8",Alloy Steel 178 Screw,Thread Cutting,Hex Washer Head - Slotted,3/8" x 1" 112 Tape,Duct,Grey,2" x 180' 2 Washer,Fender,1/4",Gr. 5 75 Washer,Fender,5/16",Gr. 5 38 Washer,Flat,1/4",Gr. 5 30 Washer,Flat,3/4",Gr. 5 288 Washer,Flat,3/4",Gr. 5 61 Washer,Lock,#14,1/4",Gr. 5 65 Washer,Lock,#14,1/4",Gr. 5 285 Washer,Lock,5/16",Gr. 5 285 Washer,Lock,5/16",Gr. 5 226 Washer,Lock,3/8",Gr. 5 226 Washer,Lock,3/4",Gr. 5 394 Washer,Lock,3/8",Gr. 5 394 Washer,Lock,3/8",Sr. 5 394 Washer,Lock,3/8",Sr. 5 394 Washer,Lock,3/4",Gr. 5 131 Washer,Lock,3/4",Sr. 5 131 Washer,Lock,3/8",S 341 Washer,Lock,3/8",S 341 Washer,Lock,3/8",S 36 Anchor,Expansion,Wedge,1/2" x 5-1/2",S 36 Anchor,Expansion,Wedge,1/2" x 5-1/2",Hilti 10 <td>Washer,#14 x 1"</td> <td></td>	Washer,#14 x 1"	
Screw,Set,Headless,3/8" - 16 x 3/8",Alloy Steel 178 Screw,Thread Cutting,Hex Washer Head - Slotted,3/8" x 1" 112 Slotted,3/8" x 1" 2 Washer,Fender,1/4",Gr. 5 75 Washer,Fender,5/16",Gr. 5 38 Washer,Flat,1/4",Gr. 5 30 Washer,Flat,3/8",Gr. 5 288 Washer,Flat,1",Gr. 8 65 Washer,Iat,1",Gr. 8 65 Washer,Lock,#14,1/4",Gr. 5 285 Washer,Lock,5/16",Gr. 5 570 Washer,Lock,5/16",Gr. 5 226 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,5/8",Sr. 5 394 Washer,Lock,3/4",Gr. 5 131 Washer,Lock,3/4",Gr. 5 394 Washer,Lock,5/8",Sr. 5 341 Washer,Lock,5/8",Sr. 5 341 Washer,Lock,3/4",Sr. 5 16 Hasp,Lock,Large 5 Anchor,Expansion,Wedge,1/2" x 5-1/2",SS 36 Anchor,Expansion,Wedge,1/2" x 8-1/2",Hillti 10 Anchor,Expansion,Wedge,3/8"		80
Screw,Thread Cutting,Hex Washer Head - Slotted,3/8" x 1" Tape,Duct,Grey,2" x 180' 2 2 Washer,Fender,1/4",Gr. 5 75 38 Washer,Fender,5/16",Gr. 5 38 Washer,Fender,5/16",Gr. 5 38 Washer,Flat,1/4",Gr. 5 30 Washer,Flat,3/8",Gr. 5 288 Washer,Flat,3/8",Gr. 5 288 Washer,Flat,3/4",Gr. 5 61 Washer,Flat,1",Gr. 8 65 Washer,Lock,#14,1/4",Gr. 5 285 Washer,Lock,5/16",Gr. 5 226 Washer,Lock,5/16",Gr. 5 226 Washer,Lock,5/16",Gr. 5 394 Washer,Lock,5/8",Gr. 5 394 Washer,Lock,3/8",Gr. 5 394 Washer,Lock,3/8",Gr. 5 394 Washer,Lock,3/8",Gr. 5 394 Washer,Lock,3/8",Gr. 5 394 Washer,Lock,3/8",SS 341 Washer,Lock,3/4",Gr. 5 394 Washer,Lock,3/4",Gr. 5 394 Washer,Lock,3/4",Gr. 5 394 Washer,Lock,3/8",SS 341 Washer,Lock,3/8",SS 36 Anchor,Expansion,Wedge,1/2" x 5-1/2",SS 36 Anchor,Expansion,Wedge,1/2" x 8-1/2",Hilti 10 Anchor,Hilti,HAS 5.8,Rod,7/8" x 13" 42 Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid) 8 Anchor,Expansion,Wedge,3/8" x 13" 42 Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid) 8 Screw,Roofing,#14,1/4" x 1-1/4" 2,068 Screw,Wafer,Self Tapping,10-24 x 1 1/2 18 Sealant,Pipe Thread,High Temp,Slow 2 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 Thimble,Wire Rope,Galvanized,5/8",Crosby,G-450 Thimble,Wire Rope,Galvanized,5/8",Crosby,G-450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 19 Wire Rope,Satandard,Galvanized,3/8",LD,Crosby 19 Wire Rope,Satandard,Galvanized,3/8",LD,Crosby 19 Wire Rope,Satandard,Galvanized,3/8" 100		178
Slotted,3/8" x 1" Tape,Duct,Grey,2" x 180' 2 2 Washer,Fender,1/4",Gr. 5 75 75 Washer,Fender,1/4",Gr. 5 38 Washer,Flat,1/4",Gr. 5 38 Washer,Flat,1/4",Gr. 5 38 Washer,Flat,3/8",Gr. 5 288 Washer,Flat,3/8",Gr. 5 61 Washer,Flat,3/4",Gr. 5 65 Washer,Lock,#14,1/4",Gr. 5 285 Washer,Lock,#14,1/4",Gr. 5 285 Washer,Lock,5/16",Gr. 5 570 Washer,Lock,5/16",Gr. 5 570 Washer,Lock,5/16",Gr. 5 394 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,3/8",Gr. 5 394 Washer,Lock,3/8",Gr. 5 394 Washer,Lock,3/4",Gr. 5 394		
Washer, Fender, 1/4", Gr. 5 75 Washer, Fender, 5/16", Gr. 5 38 Washer, Flat, 1/4", Gr. 5 288 Washer, Flat, 3/8", Gr. 5 288 Washer, Flat, 3/4", Gr. 5 61 Washer, Flat, 1", Gr. 8 65 Washer, Lock, #14, 1/4", Gr. 5 285 Washer, Lock, 5/16", Gr. 5 226 Washer, Lock, 3/8", Gr. 5 226 Washer, Lock, 3/4", Gr. 5 394 Washer, Lock, 5/8", Gr. 5 48 Washer, Lock, 3/4", Gr. 5 131 Washer, Lock, 3/4", Gr. 5 131 Washer, Lock, 3/4", SS 341 Washer, Lock, 3/4", SS 16 Hasp, Lock, Large 5 Anchor, Expansion, Wedge, 1/2" x 5-1/2", SS 36 Anchor, Expansion, Wedge, 1/2" x 8-1/2", Hilti 10 Anchor, Expansion, Wedge, 1/2" x 8-1/2", Hilti 10 Anchor, Expansion, Wedge, 3/8" x 5", SS 81 Screw, Roefing, #14, 1/4" x 1-1/4" 2,068 Screw, Wafer, Self Tapping, 10-24 x 1 1/2 18 Scalant, Pipe Thread, High Temp, Slow 2 Cure, Loctite, 567, 3		112
Washer, Fender, 5/16", Gr. 5 38 Washer, Flat, 1/4", Gr. 5 30 Washer, Flat, 3/8", Gr. 5 288 Washer, Flat, 3/4", Gr. 5 61 Washer, Flat, 1", Gr. 8 65 Washer, Lock, #14, 1/4", Gr. 5 285 Washer, Lock, 5/16", Gr. 5 570 Washer, Lock, 3/8", Gr. 5 226 Washer, Lock, 5/8", Gr. 5 48 Washer, Lock, 5/8", Gr. 5 48 Washer, Lock, 3/4", Gr. 5 131 Washer, Lock, 3/4", Gr. 5 131 Washer, Lock, 3/4", SS 341 Washer, Lock, Jarge 5 Anchor, Expansion, Wedge, 1/2" x 5-1/2", SS 36 Anchor, Expansion, Wedge, 1/2" x 8-1/2", Hilti 10 Anchor, Expansion, Wedge, 1/2" x 8-1/2", Hilti 10 Anchor, Expansion, Wedge, 3/8" x 13" 42 Grout, Non-Shrink, CPD, 25 kg bag (56 bags/skid) 8 Anchor, Expansion, Wedge, 3/8" x 5", SS 81 Screw, Roofing, #14, 1/4" x 1-1/4" 2,068 Screw, Wafer, Self Tapping, 10-24 x 1 1/2 18 Sealant, Pipe Thread, High Temp, Slow 2 Cure, Loctite, 567, 350ml 2	Tape,Duct,Grey,2" x 180'	2
Washer, Flat, 1/4", Gr. 5 288 Washer, Flat, 3/8", Gr. 5 288 Washer, Flat, 3/4", Gr. 5 61 Washer, Flat, 1", Gr. 8 65 Washer, Lock, #14, 1/4", Gr. 5 285 Washer, Lock, 5/16", Gr. 5 226 Washer, Lock, 3/8", Gr. 5 226 Washer, Lock, 5/8", Gr. 5 394 Washer, Lock, 5/8", Gr. 5 48 Washer, Lock, 3/4", Gr. 5 131 Washer, Lock, 3/4", SS 16 Hasp, Lock, 3/4", SS 16 Hasp, Lock, Large 5 Anchor, Expansion, Wedge, 1/2" x 5-1/2", SS 36 Anchor, Expansion, Wedge, 1/2" x 8-1/2", Hilti 10 Anchor, Hilti, HAS 5.8, Rod, 7/8" x 13" 42 Grout, Non-Shrink, CPD, 25 kg bag (56 bags/skid) 8 Anchor, Expansion, Wedge, 3/8" x 5", SS 81 Screw, Roofing, #14, 1/4" x 1-1/4" 2,068 Screw, Wafer, Self Tapping, 10-24 x 1 1/2 18 Sealant, Pipe Thread, High Temp, Slow 2 Cure, Loctite, 567, 350ml 2 Cable Clip, Wire 4 Rope, Galvanized, 3/16", Crosby, G-450 2 Cable Clip, Wire Rop	Washer,Fender,1/4",Gr. 5	75
Washer,Flat,3/8",Gr. 5 288 Washer,Flat,3/4",Gr. 5 61 Washer,Flat,1",Gr. 8 65 Washer,Lock,#14,1/4",Gr. 5 285 Washer,Lock,5/16",Gr. 5 226 Washer,Lock,3/8",Gr. 5 226 Washer,Lock,5/8",Gr. 5 394 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,3/4",Gr. 5 131 Washer,Lock,3/4",SS 16 Hasp,Lock,Large 5 Anchor,Expansion,Wedge,1/2" x 5-1/2",SS 36 Anchor,Expansion,Wedge,1/2" x 8-1/2",Hilti 10 Anchor,Hilti,HAS 5.8,Rod,7/8" x 13" 42 Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid) 8 Anchor,Expansion,Wedge,3/8" x 5",SS 81 Screw,Roofing,#14,1/4" x 1-1/4" 2,068 Screw,Wafer,Self Tapping,10-24 x 1 1/2 18 Sealant,Pipe Thread,High Temp,Slow 2 Cure,Loctite,567,350ml 2 Cable Clip,Wire 4 Rope,Galvanized,3/16",Crosby,G-450 2 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 2 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450	Washer,Fender,5/16",Gr. 5	38
Washer,Flat,3/4",Gr. 5 61 Washer,Lock,#14,1/4",Gr. 5 285 Washer,Lock,5/16",Gr. 5 570 Washer,Lock,3/8",Gr. 5 226 Washer,Lock,1/2",Gr. 5 394 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,3/4",Gr. 5 131 Washer,Lock,3/8",SS 341 Washer,Lock,3/4",SS 16 Hasp,Lock,Large 5 Anchor,Expansion,Wedge,1/2" x 5-1/2",SS 36 Anchor,Expansion,Wedge,1/2" x 8-1/2",Hilti 10 Anchor,Hilti,HAS 5.8,Rod,7/8" x 13" 42 Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid) 8 Anchor,Expansion,Wedge,3/8" x 5",SS 81 Screw,Roofing,#14,1/4" x 1-1/4" 2,068 Screw,Wafer,Self Tapping,10-24 x 1 1/2 18 Sealant,Pipe Thread,High Temp,Slow 2 Cure,Loctite,567,350ml 2 Cable Clip,Wire 4 Rope,Galvanized,3/16",Crosby,G-450 2 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 2 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450	Washer,Flat,1/4",Gr. 5	30
Washer,Flat,1",Gr. 8 65 Washer,Lock,#14,1/4",Gr. 5 285 Washer,Lock,5/16",Gr. 5 570 Washer,Lock,3/8",Gr. 5 226 Washer,Lock,1/2",Gr. 5 394 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,3/4",Gr. 5 131 Washer,Lock,3/8",SS 341 Washer,Lock,3/4",SS 16 Hasp,Lock,Large 5 Anchor,Expansion,Wedge,1/2" x 5-1/2",SS 36 Anchor,Expansion,Wedge,1/2" x 8-1/2",Hillti 10 Anchor,Hilti,HAS 5.8,Rod,7/8" x 13" 42 Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid) 8 Anchor,Expansion,Wedge,3/8" x 5",SS 81 Screw,Roofing,#14,1/4" x 1-1/4" 2,068 Screw,Wafer,Self Tapping,10-24 x 1 1/2 18 Sealant,Pipe Thread,High Temp,Slow 2 Cure,Loctite,567,350ml 2 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 1 Cable Clip,Wire Rope,Galvanized,1/12",Crosby,G-450 1 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 1 Cable Clip,Wire Rope,Galvanized,3/16",LD,Crosby 1 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 1	Washer,Flat,3/8",Gr. 5	288
Washer,Lock,#14,1/4",Gr. 5 285 Washer,Lock,5/16",Gr. 5 570 Washer,Lock,3/8",Gr. 5 226 Washer,Lock,1/2",Gr. 5 394 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,3/4",Gr. 5 131 Washer,Lock,3/4",SS 341 Washer,Lock,Jarge 5 Anchor,Expansion,Wedge,1/2" x 5-1/2",SS 36 Anchor,Expansion,Wedge,1/2" x 8-1/2",Hilti 10 Anchor,Hilti,HAS 5.8,Rod,7/8" x 13" 42 Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid) 8 Anchor,Expansion,Wedge,3/8" x 5",SS 81 Screw,Roofing,#14,1/4" x 1-1/4" 2,068 Screw,Wafer,Self Tapping,10-24 x 1 1/2 18 Scalant,Pipe Thread,High Temp,Slow 2 Cure,Loctite,567,350ml 2 Cable Clip,Wire 4 Rope,Galvanized,3/16",Crosby,G-450 12 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 12 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 1 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 1 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 1 Wire Rope,Standard,Galvanized,3/8",LD,Crosby 100 <td>Washer,Flat,3/4",Gr. 5</td> <td>61</td>	Washer,Flat,3/4",Gr. 5	61
Washer,Lock,5/16",Gr. 5 570 Washer,Lock,3/8",Gr. 5 226 Washer,Lock,5/8",Gr. 5 394 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,3/4",Gr. 5 131 Washer,Lock,3/8",SS 341 Washer,Lock,3/4",SS 16 Hasp,Lock,Large 5 Anchor,Expansion,Wedge,1/2" x 5-1/2",SS 36 Anchor,Expansion,Wedge,1/2" x 8-1/2",Hilti 10 Anchor,Hilti,HAS 5.8,Rod,7/8" x 13" 42 Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid) 8 Anchor,Expansion,Wedge,3/8" x 5",SS 81 Screw,Roofing,#14,1/4" x 1-1/4" 2,068 Screw,Wafer,Self Tapping,10-24 x 1 1/2 18 Scalant,Pipe Thread,High Temp,Slow 2 Cure,Loctite,567,350ml 2 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 12 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 12 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 1 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 1 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 1 Thimble,Wire Rope,Galvanized,3/16",LD,Crosb	Washer,Flat,1",Gr. 8	65
Washer,Lock,3/8",Gr. 5 226 Washer,Lock,1/2",Gr. 5 394 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,3/4",Gr. 5 131 Washer,Lock,3/8",SS 341 Washer,Lock,3/4",SS 16 Hasp,Lock,Large 5 Anchor,Expansion,Wedge,1/2" x 5-1/2",SS 36 Anchor,Expansion,Wedge,1/2" x 8-1/2",Hilti 10 Anchor,Hilti,HAS 5.8,Rod,7/8" x 13" 42 Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid) 8 Anchor,Expansion,Wedge,3/8" x 5",SS 81 Screw,Roofing,#14,1/4" x 1-1/4" 2,068 Screw,Wafer,Self Tapping,10-24 x 1 1/2 18 Sealant,Pipe Thread,High Temp,Slow 2 Cure,Loctite,567,350ml 2 Cable Clip,Wire 4 Rope,Galvanized,3/16",Crosby,G-450 2 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 12 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 1 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 1 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 1 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 1 Wire Rope,Standard,Galvanized,3/8",LD,Crosby	Washer,Lock,#14,1/4",Gr. 5	285
Washer,Lock,1/2",Gr. 5 394 Washer,Lock,5/8",Gr. 5 48 Washer,Lock,3/4",Gr. 5 131 Washer,Lock,3/8",SS 341 Washer,Lock,3/4",SS 16 Hasp,Lock,Large 5 Anchor,Expansion,Wedge,1/2" x 5-1/2",SS 36 Anchor,Expansion,Wedge,1/2" x 8-1/2",Hilti 10 Anchor,Hilti,HAS 5.8,Rod,7/8" x 13" 42 Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid) 8 Anchor,Expansion,Wedge,3/8" x 5",SS 81 Screw,Roofing,#14,1/4" x 1-1/4" 2,068 Screw,Wafer,Self Tapping,10-24 x 1 1/2 18 Sealant,Pipe Thread,High Temp,Slow 2 Cure,Loctite,567,350ml 2 Cable Clip,Wire 4 Rope,Galvanized,3/16",Crosby,G-450 12 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 12 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 12 Cable Clip,Wire Rope,Galvanized,3/16",Crosby,G-450 1 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 1 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 19 Wire Rope,Standard,Galvanized,3/8",LD,Crosby 100	Washer,Lock,5/16",Gr. 5	570
Washer, Lock, 5/8", Gr. 5 48 Washer, Lock, 3/4", Gr. 5 131 Washer, Lock, 3/8", SS 341 Washer, Lock, 3/4", SS 16 Hasp, Lock, Large 5 Anchor, Expansion, Wedge, 1/2" x 5-1/2", SS 36 Anchor, Expansion, Wedge, 1/2" x 8-1/2", Hilti 10 Anchor, Hilti, HAS 5.8, Rod, 7/8" x 13" 42 Grout, Non-Shrink, CPD, 25 kg bag (56 bags/skid) 8 Anchor, Expansion, Wedge, 3/8" x 5", SS 81 Screw, Roofing, #14, 1/4" x 1-1/4" 2,068 Screw, Wafer, Self Tapping, 10-24 x 1 1/2 18 Sealant, Pipe Thread, High Temp, Slow 2 Cure, Loctite, 567, 350 ml 2 Cable Clip, Wire 4 Rope, Galvanized, 3/16", Crosby, G-450 1 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 9 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 9 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 1 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 2 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 1 Thimble, Wire Rope, Galvanized, 3/8", LD, Crosby	Washer,Lock,3/8",Gr. 5	226
Washer, Lock, 3/4", Gr. 5 341 Washer, Lock, 3/8", SS 341 Washer, Lock, 3/4", SS 16 Hasp, Lock, Large 5 Anchor, Expansion, Wedge, 1/2" x 5-1/2", SS 36 Anchor, Expansion, Wedge, 1/2" x 8-1/2", Hilti 10 Anchor, Hilti, HAS 5.8, Rod, 7/8" x 13" 42 Grout, Non-Shrink, CPD, 25 kg bag (56 bags/skid) 8 Anchor, Expansion, Wedge, 3/8" x 5", SS 81 Screw, Roofing, #14, 1/4" x 1-1/4" 2,068 Screw, Wafer, Self Tapping, 10-24 x 1 1/2 18 Sealant, Pipe Thread, High Temp, Slow 2 Cure, Loctite, 567, 350ml 2 Cable Clip, Wire 4 Rope, Galvanized, 3/16", Crosby, G-450 12 Cable Clip, Wire Rope, Galvanized, 1/4", Crosby, G-450 12 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 9 Cable Clip, Wire Rope, Galvanized, 3/16", Crosby, G-450 1 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 2 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 19 Wire Rope, Standard, Galvanized, 3/8" 100	Washer,Lock,1/2",Gr. 5	394
Washer, Lock, 3/8", SS 341 Washer, Lock, 3/4", SS 16 Hasp, Lock, Large 5 Anchor, Expansion, Wedge, 1/2" x 5-1/2", SS 36 Anchor, Expansion, Wedge, 1/2" x 8-1/2", Hilti 10 Anchor, Hilti, HAS 5.8, Rod, 7/8" x 13" 42 Grout, Non-Shrink, CPD, 25 kg bag (56 bags/skid) 8 Anchor, Expansion, Wedge, 3/8" x 5", SS 81 Screw, Roofing, #14, 1/4" x 1-1/4" 2,068 Screw, Wafer, Self Tapping, 10-24 x 1 1/2 18 Sealant, Pipe Thread, High Temp, Slow 2 Cure, Loctite, 567, 350ml 2 Cable Clip, Wire 4 Rope, Galvanized, 3/16", Crosby, G-450 12 Cable Clip, Wire Rope, Galvanized, 1/4", Crosby, G-450 12 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 9 Cable Clip, Wire Rope, Galvanized, 3/16", Crosby, G-450 1 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 2 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 1 Thimble, Wire Rope, Galvanized, 3/8", LD, Crosby 19 Wire Rope, Standard, Galvanized, 3/8" 100	Washer,Lock,5/8",Gr. 5	48
Washer,Lock,3/4",SS Hasp,Lock,Large 5 Anchor,Expansion,Wedge,1/2" x 5-1/2",SS Anchor,Expansion,Wedge,1/2" x 8-1/2",Hilti 10 Anchor,Hilti,HAS 5.8,Rod,7/8" x 13" Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid) Anchor,Expansion,Wedge,3/8" x 5",SS 81 Screw,Roofing,#14,1/4" x 1-1/4" 2,068 Screw,Wafer,Self Tapping,10-24 x 1 1/2 18 Sealant,Pipe Thread,High Temp,Slow Cure,Loctite,567,350ml Cable Clip,Wire Rope,Galvanized,3/16",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 1 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 19 Wire Rope,Standard,Galvanized,3/8",LD,Crosby	Washer,Lock,3/4",Gr. 5	131
Anchor, Expansion, Wedge, 1/2" x 5-1/2", SS Anchor, Expansion, Wedge, 1/2" x 8-1/2", Hilti 10 Anchor, Hilti, HAS 5.8, Rod, 7/8" x 13" 42 Grout, Non-Shrink, CPD, 25 kg bag (56 bags/skid) Anchor, Expansion, Wedge, 3/8" x 5", SS 81 Screw, Roofing, #14, 1/4" x 1-1/4" 2,068 Screw, Wafer, Self Tapping, 10-24 x 1 1/2 Sealant, Pipe Thread, High Temp, Slow Cure, Loctite, 567, 350ml Cable Clip, Wire Rope, Galvanized, 3/16", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/4", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 2 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 19 Wire Rope, Standard, Galvanized, 3/8", LD, Crosby	Washer,Lock,3/8",SS	341
Anchor,Expansion,Wedge,1/2" x 5-1/2",SS Anchor,Expansion,Wedge,1/2" x 8-1/2",Hilti 10 Anchor,Hilti,HAS 5.8,Rod,7/8" x 13" 42 Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid) 8 Anchor,Expansion,Wedge,3/8" x 5",SS 81 Screw,Roofing,#14,1/4" x 1-1/4" 2,068 Screw,Wafer,Self Tapping,10-24 x 1 1/2 18 Sealant,Pipe Thread,High Temp,Slow Cure,Loctite,567,350ml Cable Clip,Wire 4 Rope,Galvanized,3/16",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 2 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 19 Wire Rope,Standard,Galvanized,3/8" 100	Washer,Lock,3/4",SS	16
Anchor, Expansion, Wedge, 1/2" x 8-1/2", Hilti 10 Anchor, Hilti, HAS 5.8, Rod, 7/8" x 13" 42 Grout, Non-Shrink, CPD, 25 kg bag (56 bags/skid) 8 Anchor, Expansion, Wedge, 3/8" x 5", SS 81 Screw, Roofing, #14, 1/4" x 1-1/4" 2,068 Screw, Wafer, Self Tapping, 10-24 x 1 1/2 18 Sealant, Pipe Thread, High Temp, Slow 2 Cure, Loctite, 567, 350ml Cable Clip, Wire Rope, Galvanized, 1/4", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/4", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 2 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 19 Wire Rope, Standard, Galvanized, 3/8", LD, Crosby 19	Hasp,Lock,Large	5
Anchor, Hilti, HAS 5.8, Rod, 7/8" x 13" Grout, Non-Shrink, CPD, 25 kg bag (56 bags/skid) Anchor, Expansion, Wedge, 3/8" x 5", SS 81 Screw, Roofing, #14, 1/4" x 1-1/4" 2,068 Screw, Wafer, Self Tapping, 10-24 x 1 1/2 18 Sealant, Pipe Thread, High Temp, Slow Cure, Loctite, 567, 350ml Cable Clip, Wire Rope, Galvanized, 3/16", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/4", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 2 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 19 Wire Rope, Standard, Galvanized, 3/8", LD, Crosby	Anchor,Expansion,Wedge,1/2" x 5-1/2",SS	36
Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid) Anchor,Expansion,Wedge,3/8" x 5",SS 81 Screw,Roofing,#14,1/4" x 1-1/4" 2,068 Screw,Wafer,Self Tapping,10-24 x 1 1/2 18 Sealant,Pipe Thread,High Temp,Slow Cure,Loctite,567,350ml Cable Clip,Wire Rope,Galvanized,3/16",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,7/2",Crosby,G-450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 19 Wire Rope,Standard,Galvanized,3/8",LD,Crosby	Anchor,Expansion,Wedge,1/2" x 8-1/2",Hilti	10
Anchor, Expansion, Wedge, 3/8" x 5", SS Screw, Roofing, #14, 1/4" x 1-1/4" 2,068 Screw, Wafer, Self Tapping, 10-24 x 1 1/2 Sealant, Pipe Thread, High Temp, Slow Cure, Loctite, 567, 350ml Cable Clip, Wire Rope, Galvanized, 3/16", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/4", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby Wire Rope, Standard, Galvanized, 3/8", LD, Crosby 100	Anchor, Hilti, HAS 5.8, Rod, 7/8" x 13"	42
Screw,Roofing,#14,1/4" x 1-1/4" Screw,Wafer,Self Tapping,10-24 x 1 1/2 Sealant,Pipe Thread,High Temp,Slow Cure,Loctite,567,350ml Cable Clip,Wire Rope,Galvanized,3/16",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 2 Thimble,Wire Rope,Galvanized,3/8",LD,Crosby 19 Wire Rope,Standard,Galvanized,3/8"	Grout,Non-Shrink,CPD,25 kg bag (56 bags/skid)	8
Screw,Roofing,#14,1/4" x 1-1/4" Screw,Wafer,Self Tapping,10-24 x 1 1/2 Sealant,Pipe Thread,High Temp,Slow Cure,Loctite,567,350ml Cable Clip,Wire Rope,Galvanized,3/16",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 2 Thimble,Wire Rope,Galvanized,3/8",LD,Crosby 19 Wire Rope,Standard,Galvanized,3/8"	Anchor,Expansion,Wedge,3/8" x 5",SS	81
Sealant,Pipe Thread,High Temp,Slow Cure,Loctite,567,350ml Cable Clip,Wire Rope,Galvanized,3/16",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 2 Thimble,Wire Rope,Galvanized,3/8",LD,Crosby 19 Wire Rope,Standard,Galvanized,3/8"	Screw,Roofing,#14,1/4" x 1-1/4"	2,068
Cure,Loctite,567,350ml Cable Clip,Wire Rope,Galvanized,3/16",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby Thimble,Wire Rope,Galvanized,3/8",LD,Crosby Wire Rope,Standard,Galvanized,3/8" 100	Screw,Wafer,Self Tapping,10-24 x 1 1/2	18
Cable Clip,Wire Rope,Galvanized,3/16",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G-450 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G-450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby Thimble,Wire Rope,Galvanized,3/8",LD,Crosby Wire Rope,Standard,Galvanized,3/8" 100	Sealant,Pipe Thread,High Temp,Slow	2
Rope, Galvanized, 3/16", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/4", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 1/2", Crosby, G-450 Cable Clip, Wire Rope, Galvanized, 5/8", Crosby, G-450 Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby 2 Thimble, Wire Rope, Galvanized, 3/8", LD, Crosby Wire Rope, Standard, Galvanized, 3/8" 100		
Cable Clip,Wire Rope,Galvanized,1/4",Crosby,G- 450 Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G- 450 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G- 450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby Thimble,Wire Rope,Galvanized,3/8",LD,Crosby Wire Rope,Standard,Galvanized,3/8" 100		4
Cable Clip,Wire Rope,Galvanized,1/2",Crosby,G- 450 Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G- 450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 2 Thimble,Wire Rope,Galvanized,3/8",LD,Crosby 19 Wire Rope,Standard,Galvanized,3/8"		12
Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G- 450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 2 Thimble,Wire Rope,Galvanized,3/8",LD,Crosby 19 Wire Rope,Standard,Galvanized,3/8" 100	450	
Cable Clip,Wire Rope,Galvanized,5/8",Crosby,G- 450 Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 2 Thimble,Wire Rope,Galvanized,3/8",LD,Crosby 19 Wire Rope,Standard,Galvanized,3/8" 100		9
Thimble,Wire Rope,Galvanized,3/16",LD,Crosby 2 Thimble,Wire Rope,Galvanized,3/8",LD,Crosby 19 Wire Rope,Standard,Galvanized,3/8" 100		1
Thimble,Wire Rope,Galvanized,3/8",LD,Crosby 19 Wire Rope,Standard,Galvanized,3/8" 100	450	·
Wire Rope, Standard, Galvanized, 3/8" 100	Thimble, Wire Rope, Galvanized, 3/16", LD, Crosby	2
•	Thimble,Wire Rope,Galvanized,3/8",LD,Crosby	19
Wire Rope,Standard,Black,1/2" 200	Wire Rope,Standard,Galvanized,3/8"	100
	Wire Rope,Standard,Black,1/2"	200

Wire Rope, Stainless Steel, 3/8"	50
Hasp,Draw,4"	2
Brake Cleaner, Aerosol Spray, CRC, Brakleen, 539	4
Cutting Fluid,Bessey,Rapid Tap,455 ml	4
Grease,All-Weather,Esso,Epic EP 102, 400 g Tube	7
Lubricant,Moly Dry Film,Dri-Lube Plus,Aerosol Spray,312 g	1
Lubricant,Anti-Seize,Loctite,Silver Grade,Brush Top,1lb	1
Oil,Gear,Mobil,SHC 630,Synthetic,18.9 L Pail	18
Grease,Unirex,EP2,Mobil,14.1oz,400G	6
Penetrating Fluid, Aerosol, WD-40, 411g	6
Hose,Flexible Nylon,Clear,1/4"	40
O-Ring Kit,SAE,Dynaline,00150,30 Sizes,407 Piece	1
Pipe Nipple,Schedule 40,Galvanized,1/2" x 2",Mild	4
Pipe Nipple,Schedule 40,Galvanized,1/2" x 4",Mild	7
Air Line,Union 7/8",Transair 6606-25-00	29
Air Line,Elbow 45Deg,Transair 6612-25-00	22
Chain Hoist,Long Drop,Manual,1 Tonne	5
Chain Hoist,Long Drop,Manual,2 Tonne	4
Chain Hoist,Long Drop,Manual,3 Tonne	1
Chain Hoist,Short Drop,Manual,1 Tonne	4
Chain Hoist, Short Drop, Manual, 2 Tonne	3
Puller,Lever,Chain,Come Along,3/4 Tonne	6
Puller,Lever,Chain,Come Along,1 1/2 Tonne	8
Puller,Lever,Chain,Come Along,6 Tonne	1
Rope,Polypropylene,Yellow Rope,3/8",	80
Rope,Polypropylene,Yellow Rope,1/2"	100
Rope,Polypropylene,Yellow Rope,5/8"	40
Safety Latch Kit,Lever Puller,1 1/2 Tonne,Westward	6
Shackle,Anchor,Screw Pin,5/8" (3 1/4 Tonne),Crosby,G-209	2
Shackle,Anchor,Screw Pin,1 1/4" (12 Tonne),Crosby,G-209	4
Shackle,Anchor,Screw Pin,1 1/2" (17 Tonne),Crosby,G-209	1
Sling,3 - Straight Eye and Eye,Nylon Double Ply,1" x 4'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,1" x 2'	1
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 4'	4

Ply_2" x 6' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 8' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 10' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 10' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 12' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 20' Sling,5 - Endless,Nylon Double Ply,2" x 20' 2 Sling,5 - Endless,Nylon Double Ply,2" x 20' 2 Sling,Wire Rope,Permaloc,3/8" x 4' 2 Sling,Wire Rope,Permaloc,3/8" x 6' 6 Sling,Wire Rope,Permaloc,3/8" x 6' 6 Sling,Wire Rope,Permaloc,1/2" x 6' 5 Sling,Wire Rope,Permaloc,1/2" x 6' 8 Sling,Wire Rope,Permaloc,1/2" x 6' 8 Sling,Wire Rope,Permaloc,1/2" x 6' 8 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 10' 5 Sling,Wire Rope,Red,1/2" x 10' 5 Sling,Mire Rope,Red,1/2" x 10' 5 Sling,Mire Rope,Red,1/2" x 10' 5	Sling,4 - Twisted Eye and Eye,Nylon Double	4
Ply,2" x 8' Sling,4 - Twisted Eye and Eye,Nylon Double 4 Ply,2" x 10' Sling,4 - Twisted Eye and Eye,Nylon Double 6 Ply,2" x 10' Sling,4 - Twisted Eye and Eye,Nylon Double 4 Ply,2" x 16' Sling,4 - Twisted Eye and Eye,Nylon Double 10 Ply,2" x 20' Sling,5 - Endless,Nylon Double Ply,2" x 20' 2 Sling,5 - Endless,Nylon Double Ply,2" x 20' 2 Sling,Wire Rope,Permaloc,3/8" x 4' 2 Sling,Wire Rope,Permaloc,3/8" x 6' 6 Sling,Wire Rope,Permaloc,3/8" x 6' 6 Sling,Wire Rope,Permaloc,1/2" x 4' 1 Sling,Wire Rope,Permaloc,1/2" x 6' 8 Sling,Wire Rope,Permaloc,1/2" x 6' 8 Sling,Wire Rope,Permaloc,1/2" x 8' 7 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 10' 5 Sling,Wire Rope,Permaloc,1/2" 1 Sling,Wire Rope,Permaloc		
Ply,2" x 10' Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 12' Sling,4 - Twisted Eye and Eye,Nylon Double 4 Ply,2" x 16' Sling,4 - Twisted Eye and Eye,Nylon Double 10 Ply,2" x 20' 2 Sling,4 - Twisted Eye and Eye,Nylon Double 10 Ply,2" x 20' 2 Sling,5 - Endless,Nylon Double Ply,2" x 20' 2 Sling,Wire Rope,Permaloc,3/8" x 4' 2 Sling,Wire Rope,Permaloc,3/8" x 8' 7 Sling,Wire Rope,Permaloc,3/8" x 8' 7 Sling,Wire Rope,Permaloc,1/2" x 4' 1 Sling,Wire Rope,Permaloc,1/2" x 4' 1 Sling,Wire Rope,Permaloc,1/2" x 6' 8 Sling,Wire Rope,Permaloc,1/2" x 8' 7 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 12' 11 Snatchblock,Hooked,2 tonne 2 Chain Hoist,Long Drop,Manual,5 Tonne 1 Eye,Weld On,5/8" 6 Puller,Lever,Chain,Come Along,1/2 Tonne 1 Insulation,Foam,350 g,MONO Foam 2 Vacuum,Hose,1 1/2" 1 Paper,Multipurpose Premium,20lb,500 2 Sheets/pkg,8 1/2" x 11" Paint,Enamel,Red,12 oz. Aerosol 1 Paint,Enamel,Red,12 oz. Aerosol 1 Paint,Enamel,Red,12 oz. Aerosol 1 Paint,Enamel,Red,12 oz. Aerosol 2 Paint,Bristle,2" 70 Paint Brush,Bristle,3" 70 Paint Brush,Bristle,2" 70 Paint Brush,Bristle,3" 70 Paint Roller Frame,5 Wire Frame,9 1/2" 1 Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Tray Insert,Plastic,9 1/2" 53 Paint Roller Tray Insert,Plastic,9 1/2" 12 Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Ply,2" x 8'	5
Sling, 4 - Twisted Eye and Eye,Nylon Double 6 Ply,2" x 12' 2 Sling, 4 - Twisted Eye and Eye,Nylon Double 10 Ply,2" x 16' 10 Sling, 4 - Twisted Eye and Eye,Nylon Double Ply,2" x 20' 2 Sling, 4 - Twisted Eye and Eye,Nylon Double Ply,2" x 20' 2 Sling, Wire Rope,Permaloc,3/8" x 4' 2 Sling,Wire Rope,Permaloc,3/8" x 8' 7 Sling,Wire Rope,Permaloc,3/8" x 8' 7 Sling,Wire Rope,Permaloc,1/2" x 4' 1 Sling,Wire Rope,Permaloc,1/2" x 6' 8 Sling,Wire Rope,Permaloc,1/2" x 8' 7 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 12' 11 Snatchblock,Hooked,2 tonne 2 Chain Hoist,Long Drop,Manual,5 Tonne 1 Eye,Weld On,5/8" 6 Puller,Lever,Chain,Come Along,1/2 Tonne 1 Insulation,Foam,350 g,MONO Foam 2 Vacuum,Hose,1 1/2" 1 Paper,Multipurpose Premium,20lb,500 2 sheets/pkg,8 1/2" x 11" 1 <td></td> <td>4</td>		4
Sling, 4 - Twisted Eye and Eye,Nylon Double Ply,2" x 16' Sling,4 - Twisted Eye and Eye,Nylon Double 10 Ply,2" x 20' 2 Sling,4 - Twisted Eye and Eye,Nylon Double 10 Ply,2" x 20' 2 Sling,5 - Endless,Nylon Double Ply,2" x 20' 2 Sling,Wire Rope,Permaloc,3/8" x 4' 2 Sling,Wire Rope,Permaloc,3/8" x 6' 6 Sling,Wire Rope,Permaloc,3/8" x 8' 7 Sling,Wire Rope,Permaloc,1/2" x 4' 1 Sling,Wire Rope,Permaloc,1/2" x 6' 8 Sling,Wire Rope,Permaloc,1/2" x 6' 8 Sling,Wire Rope,Permaloc,1/2" x 8' 7 7 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 12' 11 Snatchblock,Hooked,2 tonne 2 Chain Hoist,Long Drop,Manual,5 Tonne 1 Eye,Weld On,5/8" 6 Puller,Lever,Chain,Come Along,1/2 Tonne 1 Insulation,Foam,350 g,MONO Foam 2 Vacuum,Hose,1 1/2" 1 Paper,Multipurpose Premium,20lb,500 2 sheets/pkg,8 1/2" x 11" 1 Paper,Multipurpose Premium,20lb,500 2 Sheets/pkg,8 1/2" x 11" 1 Paint,Enamel,Red,12 oz. Aerosol 1 Paint,FD Enamel,Ped,Pioneer Orange, 18.92L 3.78 Paint, Intergard 345,2 Part Epoxy,PCS 7 Cream,18.92L Kit Paint,Rust Coat,Rustoleum,John Deere 2 Green,946 ml Can Paint Brush,Bristle,2" 70 Paint Brush,Bristle,2" 70 Paint Brush,Bristle,3" 4 Paint Roller Frame,5 Wire Frame,9 1/2" 1 Paint Roller Frame,5 Wire Frame,9 1/2" 5 Paint Roller Sleeve,Multi-Use,9 1/2" 5 Paint Roller Sleeve,Multi-Use,9 1/2" 5 Paint Roller Tray Insert,Plastic,9 1/2" 5 Paint Roller Sleeve,Super Fine Foam,4" 19 Paint Roller Sleeve,Super Fine Foam,4"	Sling,4 - Twisted Eye and Eye,Nylon Double	6
Sling,4 - Twisted Eye and Eye,Nylon Double Ply,2" x 20' 2 2 2 3 3 2 2 2 3 3	Sling,4 - Twisted Eye and Eye,Nylon Double	4
Sling,5 - Endless,Nylon Double Ply,2" x 20' 2 Sling,Wire Rope,Permaloc,3/8" x 4' 2 Sling,Wire Rope,Permaloc,3/8" x 6' 6 Sling,Wire Rope,Permaloc,1/2" x 4' 1 Sling,Wire Rope,Permaloc,1/2" x 4' 1 Sling,Wire Rope,Permaloc,1/2" x 6' 8 Sling,Wire Rope,Permaloc,1/2" x 8' 7 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Paper,Multi-Buse,Pe	Sling,4 - Twisted Eye and Eye,Nylon Double	10
Sling,Wire Rope,Permaloc,3/8" x 6' 6 Sling,Wire Rope,Permaloc,3/8" x 8' 7 Sling,Wire Rope,Permaloc,1/2" x 4' 1 Sling,Wire Rope,Permaloc,1/2" x 6' 8 Sling,Wire Rope,Permaloc,1/2" x 8' 7 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 12' 11 Snatchblock,Hooked,2 tonne 2 Chain Hoist,Long Drop,Manual,5 Tonne 1 Eye,Weld On,5/8" 6 Puller,Lever,Chain,Come Along,1/2 Tonne 1 Insulation,Foam,350 g,MONO Foam 2 Vacuum,Hose,1 1/2" 1 Paper,Multipurpose Premium,20lb,500 2 sheets/pkg,8 1/2" x 11" 2 Paint,Enamel,Red,12 oz. Aerosol 1 Paint,FD Enamel,PPG,Pioneer Orange, 18.92L 3.78 Paill Paint,Intergard 345,2 Part Epoxy,PCS 7 Cream,18.92L Kit 7 Paint,Rust Coat,Rustoleum,John Deere 2 Green,946 ml Can Paint Brush,Bristle,2" 70 Paint Brush,Bristle,3" 4 Paint Roller Frame,5 Wire Frame,4 1/2" 1 Paint Roller Frame,5 Wire Frame,9 1/2" 1 Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Sleeve,Super Fine Foam,4" 19 Paint Roller Tray Insert,Plastic,9 1/2" 12 Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85		2
Sling,Wire Rope,Permaloc,3/8" x 8' 7 Sling,Wire Rope,Permaloc,1/2" x 4' 1 1 Sling,Wire Rope,Permaloc,1/2" x 6' 8 8 Sling,Wire Rope,Permaloc,1/2" x 8' 7 7 Sling,Wire Rope,Permaloc,1/2" x 10' 4 4 Sling,Wire Rope,Permaloc,1/2" x 12' 11 Snatchblock,Hooked,2 tonne 2 Chain Hoist,Long Drop,Manual,5 Tonne 1 Eye,Weld On,5/8" 6 6 Puller,Lever,Chain,Come Along,1/2 Tonne 1 Insulation,Foam,350 g,MONO Foam 2 Vacuum,Hose,1 1/2" 1 1 Paper,Multipurpose Premium,20lb,500 2 sheets/pkg,8 1/2" x 11" Paint,Enamel,Red,12 oz. Aerosol 1 Paint,Enamel,Red,12 oz. Aerosol 1 Paint,Intergard 345,2 Part Epoxy,PCS 7 Cream,18.92L Kit Paint,Rust Coat,Rustoleum,John Deere 2 Green,946 ml Can Paint Brush,Bristle,2" 70 Paint Brush,Bristle,3" 4 Paint Roller Frame,5 Wire Frame,4 1/2" 1 Paint Roller Frame,5 Wire Frame,9 1/2" 1 Paint Roller Sleeve,Multi-Use,4 1/2" 4 Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Sleeve,Super Fine Foam,4" 19 Paint Roller Tray Insert,Plastic,9 1/2" 12 Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Sling,Wire Rope,Permaloc,3/8" x 4'	2
Sling,Wire Rope,Permaloc,1/2" x 4' 1 Sling,Wire Rope,Permaloc,1/2" x 6' 8 Sling,Wire Rope,Permaloc,1/2" x 8' 7 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 12' 11 Snatchblock,Hooked,2 tonne 2 Chain Hoist,Long Drop,Manual,5 Tonne 1 Eye,Weld On,5/8" 6 Puller,Lever,Chain,Come Along,1/2 Tonne 1 Insulation,Foam,350 g,MONO Foam 2 Vacuum,Hose,1 1/2" 1 Paper,Multipurpose Premium,20lb,500 2 sheets/pkg,8 1/2" x 11" Paint,Enamel,Red,12 oz. Aerosol 1 Paint,FD Enamel,PPG,Pioneer Orange, 18.92L 3.78 Paint,Intergard 345,2 Part Epoxy,PCS 7 Cream,18.92L Kit Paint,Rust Coat,Rustoleum,John Deere 2 Green,946 ml Can Paint Brush,Bristle,2" 70 Paint Brush,Bristle,3" 4 Paint Roller Frame,5 Wire Frame,4 1/2" 1 Paint Roller Frame,5 Wire Frame,9 1/2" 1 Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Tray Insert,Plastic,9 1/2" 12 Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Sling,Wire Rope,Permaloc,3/8" x 6'	6
Sling,Wire Rope,Permaloc,1/2" x 6'	Sling,Wire Rope,Permaloc,3/8" x 8'	7
Sling,Wire Rope,Permaloc,1/2" x 8' 7 Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 12' 11 Snatchblock,Hooked,2 tonne 2 Chain Hoist,Long Drop,Manual,5 Tonne 1 Eye,Weld On,5/8" 6 Puller,Lever,Chain,Come Along,1/2 Tonne 1 Insulation,Foam,350 g,MONO Foam 2 Vacuum,Hose,1 1/2" 1 Paper,Multipurpose Premium,20lb,500 sheets/pkg,8 1/2" x 11" 2 Paint,Enamel,Red,12 oz. Aerosol 1 Paint,FD Enamel,PPG,Pioneer Orange, 18.92L Pail 3.78 Pail 7 Paint,Intergard 345,2 Part Epoxy,PCS 7 Cream,18.92L Kit 7 Paint,Rust Coat,Rustoleum,John Deere 2 Green,946 ml Can 2 Paint Brush,Bristle,2" 70 Paint Roller Frame,5 Wire Frame,4 1/2" 1 Paint Roller Frame,5 Wire Frame,9 1/2" 1 Paint Roller Sleeve,Multi-Use,4 1/2" 4 Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Tray Insert,Plastic,9 1/2" 12 Shim	Sling,Wire Rope,Permaloc,1/2" x 4'	1
Sling,Wire Rope,Permaloc,1/2" x 10' 4 Sling,Wire Rope,Permaloc,1/2" x 12' 11 Snatchblock,Hooked,2 tonne 2 Chain Hoist,Long Drop,Manual,5 Tonne 1 Eye,Weld On,5/8" 6 Puller,Lever,Chain,Come Along,1/2 Tonne 1 Insulation,Foam,350 g,MONO Foam 2 Vacuum,Hose,1 1/2" 1 Paper,Multipurpose Premium,20lb,500 2 sheets/pkg,8 1/2" x 11" 2 Paint,Enamel,Red,12 oz. Aerosol 1 Paint,FD Enamel,PPG,Pioneer Orange, 18.92L 3.78 Paill Paint,Intergard 345,2 Part Epoxy,PCS 7 Cream,18.92L Kit 2 Paint,Rust Coat,Rustoleum,John Deere 2 Green,946 ml Can 2 Paint Brush,Bristle,2" 70 Paint Roller Frame,5 Wire Frame,4 1/2" 1 Paint Roller Frame,5 Wire Frame,9 1/2" 1 Paint Roller Sleeve,Multi-Use,4 1/2" 4 Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Sleeve,Super Fine Foam,4" 19 Paint Roller Tray Insert,Plastic,9 1/2" 12 Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Sling,Wire Rope,Permaloc,1/2" x 6'	8
Sling,Wire Rope,Permaloc,1/2" x 12'	Sling,Wire Rope,Permaloc,1/2" x 8'	7
Snatchblock, Hooked, 2 tonne Chain Hoist, Long Drop, Manual, 5 Tonne Eye, Weld On, 5/8" 6 Puller, Lever, Chain, Come Along, 1/2 Tonne Insulation, Foam, 350 g, MONO Foam 2 Vacuum, Hose, 1 1/2" 1 Paper, Multipurpose Premium, 20lb, 500 sheets/pkg, 8 1/2" x 11" Paint, Enamel, Red, 12 oz. Aerosol 1 Paint, FD Enamel, PPG, Pioneer Orange, 18.92L Pail Paint, Intergard 345, 2 Part Epoxy, PCS Cream, 18.92L Kit Paint, Rust Coat, Rustoleum, John Deere Green, 946 ml Can Paint Brush, Bristle, 2" 70 Paint Brush, Bristle, 3" 4 Paint Roller Frame, 5 Wire Frame, 4 1/2" 1 Paint Roller Frame, 5 Wire Frame, 9 1/2" 1 Paint Roller Sleeve, Multi-Use, 9 1/2" 53 Paint Roller Sleeve, Super Fine Foam, 4" 19 Paint Roller Tray Insert, Plastic, 9 1/2" 12 Shim, Slotted Stainless Steel, B (3" x 3"), .001" 85	Sling,Wire Rope,Permaloc,1/2" x 10'	4
Chain Hoist,Long Drop,Manual,5 Tonne Eye,Weld On,5/8" Puller,Lever,Chain,Come Along,1/2 Tonne Insulation,Foam,350 g,MONO Foam 2 Vacuum,Hose,1 1/2" Paper,Multipurpose Premium,20lb,500 sheets/pkg,8 1/2" x 11" Paint,Enamel,Red,12 oz. Aerosol Paint,FD Enamel,PPG,Pioneer Orange, 18.92L Pail Paint,Intergard 345,2 Part Epoxy,PCS Cream,18.92L Kit Paint,Rust Coat,Rustoleum,John Deere Green,946 ml Can Paint Brush,Bristle,2" Paint Roller Frame,5 Wire Frame,4 1/2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint Roller Sleeve,Super Fine Foam,4" Paint Roller Tray Insert,Plastic,9 1/2" Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Sling,Wire Rope,Permaloc,1/2" x 12'	11
Eye,Weld On,5/8" Puller,Lever,Chain,Come Along,1/2 Tonne 1 Insulation,Foam,350 g,MONO Foam 2 Vacuum,Hose,1 1/2" Paper,Multipurpose Premium,20lb,500 sheets/pkg,8 1/2" x 11" Paint,Enamel,Red,12 oz. Aerosol Paint,FD Enamel,PPG,Pioneer Orange, 18.92L Pail Paint,Intergard 345,2 Part Epoxy,PCS Cream,18.92L Kit Paint,Rust Coat,Rustoleum,John Deere Green,946 ml Can Paint Brush,Bristle,2" Paint Roller Frame,5 Wire Frame,4 1/2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,4 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint Roller Tray Insert,Plastic,9 1/2" Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Snatchblock,Hooked,2 tonne	2
Puller,Lever,Chain,Come Along,1/2 Tonne Insulation,Foam,350 g,MONO Foam 2 Vacuum,Hose,1 1/2" Paper,Multipurpose Premium,20lb,500 sheets/pkg,8 1/2" x 11" Paint,Enamel,Red,12 oz. Aerosol Paint,FD Enamel,PPG,Pioneer Orange, 18.92L Pail Paint,Intergard 345,2 Part Epoxy,PCS Cream,18.92L Kit Paint,Rust Coat,Rustoleum,John Deere Green,946 ml Can Paint Brush,Bristle,2" Paint Roller Frame,5 Wire Frame,4 1/2" Paint Roller Frame,5 Wire Frame,9 1/2" 1 Paint Roller Sleeve,Multi-Use,4 1/2" Paint Roller Sleeve,Super Fine Foam,4" Paint Roller Tray Insert,Plastic,9 1/2" Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Chain Hoist,Long Drop,Manual,5 Tonne	1
Insulation,Foam,350 g,MONO Foam Vacuum,Hose,1 1/2" Paper,Multipurpose Premium,20lb,500 sheets/pkg,8 1/2" x 11" Paint,Enamel,Red,12 oz. Aerosol Paint,FD Enamel,PPG,Pioneer Orange, 18.92L Pail Paint,Intergard 345,2 Part Epoxy,PCS Cream,18.92L Kit Paint,Rust Coat,Rustoleum,John Deere Green,946 ml Can Paint Brush,Bristle,2" Paint Roller Frame,5 Wire Frame,4 1/2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,4 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint Roller Sleeve,Super Fine Foam,4" Paint Roller Tray Insert,Plastic,9 1/2" Shim,Slotted Stainless Steel,B (3" x 3"),.001" 2 2 2 2 2 2 2 2 3.78 7 7 7 7 7 7 7 7 7 7 7 7	Eye,Weld On,5/8"	6
Vacuum,Hose,1 1/2" Paper,Multipurpose Premium,20lb,500 sheets/pkg,8 1/2" x 11" Paint,Enamel,Red,12 oz. Aerosol Paint,FD Enamel,PPG,Pioneer Orange, 18.92L Pail Paint,Intergard 345,2 Part Epoxy,PCS Cream,18.92L Kit Paint,Rust Coat,Rustoleum,John Deere Green,946 ml Can Paint Brush,Bristle,2" Paint Roller Frame,5 Wire Frame,4 1/2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,4 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint Roller Sleeve,Super Fine Foam,4" Paint Roller Tray Insert,Plastic,9 1/2" Shim,Slotted Stainless Steel,B (3" x 3"),.001" 1 Paint Roller Stainless Steel,B (3" x 3"),.001"	Puller,Lever,Chain,Come Along,1/2 Tonne	1
Paper,Multipurpose Premium,20lb,500 sheets/pkg,8 1/2" x 11" Paint,Enamel,Red,12 oz. Aerosol 1 Paint,FD Enamel,PPG,Pioneer Orange, 18.92L Pail Paint,Intergard 345,2 Part Epoxy,PCS Cream,18.92L Kit Paint,Rust Coat,Rustoleum,John Deere Green,946 ml Can Paint Brush,Bristle,2" 70 Paint Brush,Bristle,3" 4 Paint Roller Frame,5 Wire Frame,4 1/2" Paint Roller Frame,5 Wire Frame,9 1/2" 1 Paint Roller Sleeve,Multi-Use,4 1/2" 4 Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Sleeve,Super Fine Foam,4" 19 Paint Roller Tray Insert,Plastic,9 1/2" 55 Shim,Slotted Stainless Steel,B (3" x 3"),.001"	Insulation,Foam,350 g,MONO Foam	2
sheets/pkg,8 1/2" x 11" Paint,Enamel,Red,12 oz. Aerosol 1 Paint,FD Enamel,PPG,Pioneer Orange, 18.92L Pail Paint,Intergard 345,2 Part Epoxy,PCS Cream,18.92L Kit Paint,Rust Coat,Rustoleum,John Deere Green,946 ml Can Paint Brush,Bristle,2" 70 Paint Brush,Bristle,3" 4 Paint Roller Frame,5 Wire Frame,4 1/2" 1 Paint Roller Frame,5 Wire Frame,9 1/2" 1 Paint Roller Sleeve,Multi-Use,4 1/2" 4 Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Sleeve,Super Fine Foam,4" 19 Paint Roller Tray Insert,Plastic,9 1/2" 12 Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Vacuum,Hose,1 1/2"	1
Paint,Enamel,Red,12 oz. Aerosol Paint,FD Enamel,PPG,Pioneer Orange, 18.92L Pail Paint,Intergard 345,2 Part Epoxy,PCS Cream,18.92L Kit Paint,Rust Coat,Rustoleum,John Deere Green,946 ml Can Paint Brush,Bristle,2" Paint Brush,Bristle,3" Paint Roller Frame,5 Wire Frame,4 1/2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,4 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint Roller Sleeve,Super Fine Foam,4" Paint Roller Tray Insert,Plastic,9 1/2" Shim,Slotted Stainless Steel,B (3" x 3"),.001"		2
Pail Paint,Intergard 345,2 Part Epoxy,PCS Cream,18.92L Kit Paint,Rust Coat,Rustoleum,John Deere Green,946 ml Can Paint Brush,Bristle,2" 70 Paint Brush,Bristle,3" 4 Paint Roller Frame,5 Wire Frame,4 1/2" 1 Paint Roller Frame,5 Wire Frame,9 1/2" 1 Paint Roller Sleeve,Multi-Use,4 1/2" 4 Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Sleeve,Super Fine Foam,4" 19 Paint Roller Tray Insert,Plastic,9 1/2" 12 Shim,Slotted Stainless Steel,B (3" x 3"),.001"		1
Cream, 18.92L Kit Paint, Rust Coat, Rustoleum, John Deere Green, 946 ml Can Paint Brush, Bristle, 2" Paint Brush, Bristle, 3" Paint Roller Frame, 5 Wire Frame, 4 1/2" Paint Roller Frame, 5 Wire Frame, 9 1/2" Paint Roller Sleeve, Multi-Use, 4 1/2" Paint Roller Sleeve, Multi-Use, 9 1/2" Paint Roller Sleeve, Multi-Use, 9 1/2" Shim, Slotted Stainless Steel, B (3" x 3"), .001" 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		3.78
Paint,Rust Coat,Rustoleum,John Deere Green,946 ml Can Paint Brush,Bristle,2" Paint Brush,Bristle,3" Paint Roller Frame,5 Wire Frame,4 1/2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,4 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint Roller Sleeve,Super Fine Foam,4" Paint Roller Tray Insert,Plastic,9 1/2" Shim,Slotted Stainless Steel,B (3" x 3"),.001"		7
Paint Brush,Bristle,2" Paint Brush,Bristle,3" 4 Paint Roller Frame,5 Wire Frame,4 1/2" Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,4 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" Paint Roller Sleeve,Super Fine Foam,4" Paint Roller Tray Insert,Plastic,9 1/2" Shim,Slotted Stainless Steel,B (3" x 3"),.001" 70 70 70 70 70 70 70 11 Paint Roller Frame,5 Wire Frame,4 1/2" 4 Paint Roller Sleeve,Super Fine Foam,4" 19 Paint Roller Tray Insert,Plastic,9 1/2" Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Paint,Rust Coat,Rustoleum,John Deere	2
Paint Roller Frame,5 Wire Frame,4 1/2" Paint Roller Frame,5 Wire Frame,9 1/2" 1 Paint Roller Sleeve,Multi-Use,4 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Sleeve,Super Fine Foam,4" Paint Roller Tray Insert,Plastic,9 1/2" Shim,Slotted Stainless Steel,B (3" x 3"),.001"		70
Paint Roller Frame,5 Wire Frame,9 1/2" Paint Roller Sleeve,Multi-Use,4 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Sleeve,Super Fine Foam,4" Paint Roller Tray Insert,Plastic,9 1/2" Shim,Slotted Stainless Steel,B (3" x 3"),.001" 10 11 12 13 15 16 17 18 17 18 18 18 18 18 19 19 10 10 10 10 10 10 10 10	Paint Brush,Bristle,3"	4
Paint Roller Sleeve,Multi-Use,4 1/2" Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Sleeve,Super Fine Foam,4" 19 Paint Roller Tray Insert,Plastic,9 1/2" Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Paint Roller Frame,5 Wire Frame,4 1/2"	1
Paint Roller Sleeve,Multi-Use,9 1/2" 53 Paint Roller Sleeve,Super Fine Foam,4" 19 Paint Roller Tray Insert,Plastic,9 1/2" 12 Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Paint Roller Frame,5 Wire Frame,9 1/2"	1
Paint Roller Sleeve, Super Fine Foam, 4" Paint Roller Tray Insert, Plastic, 9 1/2" Shim, Slotted Stainless Steel, B (3" x 3"), .001" 85	Paint Roller Sleeve, Multi-Use, 4 1/2"	4
Paint Roller Tray Insert,Plastic,9 1/2" 12 Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Paint Roller Sleeve, Multi-Use, 9 1/2"	53
Shim,Slotted Stainless Steel,B (3" x 3"),.001" 85	Paint Roller Sleeve,Super Fine Foam,4"	19
	Paint Roller Tray Insert,Plastic,9 1/2"	12
Shim,Slotted Stainless Steel,B (3" x 3"),.003" 75	Shim, Slotted Stainless Steel, B (3" x 3"),.001"	85
	Shim, Slotted Stainless Steel, B (3" x 3"),.003"	75

Shim,Slotted Stainless Steel,B (3" x 3"),.004"	78
Shim,Slotted Stainless Steel,B (3" x 3"),.005"	84
Shim,Slotted Stainless Steel,B (3" x 3"),.010"	80
Shim,Slotted Stainless Steel,B (3" x 3"),.015"	69
Shim,Slotted Stainless Steel,B (3" x 3"),.020"	59
Shim,Slotted Stainless Steel,B (3" x 3"),.025"	32
Shim,Slotted Stainless Steel,B (3" x 3"),.050"	7
Shim,Slotted Stainless Steel,B (3" x 3"),.075"	1
Shim,Slotted Stainless Steel,B (3" x 3"),.100"	2
Face Shield Window,Clear,High Perf ,Fibre Metal,4178CLEAR	52
Face Shield Window,Dark Green,High Perf,Fibre Metal,4178DGR	26
Fire Extinguisher,ABC,Multi-Purpose,5 lbs	2
First Aid Kit,Small,FAKSKT1BM	2
Knee Pads,Leather	2
Lockout Tag,25/Pkg	60
One Way Clip,Trailing Rope Grab,Auto Stop,5/8",Tractel	4
Tape,Caution,Yellow,DO NOT ENTER	10
Tape,Danger,Red,DO NOT ENTER	1.5
Face Shield,Quick-lok,Crown Protector,Fibre- Metal,7",F4500	6
Face Shield Connector, Fibre-Metal Quick-lok, FBR4001, (female)	6
Lifeline,Vertical,Safety,5/8 x 200'	1
Flagging Tape Tag,White	190
Flagging Tape Tag,Yellow	55
Steel,Flat Bar,3/16 x 5",Mild	28
Steel,Tubing,HSS,Sq,1 1/2" x 1 1/2" x .188	60
Steel, Angle Iron, 1/8" x 1" x 1", 304L, SS	30
Air Blow,Gun	2
Air Compressor,Electric,Portable,15 Gallon	1
Annular Cutter,13/16" x 1"	1
Bar,Aligning,15 1/2"	3
Bar,Crow,24" (2')	1
Bar,Crow,60"	2
Bar,Crow,36"	2
Bar,Rolling Head Pry,16"	6
Dar, 10 mil g 1 10 au 1 1 1 1 1 1	-
Bar,Rolling Head Pry,18"	1
Bar,Rolling Head Pry,18"	1
Bar,Rolling Head Pry,18" Bar,Rolling Head Pry,19"	1 3

Bevel,Sliding T,8" Long	2
Burr,Carbide,Pointed Cone - Type SM,1/4" x 1/2"	3
Burr,Carbide,Flat Top Cylindrical - Type SA,3/8" x 3/4"	2
Burr,Carbide,Flat Top Cylindrical - Type SA,5/8" x 1"	4
Burr,Carbide,Round Top Cylindrical - Type SC,3/8" x 3/4"	2
Burr,Carbide,Pointed Tree - Type SG,3/8" x 3/4"	2
Caulking Gun,Manual,Adhesive Applicator,Hilti,MD1000	2
Caulking Gun,Manual,300 mL	13
Chalk Line,100'	4
Chalk Line Refill, Assorted Colours, 8 oz Bottle	1
Chisel,Flat	2
Chisel,Rotary Hammer Drill,Flat - 3/4" x 10"	8
Chisel Set,Cold,6-piece,7-piece	1
Clamp,Bar "Bessey",8",SD	3
Clamp,Bar "Bessey",16",SD	4
Clamp,Bar "Bessey",20",HD	1
Clamp,Beam,2 Tonne	2
Clamp,Beam,3 Tonne	2
C-Clamp,C,3"	1
C-Clamp,C,4"	1
C-Clamp,C,6"	3
(Do not Reorder)Drill,Corded,Rotary,Hammer,SDS MAX,Makita	1
Drill,Corded,Pistol Grip,1/2" Chuck,Milwauki	1
Drill,Cordless,1/2" Chuck,Dewalt 18V	2
Annular Cutter,9/16" x 1"	3
Annular Cutter,1-1/8" x 1"	1
Drill Bit,Regular,SST,7/64"	1
Drill Bit,Regular,SST,1/8"	1
Drill Bit,Regular,SST,9/64"	1
Drill Bit,Regular,SST,5/32"	1
Drill Bit,Regular,SST,11/64"	1
Drill Bit,Regular,SST,3/16"	16
Drill Bit,Regular,SST,13/64"	1
Drill Bit,Regular,SST,7/32"	2
Drill Bit,Regular,SST,15/64"	1
Drill Bit,Regular,SST,1/4"	1
Drill Bit,Regular,SST,17/64"	3
Drill Bit,Regular,SST,19/64"	3

Drill Bit,Regular,SST,5/16"	52
Drill Bit,Regular,SST,21/64"	4
Drill Bit,Regular,SST,11/32"	3
Drill Bit,Regular,SST,23/64"	2
Drill Bit,Regular,SST,3/8"	6
Drill Bit,Regular,SST,25/64"	2
Drill Bit,Regular,SST,13/32"	2
Drill Bit,Regular,SST,7/16"	33
Drill Bit,Regular,SST,29/64"	2
Drill Bit,Regular,SST,15/32"	4
Drill Bit,Regular,SST,31/64"	4
Drill Bit,Regular,SST,9/16"	4
Drill Bit,Regular,SST,5/8"	3
	1
Drill Bit,Regular,SST,21/32"	
Drill Bit,Regular,SST,3/4"	2
Drill Bit,Regular,SST,13/16"	2
Drill Bit,Regular,SST,1 1/16"	1
Drill Bit,Regular,SST,1 1/4"	1
Drill Bit,Rotary Hammer,1/4" x 4" to 6" standard	3
drill shank Drill Bit,Rotary Hammer,SDS Max,5/8"x 17" to	1
24"(2 and 4 cutter)	·
Drill Bit,Rotary Hammer,SDS Plus,3/8" x 4" to 8" (2 and 4 cutter)	2
Drill Bit,Rotary Hammer,SDS Plus,3/8" x 9" to 12" (2 and 4 cutter)	4
Drill Bit,Rotary Hammer, 1/2" x 4" to 6" standard	3
drill shank	
Drill Bit,Rotary Hammer,SDS Plus,1/2" x 4" to 8" (2 and 4 cutter)	4
Drill Bit,Rotary Hammer,SDS Plus,5/8" x 4" to 8" (2 and 4 cutter)	4
Drill Bit,Rotary Hammer,SDS Plus,3/4" x 4" to	7
8" (2 and 4 cutter)	
Drill Bit,Rotary Hammer,SDS Plus,3/4" x 17" to 24" (2 and 4 cutter)	7
Drill Bit,Rotary Hammer,SDS Max,1" x 17" to 24"	2
(2 and 4 cutter)	_
Drill Bit,Rotary Hammer,SDS Max,1 1/8" x 17" to 24" (2 and 4 cutter)	2
Drill Bit,Ship Auger,3/8" x 6"	1
Drill Bit,Ship Auger,1/2" x 14"	1
Bolt,Screw,Extractor Set,10Pc	1
Drill Press,3/4" Chuck,King Industrial	1
Drill Press, Electromagnetic, Mag Drill, Milwaukee	1
Exomixer, Paint	1
Feeler Gauge,Long Blade,25 Blade,0.0015 -	2

0.025"	
File,Flat,Bastard,12"	4
File,Flat,Smooth	1
File,Half Round,Bastard	4
File,Round,Bastard,10"	2
File Set,Nicholson,9 Pc	1
Grease Gun, Cordless	1
Grinder,Angle,Corded,5",Dewalt	2
(Do Not Reorder) Grinder, Angle, Corded, 5", all "Other" Models	1
Grinder,Bench,6"	1
Grinder,Bench,8"	1
Grinder, Die, Corded, Dewalt	1
Hammer,Ball,Pein,Peen,16 oz.	2
Hammer, Chipping, Welding	4
Hammer,Deadblow,Long Handle	1
Hammer,Deadblow,Short Handle	1
Hammer,Mallet,Rubber	2
Hammer,Sledge,Long Handle (Various Styles)	2
Hammer,Sledge,Short Handle 4 lbs.	6
Heater,Space,110V	3
Heat Gun,Corded	2
Impact,Corded,1/2" Drive,Dewalt	2
Impact,Cordless,1/2" Drive,Dewalt 18V	5
Interrupter,Ground Fault Circuit,Portable,GFCI	6
Jack,Bottle,Regular Profile,20 Tonne	1
Jerry Can,Fuel,20 L	2
Knife,Putty,Steel	7
Knife,Utility,Heavy Duty,Olfa,L2	3
Ladder,Extension,Aluminum,20'	1
Ladder,Step,Fiberglass,Featherlite,3'	1
Ladder,Step,Fiberglass,Featherlite,6'	3
Level,Box Beam,Magnetic,48"	4
Level,Box Beam,Magnetic,24"	2
Level,Torpedo,Magnetic	6
Light,Flashlight,C Battery	1
Light,Halogen,Double With Stand,500 Watt	1
Light,Hard Hat,Pelican 2610 or 2690	9
Magnetic Base Set, Dial Indicator, Standard	1
Nibbler	1
Nut, Grinder, 5/8", Use W/Grinding/Cutting Disc&TOO-014715	23

Bit,Impact, Driver, Nut, Set,SAE, 5 or 6 Pc (Purchase Only)	1
Bit, Impact Driver, Nut SAE 5/16" (all lengths)	3
Bit, Impact Driver, Nut SAE 1/4" (all lengths)	2
Pliers,Locking,C-Clamp with Swivel Pads,11",Vise Grip,11-SP	6
Pliers,Locking,Curved Jaw,8" Long,Vise Grip	3
Pliers,Wire Stripper	1
Pliers,Slip Joint	5
Plumb Bob,Brass,8 oz.	1
Pop Riveter Gun,Standard,3/32" - 3/16"	2
Puller,3 Jaw,Regular Jaw,10" Reach,Posi Lock,# 110	1
Puller,3 Jaw,Regular Jaw,16" Reach,Posi Lock,# 116	1
Punch, Aligning	16
Ratchet,Adaptor,Female to Male,1/2" to 3/4",Impact	1
Ratchet, Drive, 1/4"	1
Ratchet, Drive, 3/8"	4
Ratchet, Drive, 1/2"	2
Ratchet, Drive, 3/4"	1
Ratchet, Drive, Breaker, Flex, Bar, 3/8"	1
Ratchet, Drive, Breaker, Flex, Bar, 1/2"	3
Ratchet,Extension,1/2" Drive,4" Long,Standard	1
Ratchet,Extension,1/2" Drive,10" Long,Standard	3
Ratchet, Extension, 1/2" Drive, 24" Long, Standard	1
Ratchet, Swivel, A.K.A. U-Joint, 1/2" Drive, Impact	1
Reamer,Bridge,3/4"	2
Reamer, Dual Cut, 1/2"	3
Saw,Jig,Orbital,Corded,Dewalt	1
Saw Blade,Cut-Off,Metal,14" x 3/32" x 1"	13
Saw Blade,Cut-Off,Metal,14" x 5/32" x 20 mm	10
Saw Blade,Hole,Bi-Metal,7/8"	6
Saw Blade,Reciprocating,Metal,6"x14 tpi	53
Saw Blade,Reciprocating,Metal,12"x18 tpi	1
Saw Kit,Set,Hole,17 Pc (Purchase only)	1
Screw Driver,Multi-bit,Regular (Picquic Super 8 Plus brand)	1
Bit, Impact Driver Phillips #1, Short(Short being 2" and shorter)	12
Bit, Impact Driver Robertson #1, Short(Short being 2" and shorter)	10
Screw Driver, Hand,Flat,Blade width 1/4" Short (Short being 4" and shorter)	6
Screw Extractor, Standard, 5/16"	1

Screw Extractor, Standard, 3/8"	1
Screw Extractor, Standard, 9/16"	1
Screw Extractor, Standard, 15/64"	1
Snips,Right Hand,Green Handle,10" Overall	1
Length	
Snips,Straight,Yellow Handle,10" Overall Length	2
Socket - 3/8" Drive,SAE,Deep,1/2",Standard	1
Socket - 3/8" Drive,SAE,Deep,9/16",Standard	3
Socket - 3/8" Drive,SAE,Shallow,7/16",Standard	3
Socket - 3/8" Drive,SAE,Shallow,5/8",Standard	1
Socket - 3/8" Drive, SAE, Shallow, 11/16", Standard	1
Socket - 3/8" Drive, SAE, Shallow, 3/4", Standard	1
Socket - 1/2" Drive,SAE,Allen	1
(Long),3/4",Standard	
Socket - 1/2" Drive,SAE,Allen (Short),9/16",Standard	1
Socket - 1/2" Drive,SAE,Allen	1
(Short),5/8",Standard	
Socket - 1/2" Drive,SAE,Deep,3/8",Impact	2
Socket - 1/2" Drive,SAE,Deep,7/16",Impact	3
Socket - 1/2" Drive,SAE,Deep,1/2",Impact	3
Socket - 1/2" Drive,SAE,Deep,9/16",Impact	15
Socket - 1/2" Drive,SAE,Deep,5/8",Impact	1
Socket - 1/2" Drive,SAE,Deep,11/16",Impact	2
Socket - 1/2" Drive,SAE,Deep,3/4",Impact	9
Socket - 1/2" Drive,SAE,Deep,13/16",Impact	3
Socket - 1/2" Drive,SAE,Deep,7/8",Impact	2
Socket - 1/2" Drive,SAE,Deep,15/16",Impact	4
Socket - 1/2" Drive,SAE,Deep,1",Impact	2
Socket - 1/2" Drive,SAE,Deep,1 1/16",Impact	1
Socket - 1/2" Drive,SAE,Deep,1 1/8",Impact	2
Socket - 1/2" Drive,SAE,Deep,1 1/4",Impact	2
Socket - 1/2" Drive,SAE,Deep,3/4",Standard	2
Socket - 1/2" Drive,SAE,Deep,13/16",Standard	1
Socket - 1/2" Drive,SAE,Deep,7/8",Standard	1
Socket - 1/2" Drive,SAE,Deep,1 1/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,3/8",Impact	1
Socket - 1/2" Drive,SAE,Shallow,1/2",Impact	2
Socket - 1/2" Drive, SAE, Shallow, 9/16", Impact	1
Socket - 1/2" Drive, SAE, Shallow, 3/4", Impact	1
Socket - 1/2' Drive, SAE, Shallow, 1 1/8", Impact	1
Socket - 1/2 Drive, SAE, Shallow, 1 1/8, Impact	2
Socket - 1/2 Drive, SAE, Shallow, 5/8", Standard	1
Socker - 1/2 Drive, SAE, Shallow, 5/6, Standard	

O - 1 - 1 - 4 /01 D	1
Socket - 1/2" Drive,SAE,Shallow,11/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,3/4",Standard	1
Socket - 1/2" Drive,SAE,Shallow,15/16",Standard	4
Socket - 1/2" Drive,SAE,Shallow,1 1/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,1 1/8",Standard	1
Socket - 3/4" Drive,SAE,Deep,1 1/4",Impact	2
Socket - 3/4" Drive,SAE,Deep,1 5/8",Impact	2
Socket - 3/4" Drive,SAE,Deep,1 5/16",Standard	1
Socket - 3/4" Drive,SAE,Shallow,1 1/4",Impact	2
Socket - 3/4" Drive, SAE, Shallow, 1 1/2", Impact	2
Socket - 3/4" Drive, SAE, Shallow, 1 1/8", Standard	1
(Order Only-Do not count)Socket Set - 3/8" Drive,SAE,Allen,6 Pc	1
(Order Only-Do not count)Socket Set - 3/8"	1
Drive, SAE, Allen, 10 Pc	
(Order Only-Do not count)Socket Set - 1/2" Drive,SAE/Metric,55 Pc	1
(Order Only-Do not count)Socket Set - 3/4"	1
Drive,SAE,21 Pc Socket Tray,SAE,Plastic,3/8" Drive	1
Socket Tray,SAE,Plastic,1/2" Drive	1
Square,Carpenter,Normal,24" x 16"	8
Square,Combination,12"	1
Square,Layout,6 3/4" (Speed Square)	6
Stone Dresser, Huntington, Diameter", 0" to 10"	2
Tap and Die Set,SAE/Metric,110 piece	1
Tap and Die Set,SAE,40 piece	1
Tape Measure,Manual Reel ,Metric / SAE,30 m / 100'	9
Tape Measure,Manual Reel,SAE,100'	4
Tape Measure,Manual Reel,SAE,200',Lufkin	1
Tie Down Strap,Ratchet,Polyester,1"x 15',Heavy Duty	2
Tie Down Strap,Ratchet,Polyester,4" x 20',Heavy Duty	2
Tie Down Strap,Bungee,Rubber,20" Long	4
Tool Chest,Top,8 Drawer	1
Tube Cutter,1/8" - 1 1/4" O.D., aka Pipe Cutter	1
Vacuum,12 Gallon,Shop-Vac,Wet/Dry	1
Vise,Bench,Max Jaw Width",6"	1
Vise,Bench,Max Jaw Width",8"	1
Wire Brush, Stainless Steel, Curved Handle, 13 3/4"	4
Wire Brush,Steel,Curved Handle,13 3/4"	2
Wire Wheel Brush,Carbon,Bench Grinder,6"	1
<u> </u>	l .

Wire Wheel Brush,S.S.,Knot Twisted or Stringer 15 Bead,5" 1 Measuring Gasket,Wrap-A-Round,Flexible,4" 1 Wide x 6' Long 3 Measuring Gasket,Wrap-A-Round,Flexible,5" 3 Wide x 7' Long 1 Wrench,Allen,Metric - Long,10 mm 1 Wrench,Allen,Metric - Regular,6 mm 2 Wrench,Allen,Metric - Regular,8 mm 2 Wrench,Allen,Metric - Regular,8 mm 2 Wrench,Allen,Metric - Regular,8 mm 2 Wrench,Allen,SAE - Long,1/8" 1 Wrench,Allen,SAE - Long,5/32" 1 Wrench,Allen,SAE - Regular,1/32" 1 Wrench,Allen,SAE - Regular,1/16" 1 Wrench,Allen,SAE - Regular,3/64" 1 Wrench,Allen,SAE - Regular,7/64" 1 Wrench,Allen,SAE - Regular,7/64" 1 Wrench,Allen,SAE - Regular,7/64" 1 Wrench,Allen,SAE - Regular,1/4" 1 Wrench,Flat (Combination),Metric - Regular,9 1 Wrench,Flat (Combination),Metric - Regular,9 1 Wrench,Flat (Combination),SAE - Regular,11/4" 4	Wire Wheel Brush,Carbon,Knot Twisted or Stringer Bead,5"	8
Measuring Gasket, Wrap-A-Round, Flexible, 4" 1 Wide x 6' Long 3 Measuring Gasket, Wrap-A-Round, Flexible, 5" 3 Wide x 7' Long 1 Wrench, Allen, Metric - Long, 10 mm 1 Wrench, Allen, Metric - Regular, 6 mm 2 Wrench, Allen, Metric - Regular, 7 mm 1 Wrench, Allen, Metric - Regular, 8 mm 2 Wrench, Allen, Metric - Regular, 8 mm 1 Wrench, Allen, SAE - Long, 1/8" 1 Wrench, Allen, SAE - Long, 3/8" 1 Wrench, Allen, SAE - Long, 3/8" 1 Wrench, Allen, SAE - Regular, 1/32" 1 Wrench, Allen, SAE - Regular, 1/16" 1 Wrench, Allen, SAE - Regular, 3/32" 1 Wrench, Allen, SAE - Regular, 7/64" 1 Wrench, Allen, SAE - Regular, 7/64" 1 Wrench, Allen, SAE - Regular, 1/4" 1 Wrench, Flat (Combination), Metric - Regular, 9 1 mm 4 Wrench, Flat (Combination), Metric - Regular, 14 1 mm 1 Wrench, Flat (Combination), SAE - Regular, 17/6" 11 <tr< td=""><td>Wire Wheel Brush,S.S.,Knot Twisted or Stringer</td><td>15</td></tr<>	Wire Wheel Brush,S.S.,Knot Twisted or Stringer	15
Wide x 7' Long Wrench, Allen, Metric - Long, 5 mm 1 Wrench, Allen, Metric - Long, 10 mm 1 Wrench, Allen, Metric - Regular, 6 mm 2 Wrench, Allen, Metric - Regular, 7 mm 1 Wrench, Allen, Metric - Regular, 8 mm 2 Wrench, Allen, SAE - Long, 1/8" 1 Wrench, Allen, SAE - Long, 5/32" 1 Wrench, Allen, SAE - Long, 3/8" 1 Wrench, Allen, SAE - Regular, 1/32" 1 Wrench, Allen, SAE - Regular, 1/16" 1 Wrench, Allen, SAE - Regular, 5/64" 1 Wrench, Allen, SAE - Regular, 3/32" 1 Wrench, Allen, SAE - Regular, 7/64" 1 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Allen, SAE - Regular, 1/4" 1 Wrench, Crescent, 18" 4 Wrench, Crescent, 18" 4 Wrench, Flat (Combination), Metric - Regular, 9 1 mm 1 Wrench, Flat (Combination), Metric - Regular, 14 1 mm 4 Wrench, Flat (Combination), SAE - Regular, 1/4" 4 Wrench, Flat (Combination), SAE -	Measuring Gasket,Wrap-A-Round,Flexible,4" Wide x 6' Long	1
Wrench, Allen, Metric - Long, 10 mm 1 Wrench, Allen, Metric - Regular, 6 mm 2 Wrench, Allen, Metric - Regular, 7 mm 1 Wrench, Allen, Metric - Regular, 8 mm 2 Wrench, Allen, SAE - Long, 5/32" 1 Wrench, Allen, SAE - Long, 5/32" 1 Wrench, Allen, SAE - Long, 3/8" 1 Wrench, Allen, SAE - Regular, 1/32" 1 Wrench, Allen, SAE - Regular, 1/32" 1 Wrench, Allen, SAE - Regular, 5/64" 1 Wrench, Allen, SAE - Regular, 7/64" 1 Wrench, Allen, SAE - Regular, 7/64" 1 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Crescent, 18" 4 Wrench, Crescent, 24" 1 Wrench, Flat (Combination), Metric - Regular, 9 1 mm 1 Wrench, Flat (Combination), Metric - Regular, 14 1 mm 1 Wrench, Flat (Combination), SAE - Regular, 7/16" 11 Wrench, Flat (Combination), SAE - Regular, 7/16" 11 Wrench, Flat (Combination), SAE - Regular, 7/16"	Wide x 7' Long	3
Wrench, Allen, Metric - Regular, 6 mm 2 Wrench, Allen, Metric - Regular, 7 mm 1 Wrench, Allen, Metric - Regular, 8 mm 2 Wrench, Allen, SAE - Long, 1/8" 1 Wrench, Allen, SAE - Long, 5/32" 1 Wrench, Allen, SAE - Long, 3/8" 1 Wrench, Allen, SAE - Regular, 1/32" 1 Wrench, Allen, SAE - Regular, 1/16" 1 Wrench, Allen, SAE - Regular, 5/64" 1 Wrench, Allen, SAE - Regular, 3/32" 1 Wrench, Allen, SAE - Regular, 7/64" 1 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Allen, SAE - Regular, 1/4" 1 Wrench, Crescent, 18" 4 Wrench, Crescent, 24" 1 Wrench, Flat (Combination), Metric - Regular, 9 1 mm 1 Wrench, Flat (Combination), Metric - Regular, 14 1 mm 4 Wrench, Flat (Combination), SAE - Regular, 1/4" 4 Wrench, Flat (Combination), SAE - Regular, 1/16" 11 Wrench, Flat (Combination), SAE - Regular, 1/16" 5 <td>Wrench,Allen,Metric - Long,5 mm</td> <td>1</td>	Wrench,Allen,Metric - Long,5 mm	1
Wrench, Allen, Metric - Regular, 7 mm 1 Wrench, Allen, Metric - Regular, 8 mm 2 Wrench, Allen, SAE - Long, 1/8" 1 Wrench, Allen, SAE - Long, 5/32" 1 Wrench, Allen, SAE - Long, 3/8" 1 Wrench, Allen, SAE - Regular, 1/32" 1 Wrench, Allen, SAE - Regular, 1/16" 1 Wrench, Allen, SAE - Regular, 5/64" 1 Wrench, Allen, SAE - Regular, 3/32" 1 Wrench, Allen, SAE - Regular, 7/64" 1 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Allen, SAE - Regular, 1/4" 1 Wrench, Crescent, 18" 4 Wrench, Crescent, 24" 1 Wrench, Flat (Combination), Metric - Regular, 9 1 mm 1 Wrench, Flat (Combination), Metric - Regular, 14 1 mm 1 Wrench, Flat (Combination), SAE - Regular, 11/4" 4 Wrench, Flat (Combination), SAE - Regular, 17/16" 11 Wrench, Flat (Combination), SAE - Regular, 19/16" 14 Wrench, Flat (Combination), SAE - Regular, 19/16"	Wrench,Allen,Metric - Long,10 mm	1
Wrench, Allen, Metric - Regular, 8 mm 2 Wrench, Allen, SAE - Long, 1/8" 1 Wrench, Allen, SAE - Long, 5/32" 1 Wrench, Allen, SAE - Long, 3/8" 1 Wrench, Allen, SAE - Regular, 1/32" 1 Wrench, Allen, SAE - Regular, 1/16" 1 Wrench, Allen, SAE - Regular, 5/64" 1 Wrench, Allen, SAE - Regular, 3/32" 1 Wrench, Allen, SAE - Regular, 7/64" 1 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Allen, SAE - Regular, 1/4" 1 Wrench, Crescent, 18" 4 Wrench, Crescent, 24" 1 Wrench, Flat (Combination), Metric - Regular, 9 1 mm 1 Wrench, Flat (Combination), Metric - Regular, 14 1 mm 4 Wrench, Flat (Combination), SAE - Regular, 1/4" 4 Wrench, Flat (Combination), SAE - Regular, 1/2" 8 Wrench, Flat (Combination), SAE - Regular, 1/2" 8 Wrench, Flat (Combination), SAE - Regular, 1/2" 5 Wrench, Flat (Combination), SAE - Regular, 1/2"	Wrench,Allen,Metric - Regular,6 mm	2
Wrench, Allen, SAE - Long, 1/8" 1 Wrench, Allen, SAE - Long, 5/32" 1 Wrench, Allen, SAE - Long, 3/8" 1 Wrench, Allen, SAE - Regular, 1/32" 1 Wrench, Allen, SAE - Regular, 1/16" 1 Wrench, Allen, SAE - Regular, 5/64" 1 Wrench, Allen, SAE - Regular, 3/32" 1 Wrench, Allen, SAE - Regular, 7/64" 1 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Allen, SAE - Regular, 1/4" 1 Wrench, Crescent, 18" 4 Wrench, Crescent, 24" 1 Wrench, Flat (Combination), Metric - Regular, 9 1 mm 1 Wrench, Flat (Combination), Metric - Regular, 14 1 mm 4 Wrench, Flat (Combination), SAE - Regular, 14 1 wrench, Flat (Combination), SAE - Regular, 17/6" 11 Wrench, Flat (Combination), SAE - Regular, 19/16" 14 Wrench, Flat (Combination), SAE - Regular, 19/16" 5 Wrench, Flat (Combination), SAE - Regular, 11/16" 6 Wrench, Flat (Combination), SAE - R	Wrench,Allen,Metric - Regular,7 mm	1
Wrench, Allen, SAE - Long, 5/32" 1 Wrench, Allen, SAE - Long, 3/8" 1 Wrench, Allen, SAE - Regular, 1/32" 1 Wrench, Allen, SAE - Regular, 5/64" 1 Wrench, Allen, SAE - Regular, 5/64" 1 Wrench, Allen, SAE - Regular, 3/32" 1 Wrench, Allen, SAE - Regular, 7/64" 1 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Allen, SAE - Regular, 1/4" 1 Wrench, Crescent, 18" 4 Wrench, Crescent, 24" 1 Wrench, Flat (Combination), Metric - Regular, 9 1 mm 1 Wrench, Flat (Combination), Metric - Regular, 14 1 mm 1 Wrench, Flat (Combination), Metric - Regular, 15 2 mm 1 Wrench, Flat (Combination), SAE - Regular, 1/4" 4 Wrench, Flat (Combination), SAE - Regular, 1/16" 11 Wrench, Flat (Combination), SAE - Regular, 1/16" 14 Wrench, Flat (Combination), SAE - Regular, 11/16" 5 Wrench, Flat (Combination), SAE - Regular, 11/16" 5 Wrench, Flat (Combination), SAE - Regular, 11/4" </td <td>Wrench,Allen,Metric - Regular,8 mm</td> <td>2</td>	Wrench,Allen,Metric - Regular,8 mm	2
Wrench,Allen,SAE - Long,3/8" 1 Wrench,Allen,SAE - Regular,1/32" 1 Wrench,Allen,SAE - Regular,5/64" 1 Wrench,Allen,SAE - Regular,3/32" 1 Wrench,Allen,SAE - Regular,7/64" 1 Wrench,Allen,SAE - Regular,7/32" 2 Wrench,Allen,SAE - Regular,1/4" 1 Wrench,Allen,SAE - Regular,1/4" 1 Wrench,Crescent,18" 4 Wrench,Crescent,24" 1 Wrench,Flat (Combination),Metric - Regular,9 1 mm 1 Wrench,Flat (Combination),Metric - Regular,14 1 mm 1 Wrench,Flat (Combination),Metric - Regular,15 2 mm 2 Wrench,Flat (Combination),SAE - Regular,15 2 mm 1 Wrench,Flat (Combination),SAE - Regular,7/16" 11 Wrench,Flat (Combination),SAE - Regular,9/16" 14 Wrench,Flat (Combination),SAE - Regular,11/16" 6 Wrench,Flat (Combination),SAE - Regular,3/4" 5 Wrench,Flat (Combination),SAE - Regular,15/16" 6 Wrench,Flat (Combination),SAE - Reg	Wrench,Allen,SAE - Long,1/8"	1
Wrench, Allen, SAE - Regular, 1/32" 1 Wrench, Allen, SAE - Regular, 1/16" 1 Wrench, Allen, SAE - Regular, 5/64" 1 Wrench, Allen, SAE - Regular, 3/32" 1 Wrench, Allen, SAE - Regular, 7/64" 1 Wrench, Allen, SAE - Regular, 7/32" 2 Wrench, Allen, SAE - Regular, 1/4" 1 Wrench, Crescent, 18" 4 Wrench, Crescent, 24" 1 Wrench, Flat (Combination), Metric - Regular, 9 1 mm 1 Wrench, Flat (Combination), Metric - Regular, 14 1 mm 1 Wrench, Flat (Combination), Metric - Regular, 15 2 mm 2 Wrench, Flat (Combination), SAE - Regular, 1/4" 4 Wrench, Flat (Combination), SAE - Regular, 7/16" 11 Wrench, Flat (Combination), SAE - Regular, 9/16" 14 Wrench, Flat (Combination), SAE - Regular, 9/16" 14 Wrench, Flat (Combination), SAE - Regular, 1/2" 8 Wrench, Flat (Combination), SAE - Regular, 1/4" 5 Wrench, Flat (Combination), SAE - Regular, 13/16" 5 Wrench, Flat (Combi	Wrench,Allen,SAE - Long,5/32"	1
Wrench,Allen,SAE - Regular,1/16" 1 Wrench,Allen,SAE - Regular,5/64" 1 Wrench,Allen,SAE - Regular,3/32" 1 Wrench,Allen,SAE - Regular,7/64" 1 Wrench,Allen,SAE - Regular,7/32" 2 Wrench,Allen,SAE - Regular,1/4" 1 Wrench,Crescent,18" 4 Wrench,Crescent,24" 1 Wrench,Flat (Combination),Metric - Regular,9 mm 1 Wrench,Flat (Combination),Metric - Regular,14 mm 1 Wrench,Flat (Combination),Metric - Regular,14 mm 2 Wrench,Flat (Combination),SAE - Regular,1/4" 4 Wrench,Flat (Combination),SAE - Regular,1/16" 11 Wrench,Flat (Combination),SAE - Regular,7/16" 11 Wrench,Flat (Combination),SAE - Regular,9/16" 14 Wrench,Flat (Combination),SAE - Regular,11/16" 6 Wrench,Flat (Combination),SAE - Regular,3/4" 5 Wrench,Flat (Combination),SAE - Regular,13/16" 5 Wrench,Flat (Combination),SAE - Regular,15/16" 6 Wrench,Flat (Combination),SAE - Regular,1 6 Wrench,Flat (Combination),SAE - Regular,1 9 Wrench,Flat (Combination),SAE	Wrench,Allen,SAE - Long,3/8"	1
Wrench,Allen,SAE - Regular,5/64" 1 Wrench,Allen,SAE - Regular,3/32" 1 Wrench,Allen,SAE - Regular,7/64" 1 Wrench,Allen,SAE - Regular,7/32" 2 Wrench,Allen,SAE - Regular,1/4" 1 Wrench,Crescent,18" 4 Wrench,Crescent,24" 1 Wrench,Flat (Combination),Metric - Regular,9 mm 1 Wrench,Flat (Combination),Metric - Regular,14 mm 1 Wrench,Flat (Combination),Metric - Regular,14 mm 1 Wrench,Flat (Combination),SAE - Regular,1/4" 4 Wrench,Flat (Combination),SAE - Regular,1/1/6" 11 Wrench,Flat (Combination),SAE - Regular,1/1/2" 8 Wrench,Flat (Combination),SAE - Regular,9/16" 14 Wrench,Flat (Combination),SAE - Regular,1/16" 6 Wrench,Flat (Combination),SAE - Regular,1/16" 5 Wrench,Flat (Combination),SAE - Regular,15/16" 5 Wrench,Flat (Combination),SAE - Regular,15/16" 6 Wrench,Flat (Combination),SAE - Regular,1 6 Wrench,Flat (Combination),SAE - Regular,1 7 Wrench,Flat (Combination),SAE - Regular,1 9 Wrench,	Wrench,Allen,SAE - Regular,1/32"	1
Wrench,Allen,SAE - Regular,3/32" 1 Wrench,Allen,SAE - Regular,7/64" 1 Wrench,Allen,SAE - Regular,7/32" 2 Wrench,Allen,SAE - Regular,1/4" 1 Wrench,Crescent,18" 4 Wrench,Crescent,24" 1 Wrench,Flat (Combination),Metric - Regular,9 mm 1 Wrench,Flat (Combination),Metric - Regular,14 mm 1 Wrench,Flat (Combination),Metric - Regular,14 1 mm 2 Wrench,Flat (Combination),SAE - Regular,1/4" 4 Wrench,Flat (Combination),SAE - Regular,7/16" 11 Wrench,Flat (Combination),SAE - Regular,7/16" 14 Wrench,Flat (Combination),SAE - Regular,9/16" 14 Wrench,Flat (Combination),SAE - Regular,1/16" 6 Wrench,Flat (Combination),SAE - Regular,1/16" 5 Wrench,Flat (Combination),SAE - Regular,13/16" 5 Wrench,Flat (Combination),SAE - Regular,15/16" 6 Wrench,Flat (Combination),SAE - Regular,11/4" 9 Wrench,Flat (Combination),SAE - Regular,1 1/4" 9 Wrench,Flat (Combination),SAE - Regular,1 1/4" 9 Wrench,Flat (Combination),SAE - Regular	Wrench,Allen,SAE - Regular,1/16"	1
Wrench,Allen,SAE - Regular,7/64" 1 Wrench,Allen,SAE - Regular,7/32" 2 Wrench,Allen,SAE - Regular,1/4" 1 Wrench,Crescent,18" 4 Wrench,Crescent,24" 1 Wrench,Flat (Combination),Metric - Regular,9 1 mm 1 Wrench,Flat (Combination),Metric - Regular,14 1 mm 2 Wrench,Flat (Combination),Metric - Regular,1/4" 4 Wrench,Flat (Combination),SAE - Regular,1/4" 4 Wrench,Flat (Combination),SAE - Regular,7/16" 11 Wrench,Flat (Combination),SAE - Regular,7/16" 14 Wrench,Flat (Combination),SAE - Regular,9/16" 14 Wrench,Flat (Combination),SAE - Regular,11/16" 6 Wrench,Flat (Combination),SAE - Regular,13/16" 5 Wrench,Flat (Combination),SAE - Regular,13/16" 5 Wrench,Flat (Combination),SAE - Regular,15/16" 6 Wrench,Flat (Combination),SAE - Regular,1 9 Wrench,Flat (Combination),SAE - Regular,1 1/4" Wrench,Flat (Combination),SAE - Regular,1 1/4" Wrench,Flat (Combination),SAE - Regular,1 1/4"	Wrench,Allen,SAE - Regular,5/64"	1
Wrench,Allen,SAE - Regular,7/32"2Wrench,Allen,SAE - Regular,1/4"1Wrench,Crescent,18"4Wrench,Crescent,24"1Wrench,Flat (Combination),Metric - Regular,9 mm1Wrench,Flat (Combination),Metric - Regular,14 mm1Wrench,Flat (Combination),Metric - Regular,15 mm2Wrench,Flat (Combination),SAE - Regular,1/4"4Wrench,Flat (Combination),SAE - Regular,7/16"11Wrench,Flat (Combination),SAE - Regular,1/2"8Wrench,Flat (Combination),SAE - Regular,9/16"14Wrench,Flat (Combination),SAE - Regular,5/8"5Wrench,Flat (Combination),SAE - Regular,11/16"6Wrench,Flat (Combination),SAE - Regular,13/16"5Wrench,Flat (Combination),SAE - Regular,13/16"5Wrench,Flat (Combination),SAE - Regular,15/16"6Wrench,Flat (Combination),SAE - Regular,16Wrench,Flat (Combination),SAE - Regular,16Wrench,Flat (Combination),SAE - Regular,19Wrench,Flat (Combination),SAE - Regular,11/4"9Wrench,Flat (Combination),SAE - Regular,11/4"9Wrench,Flat (Combination),SAE - Regular,11/2"	Wrench,Allen,SAE - Regular,3/32"	1
Wrench,Allen,SAE - Regular,1/4" Wrench,Crescent,18" Wrench,Crescent,24" Wrench,Flat (Combination),Metric - Regular,9 mm Wrench,Flat (Combination),Metric - Regular,14 mm Wrench,Flat (Combination),Metric - Regular,15 mm Wrench,Flat (Combination),SAE - Regular,1/4" Wrench,Flat (Combination),SAE - Regular,7/16" Wrench,Flat (Combination),SAE - Regular,7/16" Wrench,Flat (Combination),SAE - Regular,1/2" 8 Wrench,Flat (Combination),SAE - Regular,9/16" Wrench,Flat (Combination),SAE - Regular,5/8" 5 Wrench,Flat (Combination),SAE - Regular,3/4" Wrench,Flat (Combination),SAE - Regular,3/4" 5 Wrench,Flat (Combination),SAE - Regular,11/16" Wrench,Flat (Combination),SAE - Regular,13/16" 5 Wrench,Flat (Combination),SAE - Regular,15/16" 6 Wrench,Flat (Combination),SAE - Regular,1 1/4" 9 Wrench,Flat (Combination),SAE - Regular,1 1/4"	Wrench,Allen,SAE - Regular,7/64"	1
Wrench, Crescent, 18" Wrench, Crescent, 24" Wrench, Flat (Combination), Metric - Regular, 9 mm Wrench, Flat (Combination), Metric - Regular, 14 mm Wrench, Flat (Combination), Metric - Regular, 15 mm Wrench, Flat (Combination), SAE - Regular, 15 mm Wrench, Flat (Combination), SAE - Regular, 7/16" Wrench, Flat (Combination), SAE - Regular, 7/16" Wrench, Flat (Combination), SAE - Regular, 1/2" Wrench, Flat (Combination), SAE - Regular, 9/16" Wrench, Flat (Combination), SAE - Regular, 5/8" Wrench, Flat (Combination), SAE - Regular, 11/16" Wrench, Flat (Combination), SAE - Regular, 11/16" Wrench, Flat (Combination), SAE - Regular, 13/16" Wrench, Flat (Combination), SAE - Regular, 13/16" Wrench, Flat (Combination), SAE - Regular, 15/16" Wrench, Flat (Combination), SAE - Regular, 11/4" 9 Wrench, Flat (Combination), SAE - Regular, 1 1/4" 9 Wrench, Flat (Combination), SAE - Regular, 1 3/8" 2 Wrench, Flat (Combination), SAE - Regular, 1 1/2" 4	Wrench,Allen,SAE - Regular,7/32"	2
Wrench,Crescent,24"1Wrench,Flat (Combination),Metric - Regular,9 mm1Wrench,Flat (Combination),Metric - Regular,14 mm1Wrench,Flat (Combination),Metric - Regular,15 mm2Wrench,Flat (Combination),SAE - Regular,1/4"4Wrench,Flat (Combination),SAE - Regular,7/16"11Wrench,Flat (Combination),SAE - Regular,1/2"8Wrench,Flat (Combination),SAE - Regular,9/16"14Wrench,Flat (Combination),SAE - Regular,5/8"5Wrench,Flat (Combination),SAE - Regular,11/16"6Wrench,Flat (Combination),SAE - Regular,3/4"5Wrench,Flat (Combination),SAE - Regular,13/16"5Wrench,Flat (Combination),SAE - Regular,15/16"6Wrench,Flat (Combination),SAE - Regular,16Wrench,Flat (Combination),SAE - Regular,16Wrench,Flat (Combination),SAE - Regular,19Wrench,Flat (Combination),SAE - Regular,11/4"9Wrench,Flat (Combination),SAE - Regular,11/4"9Wrench,Flat (Combination),SAE - Regular,11/2"	Wrench,Allen,SAE - Regular,1/4"	1
Wrench,Flat (Combination),Metric - Regular,9 mm1Wrench,Flat (Combination),Metric - Regular,14 mm1Wrench,Flat (Combination),Metric - Regular,15 mm2Wrench,Flat (Combination),SAE - Regular,1/4"4Wrench,Flat (Combination),SAE - Regular,7/16"11Wrench,Flat (Combination),SAE - Regular,1/2"8Wrench,Flat (Combination),SAE - Regular,9/16"14Wrench,Flat (Combination),SAE - Regular,5/8"5Wrench,Flat (Combination),SAE - Regular,11/16"6Wrench,Flat (Combination),SAE - Regular,3/4"5Wrench,Flat (Combination),SAE - Regular,13/16"5Wrench,Flat (Combination),SAE - Regular,15/16"6Wrench,Flat (Combination),SAE - Regular,16Wrench,Flat (Combination),SAE - Regular,19Wrench,Flat (Combination),SAE - Regular,11/4"9Wrench,Flat (Combination),SAE - Regular,11/4"9Wrench,Flat (Combination),SAE - Regular,11/4"9Wrench,Flat (Combination),SAE - Regular,11/2"	Wrench, Crescent, 18"	4
mmWrench,Flat (Combination),Metric - Regular,14 mm1 mmWrench,Flat (Combination),Metric - Regular,15 mm2 mmWrench,Flat (Combination),SAE - Regular,1/4"4Wrench,Flat (Combination),SAE - Regular,7/16"11Wrench,Flat (Combination),SAE - Regular,1/2"8Wrench,Flat (Combination),SAE - Regular,9/16"14Wrench,Flat (Combination),SAE - Regular,5/8"5Wrench,Flat (Combination),SAE - Regular,11/16"6Wrench,Flat (Combination),SAE - Regular,3/4"5Wrench,Flat (Combination),SAE - Regular,13/16"5Wrench,Flat (Combination),SAE - Regular,15/16"6Wrench,Flat (Combination),SAE - Regular,16Wrench,Flat (Combination),SAE - Regular,19Wrench,Flat (Combination),SAE - Regular,11/4"9Wrench,Flat (Combination),SAE - Regular,11/4"9Wrench,Flat (Combination),SAE - Regular,11/4"9Wrench,Flat (Combination),SAE - Regular,11/2"4	Wrench,Crescent,24"	1
Wrench,Flat (Combination),Metric - Regular,14 mm Wrench,Flat (Combination),Metric - Regular,15 mm Wrench,Flat (Combination),SAE - Regular,1/4" Wrench,Flat (Combination),SAE - Regular,7/16" Wrench,Flat (Combination),SAE - Regular,1/2" Wrench,Flat (Combination),SAE - Regular,9/16" Wrench,Flat (Combination),SAE - Regular,9/16" Wrench,Flat (Combination),SAE - Regular,5/8" Wrench,Flat (Combination),SAE - Regular,11/16" Wrench,Flat (Combination),SAE - Regular,3/4" Surench,Flat (Combination),SAE - Regular,13/16" Wrench,Flat (Combination),SAE - Regular,13/16" Wrench,Flat (Combination),SAE - Regular,15/16" Wrench,Flat (Combination),SAE - Regular,1 1/4" Wrench,Flat (Combination),SAE - Regular,1 1/2" Wrench,Flat (Combination),SAE - Regular,1 1/2"	, ,	1
Wrench,Flat (Combination),Metric - Regular,15 mm2Wrench,Flat (Combination),SAE - Regular,1/4"4Wrench,Flat (Combination),SAE - Regular,7/16"11Wrench,Flat (Combination),SAE - Regular,1/2"8Wrench,Flat (Combination),SAE - Regular,9/16"14Wrench,Flat (Combination),SAE - Regular,5/8"5Wrench,Flat (Combination),SAE - Regular,11/16"6Wrench,Flat (Combination),SAE - Regular,3/4"5Wrench,Flat (Combination),SAE - Regular,13/16"5Wrench,Flat (Combination),SAE - Regular,15/16"6Wrench,Flat (Combination),SAE - Regular,1"6Wrench,Flat (Combination),SAE - Regular,1 1/4"9Wrench,Flat (Combination),SAE - Regular,1 3/8"2Wrench,Flat (Combination),SAE - Regular,1 1/2"4	Wrench,Flat (Combination),Metric - Regular,14	1
Wrench,Flat (Combination),SAE - Regular,7/16" Wrench,Flat (Combination),SAE - Regular,1/2" Wrench,Flat (Combination),SAE - Regular,9/16" Wrench,Flat (Combination),SAE - Regular,5/8" Wrench,Flat (Combination),SAE - Regular,11/16" Wrench,Flat (Combination),SAE - Regular,3/4" Surench,Flat (Combination),SAE - Regular,13/16" Wrench,Flat (Combination),SAE - Regular,13/16" Wrench,Flat (Combination),SAE - Regular,15/16" Wrench,Flat (Combination),SAE - Regular,1 1/4" Wrench,Flat (Combination),SAE - Regular,1 1/2" Wrench,Flat (Combination),SAE - Regular,1 1/2"	Wrench,Flat (Combination),Metric - Regular,15	2
Wrench,Flat (Combination),SAE - Regular,1/2" Wrench,Flat (Combination),SAE - Regular,9/16" Wrench,Flat (Combination),SAE - Regular,5/8" Wrench,Flat (Combination),SAE - Regular,11/16" Wrench,Flat (Combination),SAE - Regular,3/4" 5 Wrench,Flat (Combination),SAE - Regular,13/16" Wrench,Flat (Combination),SAE - Regular,15/16" Wrench,Flat (Combination),SAE - Regular,1" 6 Wrench,Flat (Combination),SAE - Regular,1 1/4" 9 Wrench,Flat (Combination),SAE - Regular,1 3/8" 2 Wrench,Flat (Combination),SAE - Regular,1 1/2" 4	Wrench,Flat (Combination),SAE - Regular,1/4"	4
Wrench,Flat (Combination),SAE - Regular,9/16" Wrench,Flat (Combination),SAE - Regular,5/8" Wrench,Flat (Combination),SAE - Regular,11/16" Wrench,Flat (Combination),SAE - Regular,3/4" 5 Wrench,Flat (Combination),SAE - Regular,13/16" Wrench,Flat (Combination),SAE - Regular,15/16" Wrench,Flat (Combination),SAE - Regular,15/16" Wrench,Flat (Combination),SAE - Regular,1" 6 Wrench,Flat (Combination),SAE - Regular,1 1/4" 9 Wrench,Flat (Combination),SAE - Regular,1 3/8" 2 Wrench,Flat (Combination),SAE - Regular,1 1/2" 4	Wrench,Flat (Combination),SAE - Regular,7/16"	11
Wrench,Flat (Combination),SAE - Regular,5/8" Wrench,Flat (Combination),SAE - Regular,11/16" 6 Wrench,Flat (Combination),SAE - Regular,3/4" 5 Wrench,Flat (Combination),SAE - Regular,13/16" 5 Wrench,Flat (Combination),SAE - Regular,15/16" 6 Wrench,Flat (Combination),SAE - Regular,1" 6 Wrench,Flat (Combination),SAE - Regular,1 1/4" 9 Wrench,Flat (Combination),SAE - Regular,1 3/8" 2 Wrench,Flat (Combination),SAE - Regular,1 1/2" 4	Wrench,Flat (Combination),SAE - Regular,1/2"	8
Wrench,Flat (Combination),SAE - Regular,11/16" Wrench,Flat (Combination),SAE - Regular,3/4" 5 Wrench,Flat (Combination),SAE - Regular,13/16" Wrench,Flat (Combination),SAE - Regular,15/16" Wrench,Flat (Combination),SAE - Regular,1" 6 Wrench,Flat (Combination),SAE - Regular,1 1/4" 9 Wrench,Flat (Combination),SAE - Regular,1 1/4" 9 Wrench,Flat (Combination),SAE - Regular,1 3/8" 2 Wrench,Flat (Combination),SAE - Regular,1 1/2" 4	Wrench,Flat (Combination),SAE - Regular,9/16"	14
Wrench,Flat (Combination),SAE - Regular,3/4" 5 Wrench,Flat (Combination),SAE - Regular,13/16" 5 Wrench,Flat (Combination),SAE - Regular,15/16" 6 Wrench,Flat (Combination),SAE - Regular,1" 6 Wrench,Flat (Combination),SAE - Regular,1 1/4" 9 Wrench,Flat (Combination),SAE - Regular,1 3/8" 2 Wrench,Flat (Combination),SAE - Regular,1 1/2" 4	Wrench,Flat (Combination),SAE - Regular,5/8"	5
Wrench,Flat (Combination),SAE - Regular,13/16" 5 Wrench,Flat (Combination),SAE - Regular,15/16" 6 Wrench,Flat (Combination),SAE - Regular,1" 6 Wrench,Flat (Combination),SAE - Regular,1 1/4" 9 Wrench,Flat (Combination),SAE - Regular,1 3/8" 2 Wrench,Flat (Combination),SAE - Regular,1 1/2" 4	Wrench,Flat (Combination),SAE - Regular,11/16"	6
Wrench,Flat (Combination),SAE - Regular,15/16" 6 Wrench,Flat (Combination),SAE - Regular,1" 6 Wrench,Flat (Combination),SAE - Regular,1 1/4" 9 Wrench,Flat (Combination),SAE - Regular,1 3/8" 2 Wrench,Flat (Combination),SAE - Regular,1 1/2" 4	Wrench,Flat (Combination),SAE - Regular,3/4"	5
Wrench,Flat (Combination),SAE - Regular,1" Wrench,Flat (Combination),SAE - Regular,1 1/4" 9 Wrench,Flat (Combination),SAE - Regular,1 3/8" 2 Wrench,Flat (Combination),SAE - Regular,1 1/2" 4	Wrench,Flat (Combination),SAE - Regular,13/16"	5
Wrench,Flat (Combination),SAE - Regular,1 1/4" Wrench,Flat (Combination),SAE - Regular,1 3/8" 2 Wrench,Flat (Combination),SAE - Regular,1 1/2" 4	Wrench,Flat (Combination),SAE - Regular,15/16"	6
Wrench,Flat (Combination),SAE - Regular,1 3/8" 2 Wrench,Flat (Combination),SAE - Regular,1 1/2" 4	Wrench,Flat (Combination),SAE - Regular,1"	6
Wrench,Flat (Combination),SAE - Regular,1 1/2" 4	Wrench,Flat (Combination),SAE - Regular,1 1/4"	9
	Wrench,Flat (Combination),SAE - Regular,1 3/8"	2
Wrench,Flat (Combination),SAE - Regular,1 5/8"	Wrench,Flat (Combination),SAE - Regular,1 1/2"	4
	Wrench,Flat (Combination),SAE - Regular,1 5/8"	1

Wrench,Flat (Combination),SAE - Regular,1	1
Wrench,Grinder,Sander	10
Wrench,Pipe,Steel - SAE,10"	1
Wrench,Pipe,Steel - SAE,14"	2
Wrench,Pipe,Steel - SAE,18"	1
Wrench,Pipe,Steel - SAE,24"	3
Wrench,Ratcheting,Combination - SAE - Reversible,11/16"	1
Wrench,Ratcheting,Combination - SAE - Reversible,3/4"	5
Wrench,Spanner,2" - 4 3/4"	1
Wrench,Spud,1-1/4" x 18"	6
Wrench Set,Allen,9 piece - Metric - Fold up	2
Wrench Set,Allen,13 piece - SAE - Long	1
Caulking Gun,Applicator,Hilti,HDM500,supersedes MD2500	2
Drill,Corded,Rotary Hammer,SDS+,Dewalt	1
Engraver, Electric, Dremel, 290-01	1
Pliers,Needle Nose	1
Socket - 1/2" Drive,SAE,Allen (Short),3/4",Standard	1
(Order Only-Do not count)Socket Set - 1/2" Drive,SAE,20 Pc	1
Wrench Set,Allen,13 piece - SAE - Short	1
Tool,Bag,Bucket,Canvas w/leather bottom,Kuny SW744	7
Paint Roller Frame for 4" Foam Rolller	1
Drill Bit,Rotary Hammer,SDS Max,1/2"x 9" to 12" (2 and 4 cutter)	1
Annular Cutter,13/16" x 2" Depth	5
Saw,Cut-off,Corded,14",Milwaukee	1
Hose,Air,Bulk,1/4"	50
Wrench,Ratcheting,Combination,Flexhead,9/16"	1
Wrench,Ratcheting,Combination - SAE - Reversible,1/2"	2
Annular Cutter Ejector Pin,1/4" x 3" for 1" Bits	4
Wrench,Collet,Die Grinder,Dewalt	2
Reamer,Taper Shank Bridge,13/16"	4
Drill Bit,Rotary Hammer,SDS Plus,1" x 9" to 12" (2 and 4 cutter)	1
Pliers,Locking,Chain Clamp,9" Long,18" Chain,Vise Grip	1
Wire Wheel Brush,With Arbor,Coarse,2"	4
Lanyard,Tool,2 Caribiner,42" - 54"	2
Cutter,Rebar,Rotary,SDS Plus,3/4" x 12" (Bit)	5

Bar,Stripping,48" (Savage)	3
Bar,Stripping,72" (Savage)	2
Belt,Tool,10 Pocket,Kuny's,EL-1507	1
(Order Only-Do not count)Socket Set - 1/2" Drive,SAE,Hex Bit,10 Piece	1
Tape Measure,Autolock Reel,Magnetic Tip,Metric/SAE,8 m/25'	2
(Order Only-Do not count)Socket Set - 1/4" & 3/8" Drive,SAE/Metric,90 Pc	1
Hammer,Ball,Pein,Peen,32 oz.	11
Threader,Pipe,Manual,Ratcheting,1/2"- 2",NPT,Ridgid 36475	2
Die,Ridgid,Fits manual threader,1/2" NPT,Alloy	2
Die,Ridgid,Fits manual threader,3/4" NPT,Alloy	1
Die,Ridgid,Fits manual threader,1" NPT,Alloy	1
Hose,Air,Bulk,3/8"	50
Guard Assembly, Grinder, Makita, 6", 180 Degree, # 165486-6	4
Impact,Cordless,1/4"Hex Drive,Screwdriver,Dewalt 18V	1
Utility Knife Replacement Blade,Heavy Duty LB,EA Blade	10
Cutter,Rebar,Rotary,SDS Plus,7/8" x 12" (Bit)	6
Cutter,Rebar,Rotary,SDS Plus,1" x 12" (Bit)	2
Bit, Impact Driver, Nut SAE 3/8" (all lengths)	3
Battery,Cordless Tool,Dewalt,20V	14
Drill Bit,Rotary Hammer,SDS Plus,1" x 17" to 24" (2 and 4 cutter)	1
Wire Cup Brush, Carbon, Knot Twisted or Crimped, 3/4"	2
Heater, Space, 240V	1
Impact, Cordless, Dewalt 20 V, 1/2" Drive	4
Screw Driver Bit Set,30 Pc	1
Bit, Impact Driver, Nut SAE 1/2" (all lengths)	2
Bit, Impact Driver, Nut SAE 7/16" (all lengths)	3
Strap, Tow, 8" x 30'	1
Adapter, Rotary Hammer, SDS Max to SDS Plus, Driltec AH-230-230, Dewalt DW5891	1
Ratchet, Adaptor, Female to Male, 1" to 3/4", Standard	1
Gas,Acetylene (C2H2),CWS,41" Tank	3
Fire Blanket,Leather, SQFT	192
Gauge,Pressure,Oxygen,200 PSI,For Regulator	1
Hose,Welding,Acetylene / Oxygen,1/4" x 25'	1
Gas,Oxygen (O2),K,56" Tank	3
Propane Torch, Tiger Torch	1
Regulator,Acetylene,Heavy Duty,Victor,CSR	2

460A	
Regulator,Oxygen,Heavy Duty,Victor,CSR 450D	1
Welding Oven,Rod Oven,Portable	1
Soap Stone,Flat,1/2" x 5"	73
Spark Striker, Single Flint	13
Torch Cutting Assembly,Oxygen/Acetylene,Victor	2
Torch Cutting Tip,Capacity 1/4"-3/8",Medium Duty,Victor,0-3-101	1
Torch Cutting Tip,2-1-101,Capacity,1 1/2",2,Heavy Duty	2
Torch Cutting Tip,3-1-101, Capacity,2 1/2",3,Heavy Duty	2
Torch Tip Cleaner, Spiral, Stainless Steel Wire, Standard	2
Welder,Inverter,Lincoln,V350-Pro	1
Welding Hose Repair Kit,100 piece,Oetiker	1
Welding Lens,2" x 4 1/4"Shade,9,10,11	46
Welding Lens,4 1/2" x 5 1/4",ProStar,Shade 10	10
Welding Rod,Low Hydrogen,7018,5/32" x 14",11 lb box	20
Welding Stinger,Twist Type,400 amp	4
Welding Cable Connector,Set,Tweco,2MPC,9425-1210,(2)Male	1
Marker,Paint,Yellow	22
Plasma Start Cart,Cap,Thermal Dynamics,9-8213	1
Welding Stinger,Clamp Style	1
Welding Rod, Stainless Steel, 309L, 1/8" x 14", 31.4 Rods/KG	4
Flashback Arrestor, Torch Adaptor Style, Set	1
Welding Cable Connector,Set,Tweco,2MPC,9425- 1220,(2)Female	6
Welding Lens,2" x 4 1/4",Clear	18
Plasma Shield Cap,Thermal Dynamics,9-8400	1
Welding Rod,ESAB,7018,3/32	36.82
Welding Rod,ESAB,7018,1/8",20 Rods/Kg,4.7Kg/Box	84.42
Welding Rod, Stainless Steel, ESAB, 316L-17, 3/32, 7.7 KG/Per Box	40.45
Welding Rod, Stainless Steel, ESAB, 316L-17, 1/8", 5KG Per Box	40.71
Ceramic Shield, Anti-Spatter, Protective Coating, Aerosol, SF9700, 9.5 oz.	3.5
Welding Rod,ESAB,7018,5/32",13 Rods/KG	12.4
Flap Wheel, Angle Grinder, 5" x 7/8", 80 Grit	12
Disc,Cutting,Metal,5" x .045" x 7/8",Tyrolit 458870,Zip	12

Screw,Cap,UNC - Countersunk Socket,1/4" x 1",Alloy Steel	19
Screw,Cap,UNC - Hex Head,5/16" x 3/4",Gr. 5	39
Screw,Cap,UNC - Hex Head,5/16" x 3 1/2",Gr. 5	9
Screw,Cap,UNC - Hex Head,5/16" x 4",Gr. 5	5
Screw,Cap,UNC - Hex Head,3/8" x 1",Gr. 5	126
Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",Gr. 5	105
Screw,Cap,UNC - Hex Head,3/8" x 2 1/2",Gr. 5	90
Screw,Cap,UNC - Hex Head,3/8" x 4",Gr. 5	47
Screw,Cap,UNC - Hex Head,3/8" x 4 1/2",Gr. 5	21
Screw,Cap,UNC - Hex Head,1/2" x 3",Gr. 5	6
Screw,Cap,UNC - Hex Head,1/2" x 4",Gr. 5	50
Screw,Cap,UNC - Hex Head,1/2" x 5",Gr. 5	12
Screw,Cap,UNC - Hex Head,5/8" x 3",Gr. 5	12
Screw,Cap,UNC - Hex Head,5/8" x 3 1/2",Gr. 5	18
Screw,Cap,UNC - Hex Head,5/8" x 5",Gr. 5	9
Screw,Cap,UNC - Hex Head,3/4" x 2 1/4",Gr. 5	147
Screw,Cap,UNC - Hex Head,3/4" x 1 3/4",Gr. 8	78
Screw,Cap,UNC - Hex Head,3/8" x 1 1/4",SS	228
Screw,Cap,UNC - Hex Head,3/8" x 1 1/2",SS	414
Screw,Cap,UNC - Hex Head,3/8" x 2",SS	65
Screw,Cap,UNC - Hex Head,1/2" x 1",SS	35
Screw,Cap,UNC - Hex Head,1/2" x 2",SS	85
Screw,Cap,UNC - Hex Head,1/2" x 2 1/2",SS	49
Screw,Cap,UNC - Hex Head,1/2" x 3",SS	35
Screw,Cap,UNC - Hex Head,5/8" x 1 1/4",SS	112
Screw,Self Tapping,Hex Washer Head with Washer,#14 x 2"	472
Screw,Wafer,Self Tapping,1/4 x 4"	13
Screw,Wood,Countersunk,2"	534
Screw,Wood,Countersunk,3"	150
Silicone,Multi Use,Clear,300 mL Tube,Dow Corning,732	252
Washer,Fender,5/16",SS	79
Washer,Flat,1/2",Gr. 5	128
Washer,Flat,3/8",SS	1,097
Washer,Flat,1/2",SS	4
Washer,Flat,5/8",SS	99
Washer,Flat,3/4",SS	62
Adhesive, Epoxy, Hilti, HIT-ICE, 330 ml	7
Anchor, Hilti, HAS-E, Rod, 3/4" x 12"	1
Cable Clip,Wire Rope,Galvanized,3/8",Crosby,G-450	12

Tape,Teflon,White,1/2" x 480"	28
Safety Latch Kit,Lever Puller,3/4	7
Tonne,Westward,VRL740-34	0.4
Shackle, Anchor, Screw Pin, 3/4" (4 3/4 Tonne), Crosby, G-209	34
Anchor Sling,Steel Cable,Fall Protection,4' x	5
1/4",Red,Dog leash	_
Anchor Sling, Steel Cable, Fall Protection, 6' x	1
1/4",Red,Dog leash Dust Masks,8511,N95,10 / box,3M	53
Ear Plugs,Expandable Foam with Cord,LL30,100 pair/box	1
Fire Extinguisher,ABC,Multi-Purpose,10 lbs	5
First Aid Kit,Large,FAKSKT2UP	1
Hard Hat,Comfort Band,Sweatband,Liner,Terry	13
Cloth,Pkg of 2	
Hard Hat Insert	9
Lockout Hasp,Steel,6 Hole	3
Face Shield Connector, Fibre-Metal Quick-	6
Lok,4002,(male) Lanyard, Self Retracting, 10', Latchways,63013-	5
00E	5
Battery,Cordless Tool,Dewalt,18V	12
Drill Bit,Regular,SST,1/2"	17
Ratchet, Swivel, A.K.A. U-Joint, 3/4" Drive, Impact	2
Saw,Hack,12"	1
Saw,Reciprocating,Corded,Dewalt	2
Bit, Impact Driver Robertson #3, Long(Long	11
being 3" and longer)	
Socket - 3/8" Drive,SAE,Shallow,9/16",Standard	3
Socket - 1/2" Drive,SAE,Deep,1 3/16",Impact	2
Socket - 1/2" Drive,SAE,Deep,7/16",Standard	1
Socket - 1/2" Drive,SAE,Shallow,7/16",Impact	2
Wrench,Flat (Combination),SAE - Regular,5/16"	6
Wrench,Flat (Combination),SAE - Regular,3/8"	3
Wrench,Flat (Combination),SAE - Regular,7/8"	10
Wrench,Flat (Combination),SAE - Regular,1 1/16"	8
Wrench,Flat (Combination),SAE - Regular,1 1/8"	6
Wrench,Flat (Combination),SAE - Regular,1	5
5/16"	
Point Laser, Hilti PMP 45, Hilti # 411279	2
(Do Not Reorder) Grinder, Angle, Corded, 6", all "Other" Models	8
Drill,Cordless,20 Volt,1/2" Chuck,Dewalt	6
Torch Cutting Tip,0-1-101,Capacity,3/8" x 1/2",0,Heavy Duty	1
Welding Cable,Cord (Cable),Copper,1 / 0 AWG	600

Welding Ground Clamp,300 Amp	5
Welding Rod,Low Hydrogen,7018,1/8" x 14", 5KG/box	85
Welding Cable Connector,Set,Tweco,2MPC,9425-1200,(1)M(1)F	3
Lockout,Lock Box	1
Receptacle,Smoking,Cease Fire,JRT 26800	1
Punch,Center	2
Disc,Cutting,Metal,7" x .045" x 7/8",Zip	88
Marker, Black, TEC, Sharpie, 13401	2
Paint, Interthane, 990 RIL Orange, 3.78L	5
Annular Cutter,1" x 1"	1
Bolt Cutter, Heavy Duty, 36"	1
Bit, Impact Driver, Torx T20 (All Lengths)	8
Annular Cutter,1-1/8" x 2"	1
Gas,Propane (C3H8),20 lbs. Tank	2
Flint, Replacement Spark Striker, Standard, 5- Pack	10
Antifreeze,Gas Line,150 ml	6
Lockout Lock,Assorted Colors,Masterlock 410 KA,1 1/2"	14
Angle Meter, Magnetic Base, 0 - 90 Degrees	4
Cutter,Rebar,Rotary,SDS Plus,1/2" x 12" (Bit)	1
Cloth,Emery,2" x 50 Yards,120 Grit	150
Radio,18 V, 110 V,Dewalt,DC011	1
Punch,Bull Pin,10" x 1 1/16"	3
Wrench,Pipe,Aluminum,48"	1
Wrench Set,Allen,8 piece,SAE,Fold up	1
Shackle,Anchor,Screw Pin,1" (8 1/2 Tonne),Crosby,G-209	8
Lock,Pad,Med shackle-1 1/2",Master,Laminated,Commercial,3210	4
Air Monitor, Multi-Gas, with Case, ITX	<u> </u>
Saw Blade,Jigsaw,Wood,4"x6 tpi (2 / pkg)	2
Shackle,Anchor,Screw Pin,7/8" (6 1/2 Tonne),Crosby,G-209	2
Socket Set - 3/4" Drive,SAE,Deep Impact,9 Pc	2
Impact,Corded,1" Drive,All "Other" Models	1
Hose,Welding,Acetylene / Oxygen,1/4" x 100'	2
Jacket,Leather Welding	1
Lockout Tag,250 Tag Roll	3
Drill, Corded, 3/4", Super, Milwaukee	1
Grease Fitting, Nipple, 1/8" NPT, 90 Deg	2
Puller,2 Jaw,Regular Jaw,6" Reach,Posi Lock,# 206	1

Air Line,Elbow 90Deg,Transair 6602-25-00	31
Belt Tension Tester,Goodyear,Pencil Style,Sm,Goodyear,Eagle	1
Bolt,Lag,1/4" x 3 1/2",Gr. 5	84
Bit, Impact Driver,Flat,Blade width 5/16"(all lengths)	4
Flap Wheel,1" x 1 1/4" x 1/4",60 Grit	1
Hook,Grab,Eye,5/8",Gr. 70	1
Unihoist,Replacement,Seat,Chair	1
Shim, Slotted Stainless Steel, B (3" x 3"),.002"	75
Socket - 1/2" Drive,SAE,U-Joint,1/2",Impact	1
Flap Wheel, Angle Grinder, 6" x 5/8", 80 Grit	26
Disc,Cutting,Metal,6" x 3/32" x 7/8",A36 Pipe	30
Nipple,Long,Galvanized,Conduit,1/2" x 6", #GALV NIP 1/2X6	4
Drill Bit,Spade,1/2"	2
(Order Only-Do not count)Socket Set - 1/2" Drive,SAE,Shallow,Impact,17 Pc	1
(Order Only-Do not count)Socket Set - 3/4" Drive, SAE, Deep Impact, 21 Pc	1
Anchor,Expansion,Wedge,9/16" x 7",Hilti	18
Anchor,Hilti,HAS-E,Rod,3/4" x 13"	50
Lifeline,Vertical,Safety,5/8" x 100'	1
Chalk Line Refill, Jet Black, 5 lb Bottle, 2032160	1
Chalk Line Refill,Red,5 lb Bottle,65102	1
Wrench Set,Allen,9 piece - Metric	2
(Order Only-Do not count)Socket Set - 3/8" Drive,SAE/Metric,56 Pc	1
Drill Bit,Regular,SST,1/32	2
Steel, Angle Iron, 1/4 x 2 x 2	50
Steel, Flat Bar, 3/8 x 2 SS	20
Reamer,1-1/16"	2
Extension Cord,250/110V,50A,Twist- Lock,50',Trailer Service(300V 4C 8AWG SJOW or SJOOW Minimum)	1
Saw,Tile,Wet,10",Ridgid,w/Stand,Model R4092	1